

ZINC KOLLO PHOS KIL 2 SPRAY

FUNGICIDE - INSECTICIDE

NOT FOR USE OR STORAGE IN OR AROUND THE HOME.

DIRECTIONS FOR USE (AREAS OTHER THAN CALIFORNIA)


CROP: PEACHES

INSECTS: Plum Curculio, Oriental Fruit Moth, Green Peach Aphid, and Catfacing Insects.

DISEASES: Brown Rot (Blossom Blight), Scab, and Bacteriosis.

Use at the rate of 13 pounds per 100 gallons of water. Fill spray tank about two-thirds full of water and with agitator running add the required amount of this material. Finish filling tank and keep agitated. Make the first application when all petals are off and before peach is showing. Repeat at shuck-fall stage and at 10 to 14 day intervals thereafter. Do not apply more than 300 gallons of spray per acre.

Do not apply on peaches within 14 days of harvest. Do not apply more than 5 lbs. actual parathion per acre per year. Applications of dusting and spraying materials containing sulfur should not be made just prior to or during periods of excessively high summer temperatures. Do not apply within two weeks of an oil application.



DANGER-POISON
KEEP OUT OF REACH OF CHILDREN
E. P. A. Reg. No. 279-644

ACTIVE INGREDIENTS:

- *Sulfur -----41.30%
- **Parathion ----- 2.30%
- ***Zinc expressed as metallic ----10.55%
- INERT INGREDIENTS:-----45.85%
- 100.00%

- *Sulfur fineness: 93% through 325 mesh
- **O, O-Diethyl O-p-nitrophenyl thiophosphate
- ***The zinc is in the form of basic zinc sulfate.

BEFORE USING READ THE PRECAUTIONARY - SAFE HANDLING DIRECTIONS ATTACHED TO THE PRODUCT CONTAINER.

POST TREATED AREAS

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas. Field posters may be obtained from your Niagara salesman or dealer.

DO NOT CONTAMINATE FEED OR FOOD-STUFFS.

ACCEPTED

DO NOT USE IN UNDILUTED FORM.

12-30-71

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RELATED PRODUCTS ACT FOR ECONOMIC PEST CONTROL TO AVOID COMMENTS.

This product contains 15.4 percent bentonite sulfur.

Bentonite sulfur is made by the absorption of fused sulfur into bentonite in the proportions of thirty parts sulfur and seventy parts bentonite. A portion of the sulfur particles are very minute some of them colloidal. The process of manufacture and the character of the sulfur particles impart to the product distinctive properties with respect to toxicity to certain fungi, persistence on plants, suspensibility in spray tank and safety to host plants.

USAGE CAUTIONS

This product is toxic to fish and wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply when runoff is likely to occur. Birds feeding on treated areas may be killed. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.


Rinse equipment and dispose of wastes by burying at least 18" deep in non-crop lands away from water supplies. Dispose of container by burying with wastes. **DO NOT BURN.**

E. P. A. Reg. No. 279-644

ACTIVE INGREDIENTS:


- *Sulfur-----4.30%
 - **Parathion-----0.00%
 - ***Zinc expressed as metallic-----10.00%
- INERT INGREDIENTS:-----45.70%

NOT FOR HOME USE




POISONOUS IF SWALLOWED

This product can kill you if swallowed even in all amounts; spray mist or dust may be fatal if swallowed.



ACCEPTED
DEC 30-71
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. SUBJECT TO ATTACHED COMMENTS.

STOP! READ THE LABEL



WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor immediately. Do not induce vomiting unless instructed to do so by a doctor. If swallowed and victim is awake, rinse out mouth with water. If inhaled, get victim to fresh air immediately and maintain an open airway. See doctor immediately.

If swallowed and victim is awake, rinse out mouth with water. Induce vomiting by sticking finger down throat or by giving spoon or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes, while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote - administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

For emergency assistance call
716 - 735-3765

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See accompanying product information label.

CROP USE DIRECTIONS

Use only according to accompanying label instructions.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or rubbed on skin, in eyes or on clothing (liquid or through clothes).



POISONOUS IF BREATHED

Inhaling vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed, up out of any body of water. Do not apply in wet or conditions favor drift from treated area. Do not apply where runoff is likely to occur.


DANGER POISON

Keep out of reach of children
See side panels for antidote and precautions


USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes.
- (2) Wear safety goggles.
- (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection.
- (4) Wear heavy duty, natural rubber gloves.

ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



ACCEPTED
DEC 30 1971
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 279,644 SUBJECT
TO ATTACHED COMMENTS.



Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

TERMS OF SALE OR USE On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY Niagara warrants that this product, as of the time of sale by Niagara: (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damages.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS Because of certain critical conditions created or incurred by buyer or user or over which Niagara has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

MANUFACTURED IN U.S.A. BY



NIAGARA CHEMICAL DIVISION
FMC CORPORATION
MIDDLEPORT, NEW YORK

