
[279-727] LOFA CODE

20017



NET WEIGHT 60 LBS.

LEAD KOLOZINE No. 2

FUNGICIDE - INSECTICIDE

DIRECTIONS FOR USE ON PEACHES

Always use 2 pounds of Chemically Hydrated Lime with each 12 pounds of this material to make 100 gallons of spray.

Use 12 pounds of Lead Kolozinc No. 2 and 2 pounds of Chemically Hydrated Lime to each 100 gallons of water for the usual applications on peaches where Lead Arsenate and Sulfur with Zinc Sulphate is desired for the control of Curculio, Brown Rot and Scab, and to aid in the control of Bacteriosis.

Niatox 50 Wettable Powder may be added to the above spray where it is desired to use DDT for the control of the Tarnished Plant Bug and Stink Bugs which cause "Cat-facing", and for Orienta! Fruit Moth control

Do not apply to peaches within 30 days of harvest. For disease control in this period, the use of Niagara Peach Koloform is recommended. Remove residues remaining at harvest by washing, wiping, brushing or other effective means. Do not graze treated forage by livestock. Do not apply more than 1200 gallons of finished spray per acre.

Applications of dusting or spraying materials containing sulfur should not be made just prior to or during periods of excessively high temperatures.

DIRECTIONS FOR MIXING

Fill the spray tank about two-thirds full of water. Start the engine so that the agitator is in motion, and then slowly add the proper amount of lead tool zero the 2 while the tank

LI.S.D.A.Reg.No. 279-727 ACTIVE INGREDIENTS:

*Sulfur fineness: 93% through 325 mesh
**Arsenic expressed as metallic 3.47%

0.33%

Arsenic in water soluble forms expressed as metallic

Lead expressed as metallic 9.00%

***Zinc is in the form of basic zinc sulfate

DANGER-POISON

KEEP OUT OF REACH OF CHILDREN

FIRST AID TREATMENT

ANTIDOTE: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fleid is clear. Then give 2 tablespoonfuls of Epsom Salt or Milk of Magnesia in water, and plenty of milk and water. Have victim lie down and keep quiet. Call a Physician Immediately!

Poisonous if swallowed. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using. Avoid breathing dust or spray mist.

WARNING - POISON
This package contains ARSENIC or combination
thereof for agricultural purposes only. Must
not be kept or used in a room where food is
being manufactured or prepared or where power
derect food in storest

is being filled, being sure that the material is thoroughly dispersed in the water before the Lime is added. A good practice is to turn the spray nozzle back into the tank while mixing. Keep the agitator running. Thorough agitation is necessary. Add the Hydrated Lime last. Apply immediately. DO NOT attempt to wash Lead Kolozinc No. 2 through the screen or to make it into a paste before adding it to the tank.

This product contains 16.6 percent bentonite sulfur.

Bentonite sulfur is made by the absorption of fused sulfur into bentonite in the proportions of thirty parts sulfur and seventy parts bentonite. A portion of the sulfur particles are very minute, some of them colloidal. The process of manufacture and the character of the sulfur particles impart to the product distinctive properties with respect to toxicity to certain fungi, persistence on plants, suspensibility in spray tank and safety to host plants.

USAGE CAUTIONS

This product is toxic to fish and wildlife. Keep out of any body of water. Apply this product only as specified on this label. Birds feeding on treated areas may be killed.

Rinse equipment and dispose of wastes by burying at least 18" deep in non-crop lands away from water supplies. Dispose of container by burying with waters. DO NOT BURIT.

ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



LABEL

Dealers Should Sell in Original Fackages Only.

TO NOT ALL WOTHER MALERIAL COLERN LONG NEIGH-THE RESERVE OF THE AREAS OF THE AMANGEMENT OF THE SECOND A MANGEMENT OF THE SECOND ASSESSMENT OF THE SECOND OF THE NERGO ROND AND AND ACCURED SHAN IN ACCORDANCE ATTHE AND THE THE STRENS OF A SECUNIVAL PRANT OF SEASON FOR THE UNIVERSAL SECUNIVAL OF SECUNIVAL PRANTS OF SECUNIVAL PROPERTY.

At A Carry Commence

 $(A_{ij} \times A_{ij} \times$ The second secon



TO THE WENT ALL TO THE WAY.

