Code 1056

RESTRICTED USE PESTICIDE

For retainsale to and use of a tracerty cappus atoms or persons, instending order that direct supervisions and ones, for those is Covered by the certified appeal to certification

Net Weight

Carbamate 7 Phoskil

DANGER-POISON-**PRECAUTIONS**



POISONOUS IF SWALLOWED

This product can kill you if swallowed even in # amounts: spray mist or dust may be fatal if Howed



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes)



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be

POISONOUS TO FISH AND WILDLIFE

POISON SIGNS (Symptoms)

PARATHION is a very dangerous poison !! rapidly enters the body on contact with all skin surfaces and eyes. Clothing wel with this ma-terial must be removed immediately. Exposed raons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, wash ness, bisered vision, pin-point pupils, tightness In chest, labored breathing, nervousness, sweating, watering of eyes, drooting or trothing of mouth and nose muscle spasms and coma

1.5 Dust

EPA Reg No 279-978 EPA Est . 279-

Active Ingredients:

tFerbam . ††Parathion

Inert Ingredients:

†Ferric dimethyl dithiocarbamate ††O, O-Diethyl O-p-nitrophenyl thiophosphate

Phoskil* -- FMC Trademark

STOP! READ THE LABEL



CAN KILL YOU

DANGER

Keep out of reach of children

POISON

1 5%

91 5%

100.0%

See side panels for antidote and precautions

USE ONLY WHEN WEARING THE **FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING**

(1) Wear water-proof pants, coat hal, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear a mask or a posticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II (4) Wear heavy duty natural rubber

231978

FMC Corporation Agricultural Chemical Group 2000 Market Street Philadelphia PA 19103

WORK SAFETY RULES


Reep ail unprotected persons and childrenaway from treated area or where there is danger of date

Do not rubleyes or mouth with hands, if you feet sick in any way. STOP work and get help right Fungicide-Insecticide sick in any way STOP work and get help right away. Call a doctor (physician) clir to or hospital, amountable Explain that the victim has pital immediately Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid. Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gioves wash them with soap and water. Always wash hands face and arms with soap and water before smoking, eating or drinking

AFTER WORK take off all work clothes and shoes Shower using soap and water Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator

FIRST AID TREATMENT 🗬



If breathing has stopped start artificial respiration immediately and maintain until doctor sees

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit. is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately

In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. while removing contaminated clothing and shoes. See doctor immediately

NOTE TO PHYSICIAN

Antidote - administer atropine sulfate in large doses. TWC to FOUR mg intravenously or intramuscularly as soon as evanos 3 to 0.5% come. Repeat at 5 to 10 minute intervals until signs of atropinization uppear, 2-PAM enloyed is also antidotal and may be administrated in conjunction with alropine DO NOT GIVE MORPHINE OF TRANCUIL ZERS Falacies is a strong cholinriste lase intribitor afficient recentral and peripheral nervous systems and producing cardiac and recoration, depression At 11st sign of pultionary edemal the nations sticuld beilg inn Supplemental oxygen in d rreate i symptomatically. Dintimued 3000s, Treated Strom and any Soundard and Strom on the possion may occur and fate their session, been responded about lar improvement light of OCC ESCHERAL NOW, be the on TERM OF INVESTIGATION AND AND THE OWNERS OF THE

FOR EMERGENCY ASSISTANCE CALL 716--735-3765 POST TREATED AREA

the contact for interesting treated in a

Carbamate 7 Phoskil^R 1.5 Dust EPA Reg. No. 978

ENVIRONMENTAL HAZARDS

This product is toxic to fish birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions tavor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This material is for use on **Apples** for the control of Scab, Rust-Bitter Rot Brook's Spot-Blotch Codling Moth Curculio and Mites

Starting at delayed dormant, applications should be made at the rate of 1, to 2 pounds per tree depending upon the size, and should be repeated at 10 to 14 day intervals as required to maintain effective control. Use higher rate to control European Red and 2-spotted Spider Mites.

Do not apply on apples within 14 days of harvest

Applications of this material may cause injury to fruit and foliage of McIntosh and related varieties. Its use should especially be avoided in the callyx and first cover applications. On Golden Delicious, Grimes Golden, Jonathan and other varieties which are especially subject to russeting, the use of this material should be avoided, or it should be used with caution in applications during and shortly after the blossom period.

STORAGE AND DISPOSAL

Not for use or storage in or around the home

DISPOSE OF WASTES by burying at least 18 inches deep in non-crop lands away from water supplies. Do not reuse or burn container, bury with wastes.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use On purchase of this product buyer and user agree to the following conditions

Warranty FMC makes no warranty expressed or implied concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume alrisk of use and or handling and or storage of this material when such use and or handling and or storage is contrary to label instructions. Directions and Recommendations Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and office included factors in the use of this product are beyong the center. The seller

and arc assumed by buyer at his own 15%. Use of Product FMF is recommendation in a trivial with this product are based apon tests believed to he related. The ask of this product being beyond the wild tole of the manufact our on parameter expressed or implied is made as to the effects of sink if the esists to be obtained if not used in accordance with direct or simplified safe

Damages Buyers on issers exclusive remedy for damages for pleach on warranty or field general shall be imited to direct damages but exceeding the purchase price paid and shall not include incidentally consequent a damages.