

RESTRICTED USE PESTICIDE

Net Weight
Pounds

Kolodust[®] 50 Parathion 2 Dust

**DANGER—POISON—
PRECAUTIONS**



POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

**POISONOUS TO FISH AND
WILDLIFE**

POISON SIGNS (Symptoms)

PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

Fungicide-Insecticide

EPA Reg. No. 279-1060 ZA EPA Est., 279-

Active ingredients:
Parathion (O,O-Diethyl O-p-nitrophenyl thiophosphate)
Sulphur
Inert ingredients:

Kolodust[®] FMC Trademark

By Wt.
2.00%
42.00%
56.00%
100.00%

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician) clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

FIRST AID TREATMENT

Call a doctor (physician) clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Anti-dote: administer atropine sulfate in large doses. TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 PAM chloride is also anti-dotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At the sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and a relapse may be expected after initial improvement. **KEEP THE PATIENT UNDER CLOSE MEDICAL SURVEILLANCE AT LEAST 48 HOURS.**

STOP! READ THE LABEL



CAN KILL YOU

NOT FOR HOME USE

DANGER


Keep out of reach of children

POISON

See side panels for antidote and precautions

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear a mask or a pesticide respirator (only approved by the Mine, Enforcement and Safety Administration, formerly MSHA; Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. (4) Wear heavy duty natural rubber gloves.



FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia PA 19103

FOR EMERGENCY ASSISTANCE CALL
716-735-3765
POST TREATED AREA

KOLODUST 50 PARATHION 2 DUST
Fungicide-Insecticide

EPA Reg. No. 279-1060 ZA
EPA Est.. 279-

This product contains bentonite sulphur which is made by the absorption of fused sulphur into bentonite in the proportions of thirty parts sulphur and seventy parts bentonite. Some of the sulphur particles are very minute, some of them are larger. The process of manufacture and the character of the sulphur particles impart to the product distinctive properties with respect to toxicity to certain fungi, persistence of plant susceptibility in spray tank and safety to most plants.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, ponds and streams. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply where run-off is likely to occur. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Do not reuse container. Dispose of container in an incinerator or landfill approved for pesticide containers or bury in a safe place. Consult Federal, State or local disposal authorities for approved alternative procedures.

Apply as a dust when insects or disease first appear and repeat as necessary. For disease control, this material must be applied before disease development. May be applied by air or ground. Observe days interval between last application and harvest indicated by the number in () following the crop.

Beans (15): Thrips, Leafminer, Leafhoppers, Aphids, Whitefly, Powdery Mildew — Use 25 pounds per acre. Sulphur may injure certain varieties. Check tolerance before using.

Broccoli (7), Brussels Sprouts (7), Cabbage (10), Cauliflower (7): Armyworms, Aphids, Cabbage Looper, Diamondback Moth Larvae, Imported Cabbageworm — Use 25 pounds per acre.

Celery (30): Leafminer, Climbing Cutworms, Celery Leafminer, Aphids, Whiteflies, Leafhoppers, Spider Mites — Use 37 pounds per acre.

Grapes (14): Grape Leafhopper, Thrips, Mealybug, Powdery Mildew — Use 25 pounds per acre. Ground application preferred.

Lettuce (Head 7, Leaf 21): Aphids, Armyworms, Cabbage Looper, Powdery Mildew — Use 25 pounds per acre.

Onions (15): Thrips, Petroselinum Mites — Use 25 to 40 pounds per acre.

Peas (10): Aphids, Leafminers, Thrips — Use 25 pounds per acre.

Potatoes (5): Leafhoppers, Aphids, Flea Beetles, Blister Beetle, Leafminer, Plant Bugs, Potato Psyllid, Vegetable Weevil — Use 35 to 50 pounds per acre.

Strawberries (14): Strawberry Aphid, Powdery Mildew — Use 40 pounds per acre.

Tomatoes (10): Leafminers, Tomato Russet Mite, Stink Bugs, Aphids — Use 25 to 50 pounds per acre. Consult canner before using on tomatoes grown for canning.

Do not allow this material to drift onto sulphur sensitive crops.

Applications of materials containing sulphur should not be made just prior to or during periods of excessively high summer temperatures or within 10 days to 2 weeks of an oil spray.

Dealers Should Sell in Original Packages Only

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based on tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such use, the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.