

Code: 30027



C-O-C-S® 50-V

20 Pounds Net Weight

Niagara C-O-C-S 50-V is a fixed copper material designed to be used as a spray either alone or in combination with spreader and sticker. Apply Niagara C-O-C-S 50-V for the control of those diseases against which an insoluble copper fungicide may be used

DIRECTIONS FOR USE

Fill the spray tank half full of water. With the agitator running, sift in slowly the required amount of Niagara C-O-C-S 50-V. Afterwards add the required amounts of an insecticide if it is desired to use them. Finish filling the tank with water and apply at once.

FOR DISEASE CONTROL ON THE FOLLOWING CROPS BEGIN APPLICATION AS NECESSARY AND REPEAT AT 7 TO 10-DAY INTERVALS TO PROTECT NEW GROWTH THROUGHOUT THE GROWING SEASON. USE 3-4 LBS OF C-O-C-S 50-V IN 50-100 GALLONS OF WATER PER ACRE.

MELONS: For control of Downy Mildew, Leaf Blight, Scab and aids in control of bacteria wilt.

CARROTS: For control of Leaf Blight.

CUCUMBERS: For control of Downy Mildew, Leaf Blight, Scab and aids in control of bacterial wilt.

EGGPLANT: For control of late blight.

LIMA BEANS: For control of Downy Mildew, and pod Spot.

ONIONS: For the control of Downy Mildew.

PEPPERS: For control of late blight.

LETTUCE: For control of Downy Mildew.

POTATOES: For control of Early and Late Blight.

SQUASH: For control of Downy Mildew, Leaf Blight, Scab and aids in control of bacterial blight.

SUGAR BEETS: For control of Leaf Spot.

TOMATOES: For control of late blight, early blight and Septoria leaf spot.

CELERY: For control of Celery Blight.

HOPS: For control of Downy Mildew. As a crown treatment for early downy mildew control apply in the early spring.

FOR CONTROL OF DAMPING OFF: For the control of damping off of tomatoes, peppers, and certain other crops in hot beds, cold frames, and greenhouses, it will be helpful to supplement seed treatment by spraying the plants with Niagara C-O-C-S 50-V at the rate of 4 pounds in 50-100 gallons of water per acre. The suspension should be kept well agitated. The applications should be made at 4 to 7-day intervals, beginning when the plants break through the ground. Spray the plants lightly but thoroughly, covering the ground. DO NOT use this on Cabbage and related crops for the control of Damping off.

FUNGICIDE

EPA REGISTRATION NO. 279-1077 AA

ACTIVE INGREDIENTS:	BY WT.
†Copper expressed as metallic	50.00%
INERT INGREDIENTS:	50.00%
	100.00%

†From Copper Oxchloride Sulfate

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if Swallowed. Avoid inhaling dust. Avoid skin contact. Keep away from domestic animals, feed and food-stuffs.

ACCEPTED

UNDER THE FEDERAL INSECTICIDE AND RODENTICIDE ACT

NIAGARA CHEMICAL DIVISION

FMC CORPORATION

MIDDLEPORT, N. Y.
FRESNO, CALIFORNIA

RICHMOND, CALIF. • YAKIMA, WASHINGTON

CITRUS (Grapefruit, Kumquats, Lemons, Limes, Oranges, Tangerines, Tangelos) (California): For prevention of Brown Rot use 1 pound of C-O-C-S 50-V and 1 to 1 1/2 pounds of hydrated lime per 100 gallons of water. Apply during the winter months. Spray the ground around the tree and the skirts of the trees to a height of 3 to 4 feet. Give particular attention to covering the fruit. Treat inside as well as outside, spraying trunks and skirts thoroughly. (4 to 6 gallons per tree is usually adequate). Retreatment may be necessary. Do not disturb soil after treatment. In areas with a history of severe copper damage, spray the skirts no more than 2 feet high. Do not apply in areas where copper injury is known to occur or where fumigation with hydrogen cyanide gas is practiced.

USAGE CAUTION

This product is toxic to fish. Keep out of lakes, ponds and streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

Rinse equipment and DISPOSE OF WASTES by burying in non-crop land away from water supplies. Empty bags should be buried with wastes or burned. Keep out of smoke.

Do not apply when weather conditions favor drift from the areas treated. Do not apply when runoff is likely to occur. Do not use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

Dealer Should Sell in Original Packages Only.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY: Niagara warrants that this product, as of the time of sale by Niagara, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which Niagara has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from, liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.