

Code 1321

Net Contents

Ethion 4 Miscible

Miticide-insecticide

For Agricultural or Commercial Use Only

EPA Reg. No. 279-1254 EPA Est., 279-

Active Ingredients:	By Wt.
Ethion (O,O',O'-tetraethyl S,S'-methylene bisphosphorodithioate).....	46.5%
Petroleum Distillate.....	32.0%
Inert Ingredients.....	21.5%
	<hr/> 100.0%

Contains 4 pounds Ethion per gallon

**KEEP OUT OF REACH OF CHILDREN
WARNING**

AVISO

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

For Emergency Assistance Call 716-735-3765.

See Other Panels for Additional Precautionary Information.

FMC

FMC Corporation,
Agricultural Chemical Group
2000 Market Street
Philadelphia Pennsylvania 19103

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If on skin: Wash with plenty of soap and water. Get medical attention.

If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.

Antidote

Note to Physician. Active ingredient is a cholinesterase inhibitor. Patient should be kept under observation for 48 hours. Atropine is antidotal. Give 4 mg Atropine sulfate intramuscularly or intravenously, as soon as cyanosis is overcome. Repeat every 15 minutes until patient is fully atropinized. Pralidoxime (2-PAM) is also antidotal and should be administered in conjunction with Atropine. Never give morphine.

PRECAUTIONARY STATEMENTS Hazards to Humans (& Domestic Animals) Warning

May be fatal if swallowed, inhaled or absorbed through skin. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ACCEPTED

AUG 14 1986
Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, this pesticide registered under
EPA Reg. No. 279-1254

Page 1 of 5
279-1254

3/27/86-R

ENVIRONMENTAL HAZARDS

This product is toxic to fish, wildlife, and shrimp. Do not apply directly to water or wetlands. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

Do not allow this material to drift onto neighboring crops or noncrop areas or use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas for 24 hours unless appropriate protective clothing is worn.

Protective clothing means, at least, a hat or other suitable head covering, a long sleeved shirt and long legged trousers or a coverall type garment (all of closely woven fabric covering the body, including the arms and legs), shoes and socks.

Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure. An example of such information is given under written warnings. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:

WARNING

Area treated with Ethion 4 Miscible on (insert date). Do not enter without appropriate protective clothing for 24 hours (insert State Department of Agriculture's re-entry interval, if more restrictive).

In case of accidental exposure to pesticide spray or dust, wash the skin thoroughly with soap and water. Remove contaminated clothing and wash before reuse. If in eyes, flush with plenty of water. If inhaled, go to an area where the pesticide has not been applied. Get medical attention if needed.

2/1-

STORAGE AND DISPOSAL

Pesticide Storage

Do not use or store near heat, open flame or hot surfaces.

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC collect. (716) 735-3765.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Do not cut or weld metal containers.

4/5
Do not use in undiluted form

Do not use if material does not emulsify.

Apply the listed amount per acre when insects first appear and repeat as required to maintain effective control. Use in sufficient water for thorough coverage, unless otherwise noted for listed crops. Coverage of upper and lower leaf surfaces is essential for good control. Observe use limitations. If insect control is required beyond the following use patterns, supplement the control program with other suitable pesticides. When applying this material by aircraft, mix the recommended amount with sufficient water to provide a minimum of 1 gallon finished spray per acre. Where more than 2 quarts are recommended, mix with sufficient water to provide a minimum of finished spray equal to twice the amount of Ethion Miscible used. Observe days interval between last application and harvest indicated by number in () following the crop.

Apples: Apple Aphid, European Red Mite, Rosy Apple Aphid, San Jose Scale—Use 0.6 pt. plus 2 gals. dormant oil per 100 gals. water. Apply during dormant or delayed dormant period ("Superior" type oil of 60 to 70 second viscosity preferred for delayed dormant use.)

Bermuda Grass (Lawns and Seed Crop): Eriophyid Mites—1 tablespoon per gal. of water to cover 200 sq. ft. of lawn or use 3 fluid ozs. per 6 gals. of water per 1200 sq. ft. Apply as needed to maintain effective control. Keep children and animals off treated areas until the spray has completely dried. Do not apply to Bermuda grass to be used for grazing or forage to be fed to livestock.

Cherries: Black Cherry Aphid, San Jose Scale—0.5 to 0.75 pt. plus 2 gals. dormant oil per 100 gals. water. Apply during dormant or delayed dormant period ("Superior" type oil of 60 or 70 second viscosity preferred for delayed dormant use.)

Summer Squash (0) Serpentine Leafminer, Two-spotted Spider Mite—1 pt. per acre

Grapefruit (0), Lemons (3), Limes (2), Oranges (0), Tangelos (0), Tangerines (0): To control Citrus Red Mite, Citrus Rust Mite, Six-spotted Mite, Texas Citrus Mite, Black Scale, Brown Soft Scale, California Red Scale, Chaff Scale, Florida Red Scale, Glover Scale, Purple Scale, Snow Scale, Yellow Scale, Citrus Whitefly, Mites, Scales, and Citrus Whitefly—Use 0.5 to 0.75 pt. in 100 gals. water. Mites, Scales, and Citrus Whitefly—Use 0.75 pt. per 100 gals. water combined with 0.5 to 0.7% summer oil (Florida and Texas areas) or 0.5 to 0.75 pt. per 100 gals. water combined with 1 to 2 gals. summer oil (West Coast). Where Snow Scale is a problem, spray trunk, limbs and twigs thoroughly. For Whitefly, apply shortly after Whiteflies have laid their eggs. Do not apply more than 2000 gals. spray per acre. Do not apply more than once on Lemons and Limes; on other citrus crops listed, do not apply within 90 days of previous application. On Tangerines, do not apply more than twice per crop. Do not apply oil within 3 weeks of a sulfur application. Do not use oil on Naval Oranges.

Grapes (California Only) (30): To control Grape Leafhopper, Two-spotted Spider Mite, Willamette Mite—Use 1.5-2.5 pints per acre. Do not apply more than twice during fruiting period.

Home Grounds (For Use By Trained Pest Control Operators) For outside use only: Clover (Brown Almond) Mite infesting houses—1 pt. per 2500 square feet area. Mix well with sufficient water to cover 2500 sq. ft. Spray areas of mite infestation from the bottom of first floor windows down to the ground and 15 to 20 ft. away from building. Keep children and animals off treated areas until spray has completely dried.

Melons (0): Melon Leafminer, Serpentine Leafminer, Twospotted Spider Mite—1 pt. per acre. Melon Leafhopper—1.5 to 2 pts. per acre. Petriobis Mite (California only), Cucumber Beetle—1 to 2 pts. in a minimum of 10 gals. water per acre.

Ornamentals (Greenhouse) Soil Treatment: Millipedes—Use 10 fl. ozs in 75 gals of water and apply to 2,500 sq ft. of bench space. Wear mask or respirator approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II for Ethion protection.

Ornamentals (Out of Doors): Twospotted Spider Mite—Use 0.5 pint per 100 gals. May cause some needle drop on Anderson Yew.

Pears: Clover (Brown Almond) Mite, European Red Mite, San Jose Scale—75 pt plus 1 to 2 gals dormant oil per 100 gals water. Apply during dormant or delayed dormant period. ("Superior" type oil of 60 or 70 second viscosity preferred for delayed dormant use).

Turf: (Commercial Use)—Chinch Bugs, Sod Webworm—Use 0.33 to 0.5 pt per 1000 sq ft of turf applied in 20 gals of water or 1.67 to 2.5 pts in 100 gals of water to treat 5000 sq ft. To treat one acre, use 1.75 to 2.5 gals applied in 800 gals of water. It is important that the spray penetrate through the mat of turf to reach the insects. It helps to have the turf well irrigated prior to treatment. **Caution:** Keep children and animals off treated areas until this material has been thoroughly watered into soil and the grass has completely dried.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.