

Dec 17 1972

[279-1256]
Code: 30359



28 Gallons Net Contents

ETHION DORMANT OIL SPRAY

DIRECTIONS FOR USE

Apply the following recommended rates in sufficient water to thoroughly cover one acre. (With ground application equipment on pome fruit use a minimum of 300 gallons on stone fruits and nuts a minimum of 200 gallons of 37% spray per acre. When using concentrate spray equipment use a minimum of 600 gallons of 37% spray per acre.

FOR CONTROL OF CERTAIN SCALE INSECTS DURING THE DORMANT OR DELAYED DORMANT PERIOD: San Jose Scale on Soft Scale on Almonds, Apples, Apricots, Cherries, Nectarines, Peaches and Plums use at the rate of 2 gallons per 100 gallons of water. Concentrate spray use 6 gallons per acre. Partheno Carve Scale on Almonds, Nectarines and Peaches use 3 gallons per 100 gallons of water. Concentrate spray use 6 gallons per acre. For Almonds and other stone fruit use 1 gallon per 100 gallons of water.

FOR CONTROL OF CERTAIN PESTS DURING THE DELAYED DORMANT PERIOD: Wintering eggs of Brown Alder on European Red Mite on Almonds, Apples, Apricots, Cherries, Nectarines, Peaches and Plums use 1 to 2 gallons per 100 gallons of water. (Concentrate spray use 6 gallons per acre.) Overwintering eggs of Pear Apple Aphid on Green Apple. Aphid on Apples and overwintering eggs of Black Cherry Aphid on Cherries use 1.2 gallon per 100 gallons of water. Concentrate spray use 6 gallons per acre. Pear Psyllid on Pear use 1.2 gallon per 100 gallons of water. Concentrate spray use 6 gallons per acre. For Almonds use 1 gallon per 100 gallons of water.

ON PLUMS AND PRUNES FOR CONTROL OF: European Red Mite on Almonds, Apples, Apricots, Cherries, Nectarines, Peaches and Plums use 1 to 2 gallons per 100 gallons of water. Concentrate spray use 6 gallons per acre. For Almonds use 1 gallon per 100 gallons of water. Concentrate spray use 6 gallons per acre.

IN THE SACRAMENTO AND SUISUN VALLEY AREAS: Apply at the rate of 2 gallons per 100 gallons of water. **OTHER AREAS:** Apply at the rate of 1.2 gallons per 100 gallons of water. For Apples, Apricots, Cherries, Nectarines, Peaches and Plums use 1.2 gallons per 100 gallons of water. Concentrate spray use 6 gallons per acre. For Almonds use 1 gallon per 100 gallons of water. Concentrate spray use 6 gallons per acre.

ON WALNUTS DELAYED DORMANT PERIOD FOR CONTROL OF: European Red Mite on Almonds, Apples, Apricots, Cherries, Nectarines, Peaches and Plums use 1 to 2 gallons per 100 gallons of water. Concentrate spray use 6 gallons per acre. For Almonds use 1 gallon per 100 gallons of water. Concentrate spray use 6 gallons per acre.

INSECTICIDE - MITICIDE

EPA REGISTRATION NO. 279-1256 AA

ACTIVE INGREDIENTS	BY WT
ETHION	2.6%
ETHION OIL	9%
INERT INGREDIENTS	2.35%
	100.00

© 1972 FMC Corporation, a subsidiary of FMC Corporation
Middletown, N.Y. 10859
Fresno, California 93701
Yakima, Washington 98901

WARNING

KEEP OUT OF REACH OF CHILDREN

May be fatal if swallowed or inhaled. Avoid breathing vapor or spraying it. Do not enter a confined space until after breathing. Do not contaminate food or feed stuff.

Do Not Use if Material Does Not Emulsify.
Do Not Use In Undiluted Form.

Ethion Dormant Oil Spray may be used in combination with Farnam 10-0-5 or Basic Zinc Sulphate. If the final solution is greater than 4 pounds per 100 gallons of spray, add an additional 1/2 gallon of dormant oil per 100 gallons. This product may be used in combination with Polysoluble Concentrate or Lime Sulphate Solution. Exercise care to insure complete mixing.

DIRECTIONS FOR MIXING

When used with a tank to cover sprayer, fill tank with water to 1/2 full and add 1/2 gallon of dormant oil per 100 gallons of spray. Pour the concentrate into the sprayer tank and mix thoroughly. Add the concentrate to the tank and mix thoroughly. Add the concentrate to the tank and mix thoroughly.

USAGE CAUTIONS

Do not apply to plants that are stressed or in bloom. Do not apply to plants that are under stress or in bloom. Do not apply to plants that are under stress or in bloom.

Do not apply to plants that are stressed or in bloom. Do not apply to plants that are under stress or in bloom. Do not apply to plants that are under stress or in bloom.

Do not apply to plants that are stressed or in bloom. Do not apply to plants that are under stress or in bloom. Do not apply to plants that are under stress or in bloom.

For Emergency Assistance Call 716-735-3765

Do not apply to plants that are stressed or in bloom. Do not apply to plants that are under stress or in bloom. Do not apply to plants that are under stress or in bloom.

Dealer Should Sell in Original Packages Only

Do not apply to plants that are stressed or in bloom. Do not apply to plants that are under stress or in bloom. Do not apply to plants that are under stress or in bloom.

Do not apply to plants that are stressed or in bloom. Do not apply to plants that are under stress or in bloom. Do not apply to plants that are under stress or in bloom.

Do not apply to plants that are stressed or in bloom. Do not apply to plants that are under stress or in bloom. Do not apply to plants that are under stress or in bloom.

Do not apply to plants that are stressed or in bloom. Do not apply to plants that are under stress or in bloom. Do not apply to plants that are under stress or in bloom.

NIAGARA CHEMICAL DIVISION
FMC CORPORATION

fmc CORPORATION **fmc CORPORATION**

MIDDLETOWN, N.Y.
FRESNO, CALIFORNIA

RICHMOND, CALIF. • YAKIMA, WASHINGTON