

Code: 30360

COPPER ZINC DUST

COPPER ZINC DUST is a product designed to be used as a dust in combatting certain plant diseases and where an insoluble zinc is recommended for nutritional purposes.

DIRECTIONS FOR USE

Apply when disease first appears or during weather periods conducive to disease development. Use at the rate of 25 to 30 pounds per acre repeating the applications as suggested below. May be applied by ground or air.

CELERY: Early and Late Blight — Apply at 5 to 14 day intervals.

BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CAULIFLOWER: Downy Mildew — Apply at 7 to 10 day intervals.

ONIONS: Downy Mildew — Repeat at 7 day intervals. Begin applications when plants are 4 to 6 inches high.

POTATOES, TOMATOES: Early and Late Blight — Begin when plants emerge, or when they are 4 to 6 inches high, or before diseases appear. Repeat at 7 to 10 day intervals or more frequently under severe late blight.

FUNGICIDE

EPA REGISTRATION NO. 279-1266 AA

ACTIVE INGREDIENT	By Wt.
†Copper expressed as metallic	6.3%
INERT INGREDIENTS	93.7%
	100.0%

†Copper is in the form of Basic Copper Sulfate.

This product also contains 6.3% Zinc, expressed as metallic, derived from Basic Zinc Sulfate for aid in the control of Zinc deficiency.

DISPOSAL
DISPOSE OF WASTES by burying in water supplies. Empty bags should be burned. Keep Out of Smoke.

**For Emergency
716-71**

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not breathe dust. Keep away from domestic animals. Do not contaminate feed or food products.

ACCEPTED

Handwritten signature

UN. ...
 PENDING ...
 FOR ...
 TO UNDER N ...
 TO ATTACHED



COPPER ZINC DUST

Net Weight

50 Pounds

to be used as a dust in
ere an insoluble zinc is

USE
ng weather periods con-
rate of 25 to 30 pounds
ggested below. May be

5 to 14 day intervals.

E, CAULIFLOWER: Downy

ay intervals. Begin appli-

ght — Begin when plants
high, or before diseases
or more frequently under

FUNGICIDE

EPA REGISTRATION NO. 279-1266 AA

ACTIVE INGREDIENT	By Wt.
†Copper expressed as metallic	6.3%
INERT INGREDIENTS	93.7%
	100.0%

†Copper is in the form of Basic Copper Sulfate.

This product also contains 6.3% Zinc, expressed as metal-
lic, derived from Basic Zinc Sulfate for aid in the control
of Zinc deficiency.



DISPOSAL CAUTION
DISPOSE OF WASTES by burying in non-crop land away from
water supplies. Empty bags should be buried with wastes or
burned. Keep Out of Smoke.

For Emergency Assistance Call
716-735-3765

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not breathe dust.
Keep away from domestic animals. Do not contaminate
feed or food products.





Do not Store or Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

TERMS OF SALE OR USE: On purchase or use of this product, buyer and user agree to the following conditions:
WARRANTY: FMC warrants that this product, as of the time of sale by FMC, conforms to the ingredient statement on the label and is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.
DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be received by FMC within 10 days of delivery by buyer or user. Buyer or user shall bear the cost and claim for such damage.
FORCE MAJEURE: FMC MAKES NO CONTRACTIBLE CONDITIONS: Because of the nature of the conditions created by buyer or user, FMC has no control over and user, as a condition of purchase, shall assume responsibility for and release FMC from liability arising out of the handling or use of the product. FMC shall not be liable for any damage or injury to crops or other property caused by the use of the product.

FMC

Chemicals