

Code: 30390

CITRUS SOLUBLE OIL -- LIGHT MED

Special attention has been given in the formulation of Citrus Soluble Oil to make it compatible with wettable powder materials such as Phoskil 25 Spray, Malathion 25 Spray, and products used for the correction of minor element deficiencies.

MIXING DIRECTIONS

Before using this product, be sure the spray tank is clean and contains just enough water to cover the agitator shaft. With agitator running, start filling tank with water; add oil when tank is about half full. Pump this mixture through the overflow and back into the tank for about two minutes to insure proper emulsification. Fill with water, adding other desired materials as tank is filling. Keep agitator running at all times. Sufficient agitation must be present to insure proper emulsification. If an injector is used, first add 25 to 50 gallons of water to tank with engine running to provide good pressure. Put injector suction tube into the measured amount of spray oil, opening injector valve to allow the oil to be sucked into the tank, then fill the tank with water.


DO NOT USE THIS MATERIAL IF IT DOES NOT EMULSIFY.

DIRECTIONS FOR USE

Apply when pests first appear. Apply the following recommended rates in sufficient water to thoroughly cover one acre. By ground use a minimum of 200 gallons of diluted spray per acre. Do not use in undiluted form.

GRAPEFRUIT, LEMONS, ORANGES: Yellow Scale, Citricola Scale, Red Scale, Brown Soft Scale, Citrus Red Mite — Use 1½ to 2 gallons per 100 gallons of water.

OLIVES: Olive Scale, Black Scale, Oleander Scale — Use 1½ to 2 gallons per 100 gallons of water.



045W

MANUFACTURED IN U.S.A. BY

AGRICULTURAL CHEMICAL DIVISION

MIDDLEPORT, N.Y. YAKIMA, WA
FRENCH CREEK, CA RICHMOND, CA

INSECTICIDE-MITICIDE

EPA REGISTRATION NO. 279-1343 ZA

ACTIVE INGREDIENT:	BY WT.
Petroleum Oil	99.30%
INERT INGREDIENTS:	0.70%
	<hr/>
	100.00%

Classification — Light Medium

Unulfonated Residue — 92.0% Minimum

CAUTION

KEEP OUT OF REACH OF CHILDREN

Avoid inhalation of spray mist. Harmful if swallowed. Do not induce vomiting. Call a Physician immediately.

Use efficient equipment of the proper type. Avoid spraying during or immediately prior to hot or freezing weather (over 90° F or under 32° F), hot dry winds, rain or other unsuitable conditions; avoid overspraying or double spraying. Plants should be sprayed only when in vigorous condition and when their moisture condition is suitable.

Do not make an oil spray application within 2 weeks prior to, or after an application of sulfur. On Citrus do not make an oil application within 60 days prior to, or after an application of Sulfur.

Do not use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

For Emergency Assistance Call: 716—735-3765

ENVIRONMENTAL

Fish and other aquatic life in lakes, streams, ponds, tidal waters, etc., under adverse weather conditions, and runoff is likely to occur. Do not use or disposal of wastes as directed on label.

Do not re-use empty 28 g containers. Destroy it by perforating and disposing away from water supplies.

Dealer Should

TERMS OF SALE OR USE: Dealer agrees to the following conditions:

WARRANTY: FMC warrants that the product (1) conforms to the ingredients listed on the label and is fit for the purposes set forth on the label.

WARRANTED THE PRODUCT WILL BE FREE OF DEFECTS. WARRANTY EXPRESS OR IMPLIED.

DAMAGES: Buyer's or user's damages, including warranty or negligence shall be the purchase price paid and no other damages. Notice of any claim must be given by buyer or user at the time of discovery for such damages.

EXCUSE FROM NON-CONFORMANCE: FMC has no control, buyer and user assume responsibility for and release FMC from any liability arising from use of the product attributable to any statement made on the label.

EXCUSE FROM NON-CONFORMANCE: FMC has no control, buyer and user assume responsibility for and release FMC from any liability arising from use of the product attributable to any statement made on the label.

EXCUSE FROM NON-CONFORMANCE: FMC has no control, buyer and user assume responsibility for and release FMC from any liability arising from use of the product attributable to any statement made on the label.

EXCUSE FROM NON-CONFORMANCE: FMC has no control, buyer and user assume responsibility for and release FMC from any liability arising from use of the product attributable to any statement made on the label.

EXCUSE FROM NON-CONFORMANCE: FMC has no control, buyer and user assume responsibility for and release FMC from any liability arising from use of the product attributable to any statement made on the label.

EXCUSE FROM NON-CONFORMANCE: FMC has no control, buyer and user assume responsibility for and release FMC from any liability arising from use of the product attributable to any statement made on the label.

EXCUSE FROM NON-CONFORMANCE: FMC has no control, buyer and user assume responsibility for and release FMC from any liability arising from use of the product attributable to any statement made on the label.

EXCUSE FROM NON-CONFORMANCE: FMC has no control, buyer and user assume responsibility for and release FMC from any liability arising from use of the product attributable to any statement made on the label.

EXCUSE FROM NON-CONFORMANCE: FMC has no control, buyer and user assume responsibility for and release FMC from any liability arising from use of the product attributable to any statement made on the label.

EXCUSE FROM NON-CONFORMANCE: FMC has no control, buyer and user assume responsibility for and release FMC from any liability arising from use of the product attributable to any statement made on the label.

EXCUSE FROM NON-CONFORMANCE: FMC has no control, buyer and user assume responsibility for and release FMC from any liability arising from use of the product attributable to any statement made on the label.

EXCUSE FROM NON-CONFORMANCE: FMC has no control, buyer and user assume responsibility for and release FMC from any liability arising from use of the product attributable to any statement made on the label.

EXCUSE FROM NON-CONFORMANCE: FMC has no control, buyer and user assume responsibility for and release FMC from any liability arising from use of the product attributable to any statement made on the label.

CITRUS SOLUBLE OIL -- LIGHT MEDIUM

Net Contents
28 Gallons

ulation of Citrus Soluble Oil to
erials such as Phoskil 25 Spray.
he correction of minor element

IONS

tank is clean and contains just
th agitator running, start filling
ut half full. Pump this mixture
ank for about two minutes to
adding other desired materials
times. Sufficient agitation must
If an injector is used, first add
ngine running to provide good
measured amount of spray oil,
sucked into the tank, then fill

ES NOT EMULSIFY.

USE

following recommended rates
acre. By ground use a minimum
not use in undiluted form.

w Scale, Citricola Scale, Red
- Use 1 1/2 to 2 gallons per 100

Scale — Use 1 1/2 to 2 gallons

INSECTICIDE-MITICIDE

EPA REGISTRATION NO. 279-1343 ZA

ACTIVE INGREDIENT:	BY WT.
Petroleum Oil	99.30%
INERT INGREDIENTS:	0.70%
	100.00%

Classification — Light Medium

Unulfonated Residue — 92.0% Minimum

CAUTION

KEEP OUT OF REACH OF CHILDREN

Avoid inhalation of spray mist. Harmful if swallowed. Do not induce vomiting. Call a Physician immediately.

Use efficient equipment of the proper type. Avoid spraying during or immediately prior to hot or freezing weather (over 90° F or under 32° F), hot dry winds, rain or other unsuitable conditions; avoid overspraying or double spraying. Plants should be sprayed only when in vigorous condition and when their moisture condition is suitable.

Do not make an oil spray application within 2 weeks prior to, or after an application of sulfur. On Citrus do not make an oil application within 60 days prior to, or after an application of Sulfur.

Do not use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

For Emergency Assistance Call: 716—735-3765

ENVIRONMENTAL AND DISPOSAL CAUTIONS

Fish and other aquatic life may be killed by this product. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply when weather conditions favor drift from the areas treated. Do not apply where run-off is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not re-use empty 28 gallon drum. Return to drum reconditioner or destroy it by perforating and crushing. Bury or discard in a safe place away from water supplies.


Dealer Should Sell in Original Packages Only.

TERMS OF SALE OR USE: On purchase or use of this product buyer or user agree to the following conditions:

WARRANTY: FMC warrants that this product, as of the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. **EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.**

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damages.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from, liability arising out of handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.



Code: 30390

CITRUS SOLUBLE OIL -- LIGHT MEDIUM

Special attention has been given in the formulation of Citrus Soluble Oil to make it compatible with wettable powder materials such as Phoskil 25 Spray, Malathion 25 Spray, and products used for the correction of minor element deficiencies.

MIXING DIRECTIONS

Before using this product, be sure the spray tank is clean and contains just enough water to cover the agitator shaft. With agitator running, start filling tank with water; add oil when tank is about half full. Pump this mixture through the overflow and back into the tank for about two minutes to insure proper emulsification. Fill with water, adding other desired materials as tank is filling. Keep agitator running at all times. Sufficient agitation must be present to insure proper emulsification. If an injector is used, first add 25 to 50 gallons of water to tank with engine running to provide good pressure. Put injector suction tube into the measured amount of spray oil, opening injector valve to allow the oil to be sucked into the tank, then fill the tank with water.


DO NOT USE THIS MATERIAL IF IT DOES NOT EMULSIFY.

DIRECTIONS FOR USE

Apply when pests first appear. Apply the following recommended rates in sufficient water to thoroughly cover one acre. By ground use a minimum of 200 gallons of diluted spray per acre. Do not use in undiluted form.

GRAPEFRUIT, LEMONS, ORANGES: Yellow Scale, Citricola Scale, Red Scale, Brown Soft Scale, Citrus Red Mite — Use 1½ to 2 gallons per 100 gallons of water.

OLIVES: Olive Scale, Black Scale, Oleander Scale — Use 1½ to 2 gallons per 100 gallons of water.



045W

MANUFACTURED IN U.S.A. BY

FMC CORPORATION

AGRICULTURAL CHEMICAL DIVISION

MIDDLEPORT, N.Y.
FRESNO, CA

YAKIMA, WA
RICHMOND, CA

INSECTICIDE-MITICIDE

EPA REGISTRATION NO. 279-1343 ZA

ACTIVE INGREDIENT:	BY WT.
Petroleum Oil	99.30%
INERT INGREDIENTS:	0.70%
	<hr/>
	100.00%

Classification — Light Medium

Unulfonated Residue — 92.0% Minimum

CAUTION

KEEP OUT OF REACH OF CHILDREN

Avoid inhalation of spray mist. Harmful if swallowed. Do not induce vomiting. Call a Physician immediately.

Use efficient equipment of the proper type. Avoid spraying during or immediately prior to hot or freezing weather (over 90° F or under 32° F), hot dry winds, rain or other unsuitable conditions; avoid overspraying or double spraying. Plants should be sprayed only when in vigorous condition and when their moisture condition is suitable.

Do not make an oil spray application within 2 weeks prior to, or after an application of sulfur. On Citrus do not make an oil application within 60 days prior to, or after an application of Sulfur.

Do not use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

For Emergency Assistance Call: 716--735-3765

ENVIRONMENTAL AND DIS

Fish and other aquatic life may be killed in lakes, streams, ponds, tidal marshes and weather conditions favor drift from the a run-off is likely to occur. Do not contaminate or disposal of wastes. Apply this p label.

Do not re-use empty 28 gallon drum. Destroy it by perforating and crushing. away from water supplies.

Dealer Should Sell in Original

TERMS OF SALE OR USE: On purchase or agree to the following conditions:

WARRANTY: FMC warrants that this product (1) conforms to the ingredient statement of fit for the purposes set forth in the Directions. **WARRANTED THE PRODUCT IS SOLD WITHOUT WARRANTY EXPRESS OR IMPLIED.**

DAMAGES: Buyer's or user's exclusive remedy warranty or negligence shall be limited to the purchase price paid and shall not include damages. Notice of any claim must be received by discovery by buyer or user, failing which for such damages.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: critical conditions created or incurred by FMC has no control, buyer and user, as a consequence responsibility for and release FMC from, liability use of the product attributable to such conditions vary or waive any statement contained here

FMC Chemicals

EPA E