

Code 30390

Net Contents
Gallons

Citrus Soluble Oil—

Light Medium

Insecticide-Miticide

EP Reg. No. 279-1343 EPA Est., 279-

Active Ingredient:	By Wt.
Petroleum Oil	99.30%
Inert Ingredients:	0.70%
	100.00%

Classification—Light Medium
Unsulphonated Residue—92% Minimum

KEEP OUT OF REACH OF CHILDREN

CAUTION

First Aid

If swallowed, do not induce vomiting. Call a physician immediately.
For emergency assistance call 716-735-3765.

PRECAUTIONARY STATEMENTS

Hazards to Humans (& Domestic Animals)

Caution

Avoid inhalation of spray mist. Harmful if swallowed.
See Other Panels for Additional Precautionary Information.



FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia Pennsylvania 19103

1-67-PA

Environmental Hazards

Keep out of lakes, rivers, ponds. Do not contaminate water by cleaning equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Residue: spray mixture or rinsate that cannot be used or cleaned or reprocessed should be disposed of in a safe manner and not stored in a safe place away from water supply. Return empty, 25 gal. or drum to pest control supplier. The handling of containers triple rinse, if possible, and then empty and dispose of in a safe manner. Do not use for any other purpose. Do not use for any other purpose.

Mixing Directions

When using this product, mix with water in a clean container. Mix thoroughly. Do not use if it does not emulsify. Do not use this material if it does not emulsify.

Do not use this material if it does not emulsify.

NEED FOR
LABEL ONLY

ACCEPTED

MAY 10 1990

Under the Federal Insecticide, Fungicide, and Rodenticide Act
Registration No. 279-1343

Directions for Use

Use efficient equipment of the proper type. Avoid spraying immediately prior to hot or freezing weather (over 90° F. or 32° F. hot dry winds rain or other unsuitable conditions, avoid spraying or double spraying. Plants should be sprayed only in vigorous condition and when their moisture condition is good.

Do not make an oil spray application within 2 weeks prior to an application of sulfur. On Citrus do not make an oil spray within 60 days prior to, or after an application of sulfur.

Apply when pests first appear. Apply the following recommended rates in sufficient water to thoroughly cover one acre. By or a minimum of 200 gallons of diluted spray per acre. Do not undiluted form.

Grapefruit, Lemons, Oranges: Yellow, Seckel, Citicola, S. Seckel, Brown Seckel, etc. Citrus Red Mite: Use 1 1/2 to 2 gal. in 100 gallons of water.

Olives: Olive Scale, Black Scale, etc. Use 1 1/2 to 2 gal. in 100 gallons of water.

Dealers Should See in Original Package

Terms of Sale or Use: This product is sold on the basis of a written contract between the dealer and the user.

Warranty: FMC warrants that the product is as labeled and that it is free from defects in material and workmanship. FMC does not warrant the effectiveness of the product or the results of its use. FMC does not warrant the product for use in any other manner than that for which it is labeled.

Directions and Recommendations: Follow directions carefully and apply in accordance with weather and crop conditions. Other uses and special applications are subject to change without notice. The user assumes all liability for the use of the product in any other manner than that for which it is labeled.

Use of Product: FMC's recommendations for the use of this product are based on tests performed by FMC. The use of this product beyond the control of the manufacturer is at the user's risk. FMC does not assume any liability for the use of this product in any other manner than that for which it is labeled.

Damages: Buyers or users exclusively remedy for damages of warranty or negligence shall be limited to the refund of the purchase price paid and shall not include consequential damages.

1-67-PA