

Code 2072

REGISTERED TRADEMARK

© 1972 FMC CORPORATION

Methyl Parathion 500

DANGER POISON PRECAUTIONS

Instructions



POISONOUS IF SWALLOWED

This product is highly toxic if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if absorbed by skin. Avoid contact with skin.



POISONOUS IF BREATHED

Breathing vapors may be fatal.

POISONOUS TO FISH AND WILDLIFE

POISON SIGNS (Symptoms)

METHYL PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: headache, nausea, vomiting, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, twitching, watering of eyes, drooping of eyelids, numbness and tingling in hands.

Active ingredients: Methyl parathion, 500 g/l. Solvent: Xylene, 400 g/l.

Net weight: 1.0 kg (2.2 lb)

STOP! READ THE LABEL



DANGER

Keep out of reach of children

POISON

See side panels for antidote and precautions

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

Wear waterproof pants, long-sleeved shirt, and overalls. Use a respirator. Avoid contact with skin. Respirator must be approved by the Mining Safety and Health Administration, formerly the U.S. Bureau of Mines, and by the National Institute for Occupational Safety and Health. See provisions of 30 CFR Part 11, 42, and 62 for details.



FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia, PA 19103

Mr. James H. ...
Federal ...
Department of ...
200 ... Street
Washington, D.C. 20540

Dear Mr. ...:

Reference is made to ...
...
...

The ...
...

I ...

Very ...

Respectfully,
...

Sincerely,

...

**MICROFILMED FROM BEST
AVAILABLE COPY**