

Code: 30451

Net Weight

Kolodust® Captan 50-10 Dust

Fungicide

For Agricultural or Commercial Use Only

EPA Reg. No. 279-1445 ZA

EPA Est., 279-

BEST AVAILABLE COPY

Active Ingredients:	By Wt.
*Captan (N-[(Trichloromethyl)thio]-4-cyclohexene-1,2-dicarboximide).....	9.50%
Related Derivatives.....	0.50%
Sulphur.....	42.00%
Inert Ingredients:	48.00%
	100.00%

*N-[(Trichloromethyl)Thio]-4-cyclohexene-1,2-dicarboximide

**KEEP OUT OF REACH OF CHILDREN
DANGER**

PELIGRO

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente

Statement of Practical Treatment

If in eyes: In case of eye contact, immediately flush eyes with fresh water for 15 minutes and see a doctor

If swallowed: Give a large amount of water to drink, make person vomit, and call a doctor

If on skin: Wash with soap and water

For Emergency Assistance Call 716-735-3765

See other panels for additional precautionary information

PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals)

Danger

Causes irreversible eye damage. May cause allergic skin reactions. Harmful if swallowed or inhaled. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing and breathing of dust. Remove and wash contaminated clothing before reuse.

ACCEPTED
SEP 26 1984
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 279-1445

FMC

FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia Pennsylvania 19103

6474 A

52483 A

FA 983 R

484 F1

Environmental Hazards

Do not contaminate water by cleaning of equipment or disposal of wastes. This product is toxic to fish. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water or wetlands. Do not apply when weather conditions favor drift from treated areas. Apply this product only as specified on the label.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing for 24 hours

Protective clothing means, at least, a hat or other suitable head covering, a long sleeved shirt and long legged trousers or a coverall type garment (all of closely woven fabric covering the body, including the arms and legs), shoes and socks.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure. An example of such information is given under written warnings. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:

DANGER

Area treated with Kolodust® Captan 50-10 Dust on (insert date). Do not enter without appropriate protective clothing for 24 hours (insert State Department of Agriculture's re-entry interval, if more restrictive).

In case of accidental exposure to pesticide spray or dust, wash the skin thoroughly with soap and water. Remove contaminated clothing and wash before reuse. If in eyes, flush with plenty of water. If inhaled, go to an area where the pesticide has not been applied. Get medical attention if needed.

STORAGE AND DISPOSAL

Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, fold and roll back bags, clamp and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC collect (716) 735-3765.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Applications of materials containing Sulfur should not be made just prior to or during periods of excessively high temperatures or within 10 days to two weeks of an oil spray.

Do not allow this material to drift onto sulfur sensitive crops.

Do not use this product in a manner or at a time other than in accordance with label directions because animal, plant, or crop injury, illegal residues or other undesirable results may occur.

This product contains Bentonite Sulfur which is made by the adsorption of fused sulfur into Bentonite in the proportions of thirty parts sulfur and seventy parts Bentonite. A portion of the sulfur particles are very minute, some of them colloidal. The process of manufacture and the character of the sulfur particles impart to the product distinctive properties with respect to toxicity to certain fungi, persistence on plants, susceptibility in spray tank.

May be applied by ground or air.

Cherries: Brown Rot, Cherry Leaf Spot—Use 30 to 50 pounds per acre. Apply at first sign of disease. Repeat at regular intervals as necessary to maintain control.

Grapes: Powdery Mildew—Use 20 to 30 pounds per acre. Treatment should be started after growth starts in the spring and be repeated as necessary. Ground application preferred. Botrytis Rot—Use 40 to 50 pounds per acre. Apply twice before bloom and once just after bloom. Repeat periodically to make 3 cover applications before bunches close. Apply to every row and direct toward the clusters. To be effective, dusts must be applied before rains. Whenever rain threatens apply an additional dust. Applications made following rainfall have been of very little benefit in controlling slip skin.

Peaches, Nectarines: Brown Rot, Powdery Mildew, Peach Scab—Use 50 pounds per acre. Apply at first sign of disease. Repeat at regular intervals as necessary to maintain control.

Plums, Prunes: Brown Rot, Prune Rust—Use 40 to 50 pounds per acre. Apply at first sign of disease. Repeat at regular intervals as necessary to maintain control.

Strawberries: Grey Mold, Powdery Mildew—Use 20 to 30 pounds per acre. Apply at first sign of disease. Repeat at regular intervals as necessary to maintain control.

Potatoes: Early and Late Blight—Use 25 to 30 pounds per acre. Begin applications when plants are 2 to 4 inches high and repeat at 5 to 7 day intervals.

Tomatoes: Early Blight, Late Blight, Anthracnose, Septoria Leaf Spot, —**Young Plants**—Use 25 to 30 pounds per acre. **Mature Plants**—Use 35 to 40 pounds per acre. Begin applications when disease or mites appear and repeat as necessary.

Ornamentals: **Roses**—Black Spot, Powdery Mildew and Rust. **Carnations**—Powdery Mildew, Rust and Leaf Spot. **Chrysanthemums**—Flower Blight, Powdery Mildew and Rust. Apply at first sign of disease and repeat as necessary. Dust for complete coverage.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions.

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

