

Code: 30464

KOLODUST®

KELTHANE*

**50 Pounds
DU**

DIRECTIONS FOR USE

Apply before mites build up to the point where they are damaging the crop or when disease first appears and repeat as necessary. For disease control this material must be applied prior to disease development. For best results, all portions of the plant must be covered. For disease control after the time limitations of this material use a suitable material. May be applied with ground or airplane application equipment.

ON GRAPES, RASPBERRIES, BLACKBERRIES, DEWBERRIES, LOGANBERRIES and BOYSENBERRIES for the control of Two-Spotted, Pacific and Willamette Mites and Powdery Mildew, use 30 pounds per acre. On Grapes apply 30-35 pounds per acre. Do not apply within two days of harvest on Raspberries and other cane berries or within 7 days of harvest on grapes. Ground application equipment preferred.

ON STRAWBERRIES for the control of Two-Spotted and Strawberry Mites, and Powdery Mildew use 30-60 pounds per acre. Do not apply within 2 days of harvest.

ON BEANS for the control of Powdery Mildew, Rust, Two-Spotted and Pacific Mites use 30-35 pounds per acre. Do not apply within 7 days of harvest. Do not feed treated vines to meat or dairy animals. Sulphur may injure some varieties, check tolerance before using.

ON COTTON for the control of Two-Spotted, Pacific, Atlantic and Desert Mites use 30-40 pounds per acre. Do not apply within 14 days of harvest. Do not graze meat or dairy animals on treated areas.

ON PEPPERS and TOMATOES for the control of Two-Spotted, Pacific, Tropical, and Tomato Russet Mites use 30-35 pounds per acre. Do not apply within 2 days of harvest.

ON CHERRIES, NECTARINES and PEACHES for the control of Mites, Powdery Mildew, Brown Rot and Cherry Leaf Spot use 40-80 pounds per acre. On Cherries do not apply within 7 days of harvest nor repeat application within 30 days. On Nectarines and Peaches do not apply within 14 days of harvest.

ON APPLES, CRABAPPLES and QUINCE for the control of European Red, Clover, Two-Spotted, Schoene, McDaniel, Willamette, Pacific and Apple Rust Mites and Powdery Mildew use 40-100 pounds per acre. Sulphur may injure some varieties, check sulphur tolerance prior to use. Do not apply within 7 days of harvest.

ON PLUMS, PRUNES and FIGS to control Mites, Brown Rot and Prune Rust use 40-50 pounds per acre. Do not apply within 7 days of harvest. Do not reapply within 30 days of preceding application.

ON ORNAMENTALS, NURSERY STOCK and SHADE TREES to control Rust, Powdery Mildew and Mite. Dust for complete coverage. Check sulphur tolerances prior to treating any plant.

ON CITRUS (Oranges, Grapefruit, Lemons, Limes, Tangeloes, Tangerines, Kumquats) to control Citrus Red, Citrus Flat, Citrus Rust, Six-spotted, and Yuma Mites apply 50-100 pounds per acre. Do not apply within 7 days of harvest.

FUNGICIDE - MITICIDE

U.S.D.A. REGISTRATION NO. 279-1478

ACTIVE INGREDIENTS:	BY WT.
1,1-Bis (p-chlorophenyl)- 2,2,2-trichloroethanol - - - - -	4.00%
Sulphur - - - - -	42.00%
INERT INGREDIENTS - - - - -	54.00%
	100.00%

*Trademark Rohm & Haas Co.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Avoid breathing dust. Avoid storage near feed and food products. Wash thoroughly after handling. Keep away from domestic animals, feed and foodstuffs.

This product contains Bentonite Sulfur. Bentonite Sulfur is made by the absorption of fused sulfur into Bentonite in the proportion of thirty parts sulfur and seventy parts Bentonite. A portion of the sulfur particles are very minute, some of them colloidal. The process of manufacture and the character of the sulfur particles impart to the product distinctive properties with respect to toxicity to certain fungi, persistence on plants, suspensibility in spray tank and safety to host plants.

Application of materials cont prior to or during periods

This product is toxic to fish. Apply this product only as

DISPOSE OF WASTES by burying supplies. Empty bags should b or by burning. Keep Out of

Do not allow this material to

ACCEPT

10-16-

UNDER THE FEDERAL FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC PEST CONTROL UNDER NO. 279-1478 TO ATTACHED COMMENT

DUST[®] KELTHANE^{*} 50-4 50 Pounds Net Weight DUST

FOR USE

at where they are damaging the and repeat as necessary. For be applied prior to disease portions of the plant must be the time limitations of this may be applied with ground or

DEWBERRIES, LOGANBERRIES and Spotted, Pacific and Willa- 0 pounds per acre. On Grapes ly within two days of harvest or within 7 days of harvest on ant preferred. Spotted and Strawberry Mites, er acre. Do not apply within

ildew, Rust, Two-Spotted and s. Do not apply within 7 days s to meat or dairy animals. eck tolerance before using. ited, Pacific, Atlantic and . Do not apply within 14 days y animals on treated areas. ol of Two-Spotted, Pacific, 0-35 pounds per acre. Do not

r the control of Mites, Pow- if Spot use 40-80 pounds per 7 days of harvest nor repeat nes and Peaches do not apply

the control of European Red, p], Willamette, Pacific and use 40-100 pounds per acre. ck sulphur tolerance prior to f harvest.

Mites, Brown Rot and Prune apply within 7 days of har- of preceeding application. **ORANGE TREES** to control Rust, tete coverage. Check sulphur plant.

ns, Limes, Tangeloes, Tan- ed, Citrus Flat, Citrus Rust, 00 pounds per acre. Do not

FUNGICIDE - MITICIDE
U.S.D.A. REGISTRATION NO. 279-1478

ACTIVE INGREDIENTS:	BY WT.
1,1-Bis (p-chlorophenyl)- 2,2,2-trichloroethanol - - - - -	4.00%
Sulphur - - - - -	42.00%
INERT INGREDIENTS - - - - -	54.00%
	100.00%

*Trademark Rohm & Haas Co.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Avoid breathing dust. Avoid storage near feed and food products. Wash thoroughly after handling. Keep away from domestic animals, feed and foodstuffs.

This product contains Bentonite Sulfur. Bentonite Sulfur is made by the absorption of fused sulfur into Bentonite in the proportion of thirty parts sulfur and seventy parts Bentonite. A portion of the sulfur particles are very minute, some of them colloidal. The process of manufacture and the character of the sulfur particles impart to the product distinctive properties with respect to toxicity to certain fungi, persistence on plants, suspensibility in spray tank and safety to host plants.

USAGE CAUTION

Application of materials containing sulphur should not be applied prior to or during periods of excessively high temperatures.

This product is toxic to fish. Keep out of lakes, ponds and streams. Apply this product only as specified on the label.

DISPOSE OF WASTES by burying in non-crop land away from water supplies. Empty bags should be disposed of by burying with wastes or by burning. Keep Out of Smoke.

Do not allow this material to drift onto sulfur sensitive crops.

ACCEPTED

10-16-69

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POLICEN REGISTERED
ED UNDER NO. SUBJECT
TO ATTACHED COMMENTS



LABEL

ACCEPTED

10-16-69

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROENTICIDE ACT
FOR ECONOMIC POISON REGISTER
ED UNDER NO. SUBJECT
TO ATTACHED COMMENTS.

Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

TERMS OF SALE OR USE - On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY - Niagara warrants that this product, as of the time of sale by Niagara: (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES - Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS - Because of certain critical conditions created or incurred by buyer or user or over which Niagara has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

MANUFACTURED IN U. S. A. BY



NIAGARA CHEMICAL DIVISION
FMC CORPORATION
MIDDLEPORT, NEW YORK

