

Code: 30487 [279-1493] 1 of 2

MANUFACTURED

DIBROM[®]* 4 DUST

GU

DIRECTIONS FOR USE

This dust is suitable for application by ground duster or airplane. For air application use heavier dosages. Begin applications at first sign of insects. Repeat as necessary. Apply for contact and thorough coverage to obtain control of insects. Observe days interval between last application and harvest indicated by number in () following the crop.

BEANS (4): Aphids, Mites, Lygus Bugs, Thrips, Leafhoppers, Leafminers, Cabbage Loopers — Use 40 to 50 pounds per acre.

BROCCOLI (1), BRUSSELS SPROUTS (1), CABBAGE (1), CAULIFLOWER (1) COLLARDS (4), KALE (4), TURNIPS (1): Cabbage Looper, Imported Cabbageworm, Diamondback Caterpillar, Aphids — Use 40 to 50 pounds per acre.

COTTON (4): Lygus Bug, Cotton Leafperforator, Armyworm, Cabbage Looper, Fleahoppers — Use 35 pounds per acre. Do not apply within 4 days of handpicking.

CUCUMBERS (0), SUMMER SQUASH (0): Cucumber Beetle, Aphids, Leafminer — Use 40 to 50 pounds per acre.

GRAPES (4): Leafhoppers, Thrips, Drosophila — Use 25 to 50 pounds per acre. Use at a rate below 40 pounds in California Only.

HOPS (4): Aphids, Red Spider Mite, Hop Looper — Use 25 pounds per acre.

LETTUCE (1), SPINACH (1), CELERY (4), CHARD (1): Cabbage Looper, Aphids — Use 40 to 50 pounds per acre.

MELONS (Cantaloupes, Honeydews, Muskmelons, Watermelons) (1), WINTER SQUASH (1), PUMPKINS (1): Cabbage Loopers, Armyworms, Leafhoppers, Aphids, Lygus Bugs — Use 40 to 50 pounds per acre.

ORANGES, LEMONS, GRAPEFRUIT: Aphids, Red Spider Mite, Citrus Cutworms, Thrips — Use 40 to 100 pounds per acre Do not apply within 7 days of harvest. California and Arizona only: Do not apply within 1 day of harvest.

PEACHES (4) (Western States): Aphids, Fruit Fly, Red Spider Mites, Peach Twig Borer, Lygus Bugs, Thrips — Use 50 to 80 pounds per acre.

PEPPERS (1): Aphids, Flea Beetles, Leafminer — Use 25 pounds per acre.

STRAWBERRIES (4): Red Spider Mites, Aphids — Use 40 to 50 pounds per acre.

TOMATOES (1): Fruit Fly, Twospotted Spider Mite, Aphid, Leafminer, Tomato Fruitworm, Hornworm — Use 25 pounds per acre.

WALNUTS (10): Spider Mites, Aphids — Use 50 to 80 pounds per acre.

ROSES (Field Grown): Aphids, Mites, Tent Caterpillars, Thrips — Use 25 pounds per acre.

NALED INSECTICIDE

E.P.A. REGISTRATION NO. 279-1493 ZA

ACTIVE INGREDIENT:	BY WT.
*Naled; 1,2-dibromo-2,2-dichloroethyl dimethyl phosphate	4.00%
INERT INGREDIENTS:	96.00%
	100.00%

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May cause irritation of eyes, nose and throat. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using. Avoid contamination of or storage near feed and foodstuffs.

NOTE TO PHYSICIAN: Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with Atropine.

May corrode metal dust equipment; clean equipment after use.

STORE IN COOL, DRY PLACE.


For Emergency Assistance Call
716-735-3765

ENVIRONMENTAL AND

This product is toxic to fish, birds and other animals. It may be killed. Keep out of lakes, streams, rivers, ponds, or other bodies of water. Conditions favor drift from the areas treated to occur. Do not contaminate water by cleaning equipment or disposing of containers. Apply this product only as specified on the label. This product is highly toxic to bees exposed to it. Protective information may be obtained from the National Extension Service.

DISPOSE OF WASTES by burying in non-crop land. Containers should be buried with wastes or burned.

®DIBROM is a registered trademark of Chevron Chemical Company
U.S. Patent No. 2,971,882.



of 2

DIBROM[®]* 4 DUST

Net Weight
50 Pounds

GUARANTEE EXPIRES

NALED INSECTICIDE

E.P.A. REGISTRATION NO. 279-1493 ZA

ACTIVE INGREDIENT:	BY WT.
*Naled; 1,2-dibromo-2-(2-dichloroethyl) dimethyl phosphate	4.00%
INERT INGREDIENTS:	96.00%
	100.00%

CAUTION

KEEP OUT OF REACH OF CHILDREN



Harmful if swallowed. May cause irritation of eyes, nose and throat. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using. Avoid contamination of or storage near feed and foodstuffs.

NOTE TO PHYSICIAN: Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with Atropine.

May corrode metal dust equipment; clean equipment after use.

STORE IN COOL, DRY PLACE.

For Emergency Assistance Call
716-735-3765



ENVIRONMENTAL AND DISPOSAL CAUTIONS

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from the areas treated. Do not apply where run-off is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.


This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DISPOSE OF WASTES by burying in non-crop land away from water supplies. Empty bags should be buried with wastes or burned. Keep out of smoke.

®DIBROM is a registered trademark of Chevron Chemical Company.
U.S. Patent No. 2,971,882.

ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.

[279-1473)
2 of 2



Dealers Should Sell in Original Packages Only

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

TERMS OF SALE OR USE: On purchase or use of this product, buyer and user agree to the following conditions:

WARRANTY: FMC warrants that this product, as of the time of sale, by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Direction for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED.

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

Manufactured by
FMC Corporation
New York, New York
Copyright © 1974

FMC
Chemicals

Code: 30487 [279-1493]

V

MANUFACTURED

DIBROM[®] 4 DUST

DIRECTIONS FOR USE

This dust is suitable for application by ground duster or airplane. For air application use heavier dosages. Begin applications at first sign of insects. Repeat as necessary. Apply for contact and thorough coverage to obtain control of insects. Observe days interval between last application and harvest indicated by number in () following the crop.

BEANS (4): Aphids, Mites, Lygus Bugs, Thrips, Leafhoppers, Leafminers, Cabbage Loopers — Use 40 to 50 pounds per acre.

BROCCOLI (1), BRUSSELS SPROUTS (1), CABBAGE (1), CAULIFLOWER (1), COLLARDS (4), KALE (4), TURNIPS (1): Cabbage Looper, Imported Cabbageworm, Diamondback Caterpillar, Aphids — Use 40 to 50 pounds per acre.

COTTON (4): Lygus Bug, Cotton Leafperforator, Armyworm, Cabbage Looper, Fleahoppers — Use 35 pounds per acre. Do not apply within 4 days of hand-picking.

CUCUMBERS (10), SUMMER SQUASH (10): Cucumber Beetle, Aphids, Leafminer — Use 40 to 50 pounds per acre.

GRAPES (4): Leafhoppers, Thrips, Drosophila — Use 25 to 50 pounds per acre. Use at a rate below 40 pounds in California. Only.

HOPS (4): Aphids, Red Spider Mite, Hop Looper — Use 25 pounds per acre.

LETTUCE (1), SPINACH (1), CELERY (4), CHARD (1): Cabbage Looper, Aphids — Use 40 to 50 pounds per acre.

MELONS (Cantaloupes, Honeydews, Muskmelons, Watermelons) (1), WINTER SQUASH (1), PUMPKINS (1): Cabbage Loopers, Armyworms, Leafhoppers, Aphids, Lygus Bugs — Use 40 to 50 pounds per acre.

ORANGES, LEMONS, GRAPEFRUIT: Aphids, Red Spider Mite, Citrus Cutworms, Thrips — Use 40 to 100 pounds per acre. Do not apply within 7 days of harvest. California and Arizona only: Do not apply within 1 day of harvest.

PEACHES (4) (Western States): Aphids, Fruit Fly, Red Spider Mites, Peach Twig Borer, Lygus Bugs, Thrips — Use 50 to 80 pounds per acre.

PEPPERS (1): Aphids, Flea Beetles, Leafminer — Use 25 pounds per acre.

STRAWBERRIES (4): Red Spider Mites, Aphids — Use 40 to 50 pounds per acre.

TOMATOES (1): Fruit Fly, Twospotted Spider Mite, Aphid, Leafminer, Tomato Fruitworm, Hornworm — Use 25 pounds per acre.

WALNUTS (10): Spider Mites, Aphids — Use 50 to 80 pounds per acre.

ROSES (Field Grown): Aphids, Mites, Tent Caterpillars, Thrips — Use 25 pounds per acre.

NALED INSECTICIDE

EPA REGISTRATION NO. 279-1493 ZA

ACTIVE INGREDIENT	BY WT.
*Naled, 1,2-dibromo-2,2-dichloroethyl dimethyl phosphate	4.00%
INERT INGREDIENTS	96.00%
	100.00%

CAUTION

KEEP OUT OF REACH OF CHILDREN



Harmful if swallowed. May cause irritation of eyes, nose and throat. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using. Avoid contamination of or storage near feed and foodstuffs.

NOTE TO PHYSICIAN: Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with Atropine.

May corrode metal dust equipment; clean equipment after use.

STORE IN COOL, DRY PLACE.

For Emergency Assistance Call
716-735-3765



ENVIRONMENTAL AND SAFETY

This product is toxic to fish, birds and bees. It may be killed. Keep out of lakes, streams, ponds, and other bodies of water. Conditions favor drift from the areas treated. Do not contaminate water by cleaning equipment or disposal. Apply this product only as specified on the label. This product is highly toxic to bees and other beneficial insects. Protective information may be obtained from the Extension Service.

DISPOSE OF WASTES by burying in non-hazardous waste disposal area. Do not bury with wastes or in landfills.

DIBROM is a registered trademark of Ciba Ltd. U.S. Patent No. 2,971,882.

V

DIBROM[®] 4 DUST

Net Weight
50 Pounds

GUARANTEE EXPIRES

NALED INSECTICIDE

EPA REGISTRATION NO 279-1493 ZA

ACTIVE INGREDIENT

*Naled; 1,2-dibromo-2,2-dichloroethyl dimethyl phosphate

INERT INGREDIENTS:

BY WT

4.00%

96.00%

100.00%

CAUTION

KEEP OUT OF REACH OF CHILDREN



Harmful if swallowed. May cause irritation of eyes, nose and throat. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using. Avoid contamination of or storage near feed and foodstuffs.

NOTE TO PHYSICIAN: Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with Atropine.

May corrode metal dust equipment; clean equipment after use.

STORE IN COOL, DRY PLACE.

For Emergency Assistance Call
716-735-3765



ENVIRONMENTAL AND DISPOSAL CAUTIONS

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from the areas treated. Do not apply where run-off is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DISPOSE OF WASTES by burying in non-crop land away from water supplies. Empty bags should be buried with wastes or burned. Keep out of smoke.

©DIBROM is a registered trademark of Chevron Chemical Company.
U.S. Patent No. 2,971,882.