


ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

TERMS OF SALE OR USE—On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY—Niagara warrants that this product, as of the time of sale by Niagara, conforms to the ingredient statement on the label and is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED.

DAMAGES—Buyer or user's exclusive remedy for damages to breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 10 days of discovery by buyer or user, failing which buyer or user waives and releases Niagara from such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS—In case of certain critical conditions created or incurred by buyer or user, or over which Niagara has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from liability arising out of the buying or use of the product attributable to such causes. Niagara is not authorized to vary or waive any statement contained herein.

MANUFACTURED IN U.S.A. BY



NIAGARA CHEMICAL DIVISION

FMC CORPORATION

MIDDLEPORT, NEW YORK



CODE
493

ZINC PHOSPHIDE MOUSE BAIT 200

NET WEIGHT
50 LBS.

RODENTICIDE

DIRECTIONS FOR USE

This bait is most effective if it falls through the grass to the ground surface where the mice will easily find it and where it will be largely hidden from birds and other wildlife. Distribute after apple harvest and before leaf-fall.

NURSERIES, ORCHARDS: Meadow Mice, Pine Mice, Pocket Mice, Whitefooted Mice - **METHODS OF APPLICATION:** 1. Drop one teaspoonful of zinc phosphide treated grain directly into the surface trails (or holes entering a sub surface burrow system) at 2 to 4 places about the base of each infested tree. Cover the baited trail by pulling the overhanging grass back into place, or covering with a mat of loose mulch.

2. If bait is distributed in a modified corn planter, set the plate to drop one treated kernel per inch and lay a line along both sides of the tree row just inside the drip line of the tree.

3. If broadcast by a hand cyclone seeder use no more than 6 to 10 lbs. per acre.

4. From the standpoint of effectiveness and safety for birds and other beneficial wildlife, the hand placement directly into runs and burrows, in which bait spots are subsequently covered, is the preferred method.

BAIT STATIONS: Use one tablespoonful of bait in each bait station. Use suitable bait boxes and cages that are designed to protect other animals from the bait. Place bait stations around barn and barnyard areas as well as in fruit and vegetable storage areas.

Repeat applications of field treatment and bait stations if necessary, depending upon the severity of the infestation or where continuous infestation results from nearby dumps or untreated fields.

Do not broadcast this bait over crops where there is likelihood of the bait hanging up in the axil of foliage, later harvested for food or feed.

EPA REG. NO. 279-1502

ACTIVE INGREDIENTS:

Zinc Phosphide 2.0%

INERT INGREDIENTS: 98.0%
100.0%

WARNING

KEEP OUT OF REACH OF CHILDREN

May Be Fatal If Swallowed! Do not breathe dust or fumes. Avoid contact with skin. Wear rubber gloves. Wash hands after using. Do not contaminate feed and foodstuffs. Keep away from children and domestic animals.

USAGE CAUTIONS

STORE IN COOL, DRY PLACE.

This product is toxic to wildlife. Birds and other wildlife feeding in treated areas may be killed. When broadcasting bait, scatter evenly and do not apply to bare ground. Apply this product only as specified on this label.

Rinse equipment and **DISPOSE OF WASTES** by burying in non-crop lands away from water supplies. Container should be disposed of by burying with wastes or by burning. Keep out of smoke.

This rodenticide contains sized and screened cracked corn which gives more surface per unit of kernel and permits better impregnation by the Zinc Phosphide which is carried into the kernel with the Mineral Seal Oil. Animal Fat is added to coat the kernel which inhibits weathering and prolongs the toxic life after field application.