Code: 20025

# **TOXAKIL 40 WETTABLE POWDER**

# Net Weight 50 Pounds

#### DIRECTIONS FOR USE

Make first application when insects first appear or are reported in the area. Repeat applications at 7 to 10 day intervals or as required to keep new growth covered. Spray thoroughly using a minimum of 25 gallons of water per acre.

BEANS: Armyworm, Corn Earworm, Climbing Cutworms, Thrips, Serpentine Leafminer, Bean Leafhopper and Lygus Bug — Use 5 to 8 pounds per acre. Make no application to green or snap beans after pods begin to form. Do not feed treated vines to dairy animals or animals being finished for slaughter. No limitation on shelled beans.

CELERY: Fall Armyworm, Climbing Cutworms, Serpentine Leafminer and Thrips — Use 5 pounds per acre. Do not apply after plants start to bunch or after plants are half mature.

OKRA: Serpentine Leafminer — Use 5 to 8 pounds per acre. Do not apply after pods begin to form.

TOMATOES: Climbing Cutworms, Flee Method Tomato Fruitworm — Use 5 to 8 pounds per acre. Do not apply within 3 days of harvest.

#### INSECTICIDE

EPA REG. NO. 279-1505 ZA

ACTIVE INGREDIENT:

\*Toxaphene 40.00%
INERT INGREDIENTS: 60.00%

\*Technical Chlorinated Camphene 67% to 69% Chlorine

# WARNING

## KEEP OUT OF REACH OF CHILDREN

May be fatal if swallowed Do not breathe dust or spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after using. Do not store near feed and food products.

Texaphene is a central nervous system stimulant. There is no specific antidote. Barbituric acid derivatives may be used for convulsions. Treat symptomatically.

### **ENVIRONMENTAL AND DISPOSAL CAUTIONS**

This product is toxic to fish and wildlife. Keep out of lakes, ponds and streams. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply where run-off is likely to occur. Apply this product only as specified on this label.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

Rinse equipment and containers and DISPOSE OF WASTES by burying in non-crop lands away from water supplies. Containers should be smashed or buried with wastes.

Do not use, pour, spill or store near heat or open flame. Do not st. ... below 0° F-

Do not use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

For Emergency Assistance Call: 716-735-3765

### Dealer Should Soll in Original Packages Only.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY: FMC warrants that this product, as of the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damages.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from, liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

105W

MANUFACTURED IN U.S.A. BY

FMC CORPORATION

AGRICULTURAL CHEMICAL DIVISION

MIDDLEPORT, N.Y.
FRESNO, CA.

YAKIMA, WA
RICHMOND. CA

FMC Chemic its

EPA EST., 279-CA-2 Printed in U.S.A.