

INSECTICIDE

DIRECTIONS FOR USE

F M C'S SEVIN 50 WETTABLE POWDER is to be dispersed in water using one...

THE FRUITS

Recommended dosage refer to lbs. of SEVIN 50 WP per 100 gallons of dilute...

CHERRY (1), PLUM (1), PRUNE (1), Black Cherry Aphid, Brown Soft Scale...

SMALL FRUITS

Recommended dosage refer to pounds of SEVIN 50 WP to use per acre...

ACTIVE INGREDIENTS

Chlorpyrifos Methylphosphorothioate 80.0%
DIETHYL MERCAPTANS 100.0%

*EPA Reg. No. 279-1512

CAUTION

KEEP OUT OF REACH OF CHILDREN

WARNING: IF SWALLOWED OR SWALLOWED, Avoid breathing dust or spray mist...

USAGE CAUTIONS

To avoid possible injury on tender foliage, do not apply where foliage is wet...

CONTINUED FROM LEFT PAGE

STRAWBERRY (7) Meadow Spittlebug, Omnivorous Leaf Tier, Strawberry Leaf...

VEGETABLES

Recommended dosage refer to lbs. of SEVIN 50 WP per acre. When a dosage...

Armyworm, Cabbage Looper, Stink Bug-3 to 4 lbs. Where the cabbage loop-

is the principle problem, use an alternative pesticide specifically recom-

ended for E. For control of small cabbage loopers after edible parts start to

appear, apply at 5 to 7 day intervals. For lettuce use "Usage Caution".

ARMYWORM (5) Corn Earworm, Corn Rootworm, European Corn Borer, Fall

Armyworm, Sug Beetle, Japanese Beetle, Flea Beetle, Leafhoppers-2 to 4 lbs.

CORN (5) Corn Earworm, Corn Rootworm, European Corn Borer, Fall Army-

worm, Sug Beetle, Japanese Beetle, Flea Beetle, Leafhoppers-2 to 4 lbs.

PLANT (14) Leafhoppers, Armyworm and Webworms-2 to 4 lbs.

TABACCO (14) Tobacco Flea Beetle-3 lbs. per 50 gals. and apply 6

gals. per 100 sq. yds. Green, Java Beetle, Green-1 lb. per 100 gals. and drench

279-1512

01/02/1974

1/3

2/3

ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions:


WARRANTY: FMC warrants that this product, as of the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from, liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

Manufactured in U.S.A. by:
FMC CORPORATION
AGRICULTURAL CHEMICAL DIVISION
Middleport, N.Y. 14105

FMC
Chemicals



ACCEPTED
JAN 2 1974
FEDERAL BUREAU OF INVESTIGATION
U.S. DEPARTMENT OF JUSTICE
WASHINGTON, D.C.

279-1512

