

Code: 30497



28 Gallons Net Contents

SUPREME OIL

FOR WESTERN AGRICULTURE

AMOUNTS GIVEN ARE FOR 100 GALLONS OF DILUTED SPRAY.

ALMONDS, APRICOTS, CHERRIES, NECTARINES, PEACHES, PLUMS, PRUNES- Dormant or Delayed Dormant; Brown Apricot Scale, Black Scale, San Jose Scale, Olive Scale (Parlatoria Scale), Oleander Scale, Frosted Scale, Italian Pear Scale, European Fruit Lecanium, Putnam Scale, Parlatoria, Soft Brown Scale, Certain Other Scale Insects, Eggs of Aphids, Red Spider Mites-1½ to 2 gals. Summer Use-Red Spider Mites-3 to 4 qts.; Summer Stages of Brown Apricot Scale, San Jose Scale-1 gal.

APPLES: Rust Mite-Delayed Dormant-1½ to 2 gals. Summer Use-1 to 1½ gals.

APPLES, PEARS: Dormant or Delayed Dormant; San Jose Scale, Italian Pear Scale, Eggs of Aphids, Red Spider Mites-1½ to 2 gals.; Summer Use: Red Spider Mites-3 to 4 qts.; Summer Forms of San Jose and Italian Pear Scale-1 to 1½ gals.

FIGS: Fig Scale-Dormant-Use 3 gallons Supreme Oil or 2½ gals. Supreme Oil plus ½ pint Ethion 4.0 Miscible. Severe infestation-Use 4 gals. Supreme Oil plus 1 pint Phoskil 4.0 Miscible.

GRAPES: Mealybug-Dormant: 1 gal. plus 1 qt. Phoskil 4.0 Miscible. Use 250 to 400 gals. spray per acre, depending upon size of vines.

LEMONS, GRAPEFRUIT: Red Scale, Yellow Scale, Purple Scale, Black Scale, Red Spider Mites-1 2/3-1½ gals. Supreme Oil plus 1 lb. Malathion 25 Wettable. For best results, spray during winter and spring months when Red Scale are more easily controlled and trees generally less reactive to oil sprays. Do not use within 8 weeks of harvest on lemons.

OLIVES: Parlatoria Scale, Spider Mites, Oleander Scale, Black Scale Use 1½ gals. Supreme Oil or combine 1½ gals. Supreme Oil with ½ pint Phoskil 4.0 Miscible or 1-2 lbs. Phoskil 25 Spray per 100 gals. water. Apply in the pre-bloom or in post-bloom up to August 1st.

NAVEL ORANGES: Red Scale, Black Scale, Yellow Scale, Purple Scale, Red Spider Mites-1 2/3 to 1 3/4 gals. Supreme Oil plus 1 lb. Malathion 25 Wettable. Do not use on Navel Oranges after Sept. 1st.

VALENCIA ORANGES: Red Scale, Black Scale, Yellow Scale, Purple Scale Red Spider Mites 1 2/3 to 1 3/4 gals. applying not later than Sept. 1st; or 1 2/3 to 1 3/4 gals. Supreme Oil plus 1 pound Malathion 25 Wettable, applied not later than Sept. 15.

PEARS: Pear Psylla-Delayed Dormant; 2 gals. Summer Use-1 to 1½ gals Blister Mite-Delayed Dormant and Fall Spray - 2 gals.

WALNUTS: Delayed Dormant; Brown Apricot Scale, Black Scale, San Jose Scale, Olive Scale (Parlatoria Scale), Oleander Scale, Frosted Scale, Italian Pear Scale, European Fruit Lecanium, Putnam Scale, Parlatoria, Soft Brown Scale, Certain Other Scale Insects, Eggs of Aphids, Red Spider Mites-1½ to 2 gals. Summer Use-Red Spider Mites-3 to 4 qts.; Summer Stages of Brown Apricot Scale, San Jose Scale-1 gal. This treatment should only be used on trees that have not suffered from lack of moisture at any time during the growing season. Further, oil should not be applied to orchards where soil moisture is low.

INSECTICIDE

U.S.D.A. REGISTRATION NO. 279-1539

ACTIVE INGREDIENT	By Wt.
Petroleum Oils	98.00%
INERT INGREDIENTS	2.00%
	100.00%
Petroleum Oils Min. Unsulfonated Residue.....	92.00%
Petroleum Oils Classification	Unclassified

Supreme Oil is an especially refined Phytonomic oil contact insecticide, and a "sticking agent" for various insecticides and fungicides. It is manufactured to give maximum insecticide efficiency. Supreme Oil is for use on plants in foliage or the dormant stages. The high insecticide efficiency of Supreme Oil makes it possible to use much smaller amounts than normally used of petroleum oils for the summer and dormant spray control of various insects. Read Entire Label. Use Strictly In Accordance With Label Cautions, Warnings and Directions.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not induce vomiting.
Call a Physician Immediately.

NOTE: If other products are combined with Supreme Oil observe the precautions on that product label.

NIAGARA CHEMICAL DIVISION

FMC CORPORATION

MIDDLEPORT, N. Y.



FRESNO, CALIF. • RICHMOND, CALIF.
RIVERSIDE, CALIF. • YAKIMA, WASHINGTON



ORNAMENTALS and SHADE TREES (Conifers (See Note), Holly, Pyracantha, Sycamores, Hawthorne, Flowering Peach, Flowering Cherry, Apple, Magnolia, Maple, Dogwood, Oak, Privet, Birch): Soft Brown Scale, Oyster Shell Scale, Brown Apricot Scale, Black Scale, San Jose Scale, Red Spider Mites and Eggs-1 gal to 100 gals. water. Dormant Spray on Deciduous Varieties-2 gals. per 100 gals. water. Dormant Spray on Other Varieties-1 gal. per 100 gals. water. NOTE: May cause discoloration of blue spruce. Do not use on conifers or ferns not tolerant to oil sprays.

MIXING DIRECTIONS: With agitator running start filling spray tank with water. When combining with Wettable Powder insecticide or fungicide products, add these first when tank is 1/3 filled. Add Supreme Oil when tank is about ½ full and while there is sufficient agitation of the spray to insure complete emulsification.

CAUTION: For foliage applications, the spray tank must be free of any sulfur residue before using Supreme Oil. Do not combine Sulfur sprays with Supreme on foliage and do not follow a previous application of Sulfur or apply Sulfur following Supreme until sufficient time has elapsed for safety (at least 30 days). If in doubt, spray a portion of one tree previously treated with Sulfur, using 1 quart to 25 gallons water. If sufficient time has not elapsed, burn will show in several days. Do not use Supreme Oil when temperatures are above 90° Fahrenheit. When temperatures drop below 32° F. (usually night-time lows), do not spray tree and vine crops until daytime temperatures have warmed to a point above 35° F. and are free from moisture due to melting frost or heavy dews. Do not use on foliage closer than 60 days after or 90 days before using Captan or PHALTAN products. Do not use in combination with SEVIN. Application to trees weakened by disease, drought, drying winds, or high nitrogen applications may result in oil injury.

DISPOSE OF WASTES by burying in non-crop land away from water supplies. Punch holes in containers and bury in non-crop land away from water supplies.

Dealer Should Sell in Original Packages Only.

USAGE CAUTION: Do not allow this material to drift onto neighboring crops or non-crop areas or use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY: Niagara warrants that this product, as of the time of sale by Niagara, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purpose set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which Niagara has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

279-1539

11-6-69

1042

2 of 2

005
002

ACCEPTED
NOV 6 1969
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. **209-1539**