ACCEPTED April 6, 1960

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 273.155. SUBJECT TO ATTACHED COMMENTS.

Code 847



50 GAL. Net at 40° F

SUPERIOR 70 OIL

AN OIL SPRAY FOR USE IN THE DORMANT, GREEN TIP AND DELAYED DORMANT PERIODS

ACTIVE INGREDIENT: Petroleum Oil (Superior Type)	By 97	Wt.
INERT INGREDIENTS	. 2	.5%
	100	0.0%

DIRECTIONS FOR MIXING

Fill the spray tank about one-third full of water, start the agitator and pour in the required amounts of Superior Oil. If other spray materials are to be used with it, first mix the oil emulsion thoroughly and add the other material as the tank is being filled.

DIRECTIONS FOR USE

CROP	TO CONTROL	Amount Per 100 Gallons	APPLY
Apple Pear	Apple Red Bug European Fruit Lecanium Scale Fruit Tree Leaf Roller	2 gallons 2 gallons 3 gallons	Dormant
	European Red Mite San Jose Scale Scurfy Scale	2 gallons 2 gallons 3 gallons	Green Tip to Delayed Dormant Delayed Dormant Delayed Dormant
	Pear Leaf Blister Mite Pear Psylla	3 gallons 2 gallons	Dormant Late Dormant
Peaches	European Red Mite San Jose Scale European Fruit Lecanium	2 gallons 2 gallons 2 gallons	Dormant
	Terrapin Scale	3 gallons	Dormant g

When a gun has been shut off or the outfit stopped for any length of time, spray on the ground for a few moments until the spray appears creamy white. This is desirable also where there are dead ends in the pipe lines of stationary outfits. All the material in stationary outfits should be sprayed out each day.

Spray on warm days in late winter or early Spring, and before the buds separate into the clusters. Do not spray in freezing weather, or apply strong dosages after the buds have burst to any extent. Do not apply when the buds have separated in the clusters.

Do not apply within 2 weeks of a sulfur spray, and within 7 days of Captan.

CAUTION: Do not store at temperatures below 0° F. Use of this material in a manner or at a time other than in accordance with directions may produce plant injury.

than in accordance with directions may produce plant injury.

NOTICE OF DISCLAIMER — Buyer or user of any product manufactured or sold by Niagara Chemical Division, Food Machinery and Chemical Corporation ("Niagara") accepts and uses such product upon the following conditions: No warranty, guaranty or representation, express or implied, is made by Niagara or seller concerning such product, except that it contains ingredients as set forth on the label. If ingredients and recommendations for use or indicated results furnished by Niagara are for information only. Since such drections, uses and results may vary because of climatic, soil and other conditions beyond Niagara's control, no warranty, guaranty or representation, express or implied, is made by Niagara or seller in connection therewith. Buyer or user voluntarily assumes all risk and liability pertaining to possession, handling, storage or use of such product whether or not in accordance with directions or recommendations. Neither Niagara nor seller of such product shall be liable for personal injuries, property damage or any other loss relating to possession, handling, storage or use of such product shall be liable for personal injuries, property damage or any other loss relating to possession, handling, storage or use of such product by the buyer, user or any other person. No person is authorized to vary or waive anything contained in this notice.

MANUFACTURED IN U. S. A. FOR



NIAGARA CHEMICAL DIVISION FOOD MACHINERY AND CHEMICAL CORPORATION MIDDLEPORT, N. Y.

Home Office — Middleport, N. Y.



020

Printed in U. S. A.

BATCH NUMBER