

Code 847

Gallons Net Contents

Superior 70 Oil

Insecticide

EPA Reg. No. 279-1551 EPA Est., 279—

Active Ingredient:

Petroleum Oil 97.0%

Inert Ingredients: 3.0%

100.0%

Petroleum Oil Specifications:

Unsulfonated Residue—92% Minimum
Viscosity—70 Seconds

KEEP OUT OF REACH OF CHILDREN

CAUTION

Statement of Practical Treatment

If swallowed: no attempt need be made to empty the stomach. Irritation may be reduced by giving milk or other bland materials to drink.

If inhaled: there are no harmful vapors. If the liquid is sucked into the lung (aspirated) and causes coughing or breathing difficulties, a physician should be consulted.

If on skin: wash thoroughly with soap and water.

If in eyes: wash thoroughly with water and if irritation persists, consult a physician.

Physician Information

Only minor irritation should be expected from any type of exposure other than pulmonary aspiration. Ingestion may result in some gastroenteritis and mild diarrhea. Viscosity is such that chemical (hydrocarbon) pneumonia is not a hazard; however, aspiration or lipid pneumonia of a less severe variety could result from pulmonary aspiration. Since systemic toxicity is not expected, the added risk of aspiration from attempts to induce vomiting or lavage are deemed not warranted.

For Emergency Assistance Call 1-800-735-3785.

See Other Panels for Additional Precautionary Information



FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia Pennsylvania 19103

PRECAUTIONARY STATEMENTS

Hazards to Humans (& Domestic Animals)

Caution

Harmful if swallowed.

Environmental Hazards

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not store below 32° F. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures. To dispose of container, triple rinse (or equivalent). Then offer for recycling or reconditioning or dispose of in a sanitary landfill or by other approved State and local procedures. Do not cut or weld this container.

Directions for Mixing

Fill the spray tank about one-third full of water, start the agitator and pour in the required amounts of Superior 70 Oil. If other spray materials are to be used with the oil, mix the other materials thoroughly with the water in the spray tank first, and then add the Superior 70 Oil as the filling of the tank is being completed. Do not use in undiluted form.


Caution

Spray on warm days in late Winter or early Spring, and before the buds separate into the clusters. Do not spray in freezing weather, or apply strong dosages after the buds have burst to any extent. Do not apply when buds have separated in the clusters.

Do not apply within 2 weeks of sulfur spray or within 7 days of Captan.

Do not use if this spray oil does not emulsify. Correct emulsification is indicated if, when this product is added to the water in the spray tank, a uniform milk white spray mixture results, provided the spray mixture is being agitated. If the spray mixture, after adding the oil to the spray tank with the agitator running, is not milk-white, do not use the resulting spray or the remainder of this product.

ACCEPTED
JUN 10 1982
Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product is registered under Reg. No. 279-1551



When a gun has been shut off or the outfit stopped for any length of time, spray on the ground for a few moments until the spray appears creamy white. This is desirable also where there are dead ends in the pipe lines of stationary outfits. All the material in stationary outfits should be sprayed out each day.

Directions for Use

Apples, Pears: Apple Red Bug, European Fruit Lecanium Scale, San Jose Scale—Apply 2 gallons per 100 gallons of water in the delayed dormant stage. Fruittree Leafroller, Scurfy Scale—Apply 3 gallons per 100 gallons of water in the delayed dormant stage. European Red Mite—Apply 2 gallons per 100 gallons of water in the green tip to delayed dormant stage. Pear Leaf Blister Mite—Apply 3 gallons per 100 gallons of water in the dormant stage. Pear Psylla—Apply 2 gallons per 100 gallons of water in the late-dormant stage.

Apricots, Cherries, Nectarines, Peaches, Plums, Prunes—Dormant or Delayed Dormant: European Red Mite, San Jose Scale, European Fruit Lecanium Scale, Eggs of Aphids—1½ to 2 gallons per 100 gallons of water in the delayed dormant stage. Terrapin Scale—Use 3 gallons per 100 gallons of water in the delayed dormant stage.

Ornamentals and Shade Trees (Conifers [see note], Holly, Pyracantha, Sycamores, Hawthorne, Flowering Peach, Flowering Cherry, Apple, Magnolia, Maple, Dogwood, Oak, privet, Birch): Soft Brown Scale, Oyster Shell Scale, Brown Apricot Scale, Black Scale, San Jose Scale, Red Spider Mites and Eggs—1 gallon to 100 gallons of water. Dormant Spray on Deciduous Varieties—2 gallons per 100 gallons. Dormant Spray on Other Varieties—1 gallon per 100 gallons of water.

Note: May cause discoloration of Blue Spruce. Do not use on conifers or ferns not tolerant to oil sprays.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.