

Code 701

Net Contents
Gallons

RESTRICTED USE PESTICIDE

For retail sale to and use only by certified applicators or persons under their direct supervision, and only for those uses covered by the certified applicator's certification

Aqua 8 Parathion

Insecticide

 **DANGER—POISON—
PRECAUTIONS**



POISONOUS IF SWALLOWED

..... product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

**POISONOUS TO FISH AND
WILDLIFE**

POISON SIGNS (Symptoms)

PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, narrowness, watering, watering of eyes, drooping or twitching of mouth and nose, muscle spasms and coma.

PA 11/82

EPA Reg. No. 279-1611 EPA Est., 279-

Active Ingredients	
Parathion	76.35%
Related Compounds	3.65%
Inert Ingredients	20.00%
	<hr/>
	100.00%

Contains 8 pounds of Parathion per gallon

ACCEPTED
with COMMENTS
in EPA Letter Dated:

NOV 19 1982

Under the Federal Insecticide,
Fungicide and Rodenticide Act,
as amended, this pesticide
is registered under EPA Reg. No.
279-1611

STOP! READ THE LABEL



CAN KILL YOU

DANGER

Keep out of reach
of children

POISON

See side panels
for antidote
and precautions

**USE ONLY WHEN WEARING THE
FOLLOWING PROTECTIVE
EQUIPMENT AND CLOTHING**

- (1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes.
- (2) Wear safety goggles.
- (3) Wear a mask or a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.
- (4) Wear heavy duty, natural rubber gloves.

FMC

FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia PA 19103

BEST DOCUMENT AVAILABLE

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

✚ FIRST AID TREATMENT ✚

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote — administer atropine sulfate in large doses. TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

FOR EMERGENCY ASSISTANCE CALL
718-735-3788

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, shrimp, crab, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not apply where run-off is likely to occur. Do not apply when weather conditions favor drift from the areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

BEST DOCUMENT AVAILABLE

(701-PA 11/82)

Ms. Eunice Cairle
FMC Corporation
Agricultural Chemical Group
2900 Market Street
Philadelphia, PA 19104

Dear Ms. Cairle:

Subject: Azin Phosphate
EPA Registration No. 779-1611
Your Application Dated November 5, 1982

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

1. In the re-entry section of your label add "Workers entering treated fields within 48 hours must wear protective clothing."

Sincerely yours,

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

TS-767:JSEllenberger:DCR-289964:WANG-1177C:lwy:Raven:479-2013:11/16/82

BEST DOCUMENT AVAILABLE