

Code 551

Stik

Plant Growth Regulator

EPA Reg. No. 279-1735

EPA Est.—


Net Weight

ACCEPTED

1 8 1982

279-1735

BEST DOCUMENT AVAILABLE



Active Ingredient:

1-Naphthaleneacetic Acid, Sodium Salt 7.1%

Inert Ingredients: 92.9%

100.0%

1.0% 1-Naphthaleneacetic Acid equivalent 6.34%.

Contains 4 grams 1-Naphthaleneacetic Acid Sodium Salt per 2 oz.

KEEP OUT OF REACH OF CHILDREN

CAUTION

For Emergency Assistance Call 718-735-3766.

Environmental Hazards

Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

See other panels for additional precautionary information.

FMC

FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia Pennsylvania 19103

PA 580

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinseate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Do not reuse empty container. Dispose of container in an incinerator or landfill approved for pesticide containers or bury in a safe place away from water supplies. Consult Federal, State, or local disposal authorities for approved alternative procedures.

This material, when used as directed, will aid in preventing seed pod and nut formation on certain varieties of shade and ornamental trees. It is important to observe usage cautions as noted in "Caution" statement below, as injury may result from improper use.

Caution: This formulation and its application on shade trees is intended for use by professional arborists only. Maximum dosages should not exceed 40 ppm or 8 ounces by weight of Stik per 100 gallons of dilute spray. Avoid application or drift onto flowering plants and shrubs other than those intended for treatment as injury may result. Avoid spraying or permitting drift onto food crops. Some wilting of leaves may follow use of this material—this will vary with plant vigor, the less vigorous trees being affected the greatest. Avoid use on weak trees or under slow drying conditions.

Do not allow this material to drift onto neighboring crops or non-crop areas or use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

When the foliage has been seriously injured by insects, diseases, mineral deficiencies, frost or extreme drought conditions exist, little or no control can be expected.

Shade Trees (Catalpa, Horsechestnut, Elm, and Maple): To prevent seed pod and nut formation—Use 4 to 8 ounces (20-40 ppm) per 100

gals. of spray. Apply sufficient spray to thoroughly wet tree. Make application at the full-bloom stage of tree development.

Directions for Thinning Apples.

Apply as a post bloom spray at the rate of 1 to 4 oz. per 100 gallons of water (5 to 20 ppm) depending upon the apple variety. Do not use on summer or early fall varieties later than 1 week following full bloom. Other varieties may be treated 10 to 21 days after full bloom.

Directions for Preventing Premature Drop

Apples Use 2 to 4 ounces per 100 gallons of water. Do not apply more than 425 gals. of spray per acre. Apply spray 7 to 14 days before harvest. Do not make more than 2 applications. Do not apply within 2 days of harvest.

Pears Use 2 ounces per 100 gallons of water. Do not apply more than 425 gals. of spray per acre. Apply to fruit 5 to 7 days before harvest. Do not make more than 2 applications. Do not apply within 2 days of harvest.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

(Stauffer Shields)

476-1897

BETASAN® 2.9-E
Emulsifiable Liquid

A Selective Herbicide for Pre-Emergence Control of Crabgrass
and Annual Bluegrass in Turf, Ornamentals, and Ground Covers.

ACTIVE INGREDIENT:

Bensulide: S-(0,0-Diisopropyl phosphorodithioate) ester of N-(2-mercaptoethyl)benzenesulfonamide . . .	34.8%
<u>INERT INGREDIENTS:</u>	65.2%
	<u>100.0%</u>

Contains 2.9 Pounds Of Active Ingredient Per Gallon.

KEEP OUT OF REACH OF CHILDREN

C A U T I O N

STATEMENT OF PRACTICAL TREATMENT

Call a Physician Immediately! If a known exposure occurs or if poisoning is suspected, do not wait for symptoms to develop. Immediately initiate the recommended procedures described below and simultaneously contact a physician, the nearest hospital or a Poison Control Center, or call collect, day or night:

(203) 226-6602
STAUFFER CHEMICAL COMPANY

OR

(800) 424-9300
PESTICIDE TEAM SAFETY NETWORK

Inform the person contacted of the type and extent of exposure, describe the victim's symptoms and follow the advice given.

NOTE: Be sure to advise the person contacted that the active ingredient in this compound is a cholinesterase inhibitor and follow the advice given.

NOTE TO PHYSICIAN: Exposure to the active ingredient may cause cholinesterase inhibition. Atropine by injection is antidotal. 2-PAM is also antidotal when administered early and in conjunction with atropine.

IF SWALLOWED: DO NOT induce vomiting. Immediately call a physician or Poison Control Center. Give large quantities of water and get medical attention. If vomiting occurs, give fluids again. Never give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen, preferably with a physician's advice.

IF ON SKIN: Flush with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention if irritation occurs. Wash clothing before re-use.

IF IN EYES: Hold eyelids apart and flush eyes with large amounts of running water for at least 15 minutes. Call a physician.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

This product is sold only for uses stated on its label. No express or implied license is granted to use or sell this product under any patent in any country except as specified: Country: United States of America Patent No.: 3,205,253
BETASAN® is a registered trademark of Stauffer Chemical Company.
EPA Reg. No. 476-1897
EPA Est. _____ Gal. Net _____ Litres
RS-810721

Made in U.S.A. by
STAUFFER CHEMICAL COMPANY
WESTPORT, CT. 06831-0850