

CODE
401

CAPTAN 7.5 PARATHION 1 DUST

NET WEIGHT
50 LBS.

FUNGICIDE - INSECTICIDE

NOT FOR USE OR STORAGE IN OR AROUND THE HOME.

DIRECTIONS FOR USE

STRAWBERRIES: Aphids, Lygus bugs, Potato leafhoppers, Strawberry leaf roller, Two-spotted mites, Whiteflies, Botrytis fruit rot, Gray mold, Leafspot - Use 40 pounds of dust per acre when insects first appear or disease threatens. Repeat as required. Apply in the evening or early morning. Do not apply within 14 days of harvest.

ACCEPTED
2-7-72
UNDER THE FEDERAL INSECTICIDE ACT
REGISTERED UNDER THE FEDERAL INSECTICIDE ACT
EDITH B. ... SUBJECT
TO ATTACHED COMMENTS

E. P. A. Reg. No. 279-1789

ACTIVE INGREDIENTS:

*Captan ----- 7.5%

**Parathion ----- 1.0%

INERT INGREDIENTS: ----- 91.5%
100.0%

*N-[(trichloromethyl)thio]-4-cyclohexene-1,2-dicarboximide

U. S. Patent Nos: 2,553,770; 2,553,771; 2,553,776

**O,O-Diethyl O-p-nitrophenyl thiophosphate

 **DANGER-POISON** 
KEEP OUT OF REACH OF CHILDREN

BEFORE USING READ THE PRECAUTIONARY-SAFE HANDLING DIRECTIONS ATTACHED TO THE PRODUCT CONTAINER.

POST TREATED AREAS

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas. Field posters may be obtained from your Niagara salesman or dealer.

DO NOT CONTAMINATE FEED OR FOOD-STUFFS.

USAGE CAUTIONS

This product is toxic to fish and wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply when runoff is likely to occur. Birds feeding on treated areas may be killed. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Dispose of wastes by burying at least 18" deep in non-crop lands away from water supplies.

Do not re-use container. Smash and bury with wastes. **DO NOT BURN.**

CODE
401


CAPTAN 7.5 PARATHION 1 DUST

NET WEIGHT
50 LBS.

DANGER—POISON—PRECAUTIONS

EPA Reg. No. 279-1789

✚ FIRST AID TREATMENT ✚



ACCEPTED ACTIVE INGREDIENTS:

2-7-72


| | |
|--|--------|
| *Captan (N-[(trichloromethyl)thio] -4-cyclohexene-1,2-dicarboximide) | 7.5% |
| Parathion (O,O-Diethyl O-p-nitrophenyl thiophosphate) | 1.0% |
| INERT INGREDIENTS: | 91.5% |
| | 100.0% |

UNDER THE FEDERAL INSECTICIDE ACT, THIS PRODUCT IS REGISTERED FOR ECONOMIC PEST CONTROL UNDER NO. 279-1789. Patent Nos. 2,553,770; 2,553,771; 2,553,776

NOT FOR HOME USE


POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

STOP! READ THE LABEL



CAN KILL YOU

DANGER POISON

Keep out of reach of children See side panels for antidote and precautions

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes.
- (2) Wear safety goggles.
- (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection.
- (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, tingling or frothing of mouth and nose, muscle spasms and coma.

Call a doctor (physician) clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

For emergency assistance call
716 735-3765

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See accompanying product information label.

CROP USE DIRECTIONS

Use only according to accompanying label instructions.