

Code 1502

RESTRICTED USE PESTICIDE

Net Weight
Lbs.

For retail sale and use only by certified applicators or persons under their direct supervision and only for those uses registered by the certifying authority.

Parathion 1 Sevin* 5 Dust

**DANGER—POISON—
PRECAUTIONS**



POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. spray mist or dust may be fatal if swallowed



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes)



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal

POISONOUS TO FISH AND WILDLIFE

POISON SIGNS (Symptoms)

PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment, or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and convulsions.

Insecticide

EPA Reg. No. 279-1833 EPA Est. 279-

Active Ingredients:

*Carbaryl (1-Naphthyl N-methylcarbamate)

5.0%

**Parathion

1.0%

Inert Ingredients:

94.0%

100.0%

Trade-mark of Union Carbide Corporation for the active ingredient carbaryl

*Sevin, U.S. Pat. No. 3,009,855

**Diethyl O-p-nitrophenyl thiophosphate

STOP! READ THE LABEL



CAN KILL YOU

NOT FOR HOME USE

DANGER

Keep out of reach of children

POISON

See side panels for antidote and precautions

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes (2) Wear safety goggles (3) Wear a mask or a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II (4) Wear heavy duty, natural rubber gloves



FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia, PA. 19103

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital, immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section), and if a doctor cannot come, take victim to clinic or hospital. **IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious), make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

The active ingredients in this formulation are cholinesterase inhibitors.

Antidote: administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. PAM chloride is also an antidote and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first signs of secondary effects, the patient should be given supplemental oxygen and treated symptomatically. Intubation is indicated if the patient may require artificial respiration. Parathion is highly toxic to aquatic life. Do not allow runoff into streams, rivers, or other bodies of water.

FOR EMERGENCY ASSISTANCE
CALL 1-800-368-5177
POST-TREATMENT ARE

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds feeding in treated areas may be killed. Keep out of lakes, ponds and streams. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residue on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

USAGE CAUTIONS

Some phytotoxicity may occur on tender foliage in the presence of rain or high humidity of several days duration following application.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply when insects first appear and repeat as required to maintain effective control. Observe use limitations. Observe days interval between last application and harvest indicated by number in () following crop.

Potato (5), Tomato (10): Colorado Potato Beetle, Aphids, Flea Beetles, Tarnished Plant Bugs, Whitefly, Serpentine Leafminer, Tomato Fruitworm, Fall Armyworm, Tomato Hornworm, Stink Bugs — Use 25 to 30 pounds per acre.

Tobacco: Aphids, Flea Beetle, Japanese Beetle, Plant Bugs, Hornworms, Budworm, Suckfly, Vegetable Weevil — Use 15 to 25 pounds per acre. Do not apply within 5 days of priming or 15 days of cutting. Avoid plant juices coming in contact with the skin of those engaged in cutting or priming the crop. When entering treated fields within 24 hours after application, protective clothing should be worn.

STORAGE AND DISPOSAL

DISPOSE OF WASTES by burying at least 18 inches deep in non-crop lands away from water supplies. Do not reuse or burn container. Bury with wastes.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use

On purchase of this product buyer and user agree to the following conditions:

Warranty

FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and or handling and or storage of this material when such use and or handling and or storage is contrary to label instructions.

Directions and Recommendations Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product FMC makes no warranty for the use of this product for purposes not intended by the manufacturer. The use of this product for purposes other than those intended by the manufacturer does not constitute a warranty, expressed or implied, by FMC. FMC does not warrant the results to be obtained from the use of this product with respect to or established sale practices.

Damages FMC's liability shall be limited to direct damages for breach of warranty. FMC's liability shall be limited to direct damages not exceeding the purchase price of the product and shall not include incidental or consequential damages.

