Code 947 [279-1837]

50 Lbs. Net Weight

Zineb 16.25 Malathion 4 Sevin® 5 Tobacco Dust

Insecticide

EPA Reg. No. 279-1837 EPA Est., 279-NJ-1

Zinc ethylene bisdithiocarbamate
Zinc expressed as metallic 3.85%
O.O-dimethyl dithiophosphate of diethyl mercaptosuccinate
Sevin, U.S. Pat. No. 2,903,478; 3,009,855

Trade-mark of Union Carbide Corporation for the active ingredient carbaryl.

CAUTION KEEP OUT OF REACH OF CHILDREN.

Harmful if inhaled or swallowed. Avoid breathing of dust. Do not take internally. Skin contact may be harmful. Avoid contact with skin. Wash hands and face before eating. Take shower or bath after work. Wear regular long sleeved work clothing. Change to clean clothing daily.

Note for Physician Carbaryl is a moderate reversible, cholinesterase inhibitor. Malathion may cause plinesterase inhibition. Atropine is antidotal.

For Emergency Assistance Call 716 - 735 - 3765

ACCEPTED

NOV 10 1975

Under the Federal Insecticies.
Fungicide, and Redenticide Adia as amended, for the pesticide registered under EPA Reg. No.

Directions for Use

TOBACCO (Plant Bed) Blue Mold, Flea Beetles - For each 100 square yards of plant bed, apply 2 to 3 pounds of dust depending on size of plants. Start applications when insects or disease first appear in the vicinity. Apply at 3 to 4 day intervals until transplanting time.

Pounds of dust per acre. Good coverage is essential. Repeat as needed. If late applications are necessary, treat immediately after priming rather than before priming. Do not apply within 7 days of harvest.

Usage Caution

Some phytotoxicity may occur on tender foliage in the presence of rain or high humidity of several days duration foliowing dusting.

Environmental and Disposal Cautions

This product is toxic to fish. Keep out of any body of water. Do not apply when weather conditions favor drift from the areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Dispose of Wastes by burying in non-crop lands away from water supplies. Container should be disposed of by burying with wastes or by burning. Keep out of smoke.

ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.

LABEL.

Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGH-BORING CROPS OR NON-CROP AREAS OR USE IN A MAN-NEP OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UN-DESIRABLE RESULTS MAY OCCUR.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY: FMC warrants that this product, as of the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage. EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from, liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

Manufactured in U.S.A by: FMC CORPORATION AGRICULTURAL CHEMICAL DIVISION Middleport, N Y 14105

4

