

Code 947

50 Lbs. Net Weight

Zineb 16.25 Malathion 4 Sevin® 5 Tobacco Dust

Insecticide

EPA Reg. No. 279-1837 EPA Est. 279-

Active Ingredients	
***Zineb	16.25%
**Malathion	4.00%
*Carbaryl(1-Naphthyl N-methylcarbamate)	5.00%
Inert ingredients	74.75%
	<hr/>
	100.00%

***Zinc ethylene bisdithiocarbamate
 Zinc expressed as metallic 3.85%
),O-dimethyl dithiophosphate of diethyl
 mercaptosuccinate
 *Sevin

ACCEPTED
 JAN 13 1983
 Under the Federal Insecticide, Fungicide, and Plant Growth Regulator Act, as amended, for the purpose of registration under EPA Reg. No. 279-1837

Sevin® is the registered trademark of Union Carbide Corporation for carbaryl insecticide

KEEP OUT OF REACH OF CHILDREN

CAUTION

Note for Physician: Carbaryl is a moderate reversible, cholinesterase inhibitor. Malathion may cause irreversible cholinesterase inhibition. Atropine is antidotal.

For Emergency Assistance Call 716 - 736 - 3785

See Other Panels for Additional Precautionary Information.



FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia Pennsylvania 19103

EPA REG. NO. 279-1837

PAGE 1 OF 3

(PA-11/82)

PRECAUTIONARY STATEMENTS

Hazards To Humans (and Domestic Animals)

Caution

Harmful if inhaled or swallowed. Avoid breathing of dust. Do not take internally. Skin contact may be harmful. Avoid contact with skin. Wash hands and face before eating. Take shower or bath after work. Wear regular long sleeved work clothing. Change to clean clothing daily.

During the mixing and loading process, wear protective clothing (long pants, long sleeve shirt, impermeable gloves, hat and boots).

Environmental Hazards

This product is toxic to fish. Keep out of any body of water. Do not apply when weather conditions favor drift from the areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product a manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. Pesticide spray mixture or rinsate and residue must be used according to label instructions must be disposed of according to applicable Federal, state or local procedures. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

EPA REG. No. 277-1837
PAGE 2 OF 3
(PA-11/82)

Usage Caution

Some phytotoxicity may occur on tender foliage in the presence of rain or high humidity of several days duration following dusting.

TOBACCO (Plant Bed) Blue Mold, Flea Beetles - For each 100 square yards of plant bed, apply 2 to 3 pounds of dust depending on size of plants. Start applications when insects or disease first appear in the vicinity. Apply at 3 to 4 day intervals until transplanting time.

TOBACCO (Field) Blue Mold, Homworms - Use 15 to 20 pounds of dust per acre. Good coverage is essential. Repeat as needed. If late applications are necessary, treat immediately after priming rather than before priming. Do not apply within 7 days of harvest.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchases of this product buyer and seller agree to the following conditions

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

EPA REG. No. 279-1807
PAGE 3 OF 3

(PA-11/82)