

Code: 31030

50 Pounds

G-3 DUST

DIRECTIONS FOR USE

Apply when pests first appear and repeat as necessary. May be applied with ground or airplane application equipment. Observe days interval between last application and harvest indicated by number in () following the crop.

APPLES (7), CRABAPPLES (7), PEAR (7), QUINCES (7): Aphids, Apple Maggot, Codling Moth, European Apple Sawfly, Eye Spotted Bud Moth, Fruit Tree Leafroller, Leafhoppers, Mites, Red Banded Leafroller — Use 35-70 pounds per acre. Do not apply more than 8 times per season.

APRICOTS (21), NECTARINES (21), PEACHES (21): Aphids, Mites, Platynota Flavendana Leafroller, Red Banded Leafroller — Use 35-80 pounds per acre. Do not apply more than 8 times per season.

BLACKBERRIES (14), BOYSENBERRIES (14), LOGANBERRIES (14), RASPBERRIES (14): Aphids, Leafhoppers, Leafminers, Leafrollers, Obscure Root Weevil — Use 20-30 pounds per acre.

BROCCOLI (15), BRUSSELS SPROUTS (7), CABBAGE (21), CAULIFLOWER (15): Aphids, Cabbage Looper, Diamondback Moth, Imported Cabbageworm — Use 20-25 pounds per acre.

CHERRIES (15): Eye-Spotted Bug Moth, Fruit Tree Leafroller, Mites, Plum Curculio — Use 35-80 pounds per acre. Do not apply more than 8 times per season.

COTTON (1): Aphids, Boll Weevil, Brown Cotton Leafworm, Cotton Fleahopper, Cotton Leafworm, Lygus Bugs, Mites, Thrips, Rapid Plant Bug, Tarnished Plant Bug, Stink Bug — Use 16-33 pounds per acre. If late season applications are made, do not graze livestock on treated areas or feed gin wastes.

GRAPES (28): Grape Berry Moth, Leafhoppers, Mites, Thrips (California) — Use 20-30 pounds per acre. Red-Banded Leafroller — Use 25-30 pounds per acre. Do not apply more than 3 applications per season. Ground application equipment preferred.

ORNAMENTALS, NURSERY PLANTS: Aphids, Lacebugs, Leafhoppers, Mites, Thrips — Use 20 pounds per acre. Dust all foliage surfaces including the underside of leaves for complete coverage. Do not allow children or pets on treated areas until material has been washed into soil and treated area is dry.

PLUMS (15), PRUNES (15): Aphids, Eye-Spotted Bud Moth, Fruit Tree Leafroller, Mites, Red-Banded Leafroller — Use 35-80 pounds per acre. Do not apply more than 8 times per season.

SPINACH (14): Aphids, Leafminers, Mites — Use 15-25 pounds per season.

TOMATOES (0): Colorado Potato Beetle, Green Stinkbug, Drosophila, Leafminers — Use 15-25 pounds per acre. Aphids, European Corn Borer, Flea Beetles, Hornworm, Leafhoppers, Thrips — Use 20-25 pounds per acre. Corn Earworm, Fruitworm, Pinworm, Tuberworm, Yellow-striped Armyworm — Use 25 pounds per acre.

CONTAINS 3% GUTHION

INSECTICIDE

U.S.D.A. REGISTRATION NO. 279-1945

ACTIVE INGREDIENTS:	BY WT.
0, O-Dimethyl S-[4-oxo-1,2,3-benzotriazin-3 (4H)-ylmethyl] phosphorodithioate	3.00%
INERT INGREDIENTS:	97.00%
	<u>100.00%</u>

U.S. Patent No. 2,758,115. Canadian Patent No. 552,660.



DANGER - POISON



KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR ADDITIONAL WARNING STATEMENTS

FIRST AID

If Swallowed: Give tablespoon of table salt in a glass of warm water. Repeat until vomiting occurs and vomitus is clear. Never induce vomiting in an unconscious person. Call a physician immediately.

If In Eye: Flush eye for 15 minutes with plenty of water. Call a physician immediately.

If On Skin Or Clothing: Remove contaminated clothing and shoes immediately. Bathe with soap and water. Call a physician immediately.

ANTIDOTE

Note to Physicians: Active ingredient is a cholinesterase inhibitor. Patient should be kept under observation for 48 hours. Atropine is antidotal. Give 4 mg. intramuscularly or intravenously. Repeat every 15 minutes until patient is fully atropinized. If cyanotic give artificial respiration.

WARNING: Poisonous if swallowed, Inhaled or Absorbed Through Skin. Do not get in eyes, on skin or on gloves, protective clothing and goggles. In case of contact, and water. Wear a mask or respirator of a type passed Agriculture for Guthion protection. Keep all unprotected mals out of operating area or vicinity where there may areas should not be re-entered for at least two days. D foodstuffs. Wash hands, arms and face thoroughly with s or smoking. Wash all contaminated clothing with soap an

USAGE CAUTIONS

Do not graze livestock in treated areas for 21 days after

Do not treat food crops grown in the green house.

This product is toxic to fish and wildlife. Keep out of lab feeding on treated areas may be killed. Apply this prod label.

This product is highly toxic to bees exposed to direct tre Protective information may be obtained from your Coop Service.

DISPOSE OF WASTES by burying in non-crop land away bags should be buried with wastes. Do not burn. Do not

Guthion is a registered trademark, Reg. U.S. and Canadian Bayer A.G., Chemagro Corporation Licensee.

279-
Sep. 19, 1970

50 Pounds Net Weight

G-3 DUST

CONTAINS 3% GUTHION
INSECTICIDE

U.S.D.A. REGISTRATION NO. 279-1945

ACTIVE INGREDIENTS:	BY WT.
0, 0-Dimethyl S-[4-oxo-1,2,3-benzotriazin-3 (4H)-ylmethyl] phosphorodithioate	3.00%
INERT INGREDIENTS:	97.00%
	100.00%

†U.S. Patent No. 2,758,115. Canadian Patent No. 552,660.



DANGER - POISON



KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR ADDITIONAL WARNING STATEMENTS

FIRST AID

If Swallowed: Give tablespoon of table salt in a glass of warm water. Repeat until vomiting occurs and vomitus is clear. Never induce vomiting in an unconscious person. Call a physician immediately.

If In Eye: Flush eye for 15 minutes with plenty of water. Call a physician immediately.

If On Skin Or Clothing: Remove contaminated clothing and shoes immediately. Bathe with soap and water. Call a physician immediately.

ANTIDOTE

Note to Physicians: Active ingredient is a cholinesterase inhibitor. Patient should be kept under observation for 48 hours. Atropine is antidotal. Give 4 mg. intramuscularly or intravenously. Repeat every 15 minutes until patient is fully atropinized. If cyanotic give artificial respiration.

WARNING: Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for Guthion protection. Keep all unprotected persons and beneficial animals out of operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered for at least two days. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

USAGE CAUTIONS


Do not graze livestock in treated areas for 21 days after treatment.

Do not treat food crops grown in the green house.

This product is toxic to fish and wildlife. Keep out of lakes, ponds and streams. Birds feeding on treated areas may be killed. Apply this product only as specified on the label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DISPOSE OF WASTES by burying in non-crop land away from water supplies. Empty bags should be buried with wastes. Do not burn. Do not reuse.




Guthion is a registered trademark, Reg. U.S. and Canadian Pat. Offs. by Farbenfabriker Bayer A.G., Chemagro Corporation Licensee.

Handwritten: 279-1945
Sep. 19, 1970

Printed in U.S.A.

ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

TERMS OF SALE OR USE On purchase or use of this product buyer and user agree to the following conditions

WARRANTY Niagara warrants that this product, as of the time of sale by Niagara, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED

DAMAGES Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage

EXCUSE FROM NON-CONTROLLABLE CONDITIONS Because of certain critical conditions created or incurred by buyer or user or over which Niagara has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

MANUFACTURED IN U. S. A. BY



NIAGARA CHEMICAL DIVISION
FMC CORPORATION
MIDDLEPORT, NEW YORK

