

Code: 30681

50 Pounds Net Weight

PARATHION 2 COATED GRANULES

DIRECTIONS FOR USE

FOR MOSQUITO CONTROL: For use as a mosquito larvicide only by Mosquito Abatement Districts and other official agencies. The granules are formulated to release their coating upon contact with water. For control of mosquito larvae use 2 pounds per acre. Repeat as necessary. This product is poisonous to fish, shrimp and crabs. Do not apply where there are important resources.

APPLICATION DIRECTIONS: On the following crops apply the recommended rate as an overall broadcast treatment prior to planting. Soil temperature should be at least 50° F. Immediately and thoroughly mix the granules into the top 4 to 9 inches of soil. After applying keep all persons and animals off treated area for 48 hours. Treated fields should be planted or seeded as soon as possible after the 48 hour waiting period.

FOR WIREWORM AND GARDEN SYMPHYLID control on Table Beets, Broccoli, Brussels Sprouts, Cabbage, Cantaloupe, Watermelon, Muskmelon, Carrots, Cauliflower, Celery, Eggplant, Kale, Lettuce, Pea, Peppers, Rutabagas, Tomatoes and Turnips. To control Wireworm use 200 pounds per acre and to control Garden Symphylid use 250 pounds per acre.

FOR ROOTWORM AND GARDEN SYMPHYLID on Corn use 250 pounds per acre.

FOR GARDEN SYMPHYLID control in Ornamentals and Nursery plantings (COMMERCIAL PLANTINGS NOT FOR USE IN GREENHOUSES, ENCLOSED AREAS, OR IN HOME GARDENS) use 250 pounds per acre.

033W

INSECTICIDE

E.P.A. REGISTRATION NO. 279-1957

ACTIVE INGREDIENT:

BY WT.

*Parathion *Comments* 2.00%
INERT INGREDIENTS.....

*O,O-Diethyl 0-p-nitrophenyl thiophosphate

ACCEPTED

279-1957

NOV 7 1973

DANGER - POISON

KEEP OUT OF REACH OF CHILDREN

FIRST AID

Call A Physician Immediately. If swallowed give tablespoon of table salt in a glass of warm water. Repeat until vomiting occurs and vomitus is clear. Do not induce vomiting in an unconscious person. If in eyes, flush eyes with lots of water for 15 minutes. If on skin or clothing remove contaminated clothing or shoes immediately. Bathe with soap and water.

ANTIDOTE

NOTE TO PHYSICIANS: Active ingredient is parathion. Patient should be under observation for 48 hours. Parathion is a cholinesterase inhibitor. Atropine is antidotal. Give 4 mg. intramuscularly or intravenously and repeat every 15 minutes until patient is fully atropinized. If cyanotic give artificial respiration. Pralidoxime chloride (2-PAM) should be used in treatment.

For Emergency Assistance Call
716-735-3765

DANGER: Poisonous if swallowed, inhaled, or absorbed through skin! Rapidly absorbed through skin. Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for parathion protection. Keep all unprotected persons and beneficial animals out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

USAGE CAUTIONS

This product is poisonous to fish and wildlife. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Birds feeding on treated areas may be killed. Apply this product only as specified on the label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service. Do not apply when weather conditions favor drift from the areas treated. Do not apply when run-off is likely to occur.

Not for use or storage in or around the home.

DISPOSE OF WASTES by burying at least 18 inches deep in non-crop land away from water supplies. Empty containers should be buried with wastes. Do not burn. Do not re-use.

Printed in U.S.A.

ACCEPTED WITH COMMENTS

ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



Dealers Should Sell in Original Packages Only.


DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY: FMC warrants that this product, as of the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. **EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.**

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from, liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.



Manufactured in U.S.A. by:
FMC CORPORATION
AGRICULTURAL CHEMICAL DIVISION
Middleport, N.Y. 14105

FMC
Chemicals