

Code 30681

RESTRICTED USE PESTICIDE

Net Weight Pounds

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification

Parathion 2 Coated Granules

DANGER—POISON—PRECAUTIONS



POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (if it goes through clothes).



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

POISON SIGNS (Symptoms)


PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

Insecticide

EPA Reg. No. 279-1957 EPA Est. 279-

Active Ingredient: Parathion
Inert Ingredients:



CAN KILL YOU

DANGER

Keep out of reach of children

POISON

See side panels for antidote and precautions

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear a mask or a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. (4) Wear heavy-duty natural rubber gloves.

BEST DOCUMENT AVAILABLE



FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia PA 19103

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person. Get medical attention.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote: administer atropine sulfate in large doses, TWO TO FOUR mg. intravenously or intramuscularly, as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM (chloride) and pralidoxime may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a direct cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At the sign of pulmonary edema, the patient should receive supplemental oxygen and treated symptomatically. Continued atropine therapy may result in fatal relapses. **VERY CLOSE SUPERVISION OF THE PATIENT IS NECESSARY FOR AT LEAST 48 HOURS.**

FOR EMERGENCY ASSISTANCE CALL

710-486-3765

IN MOST TREATED AREA

BEST DOCUMENT AVAILABLE

ENVIRONMENTAL HAZARDS

This product is toxic to fish, shrimp, crabs, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Fish in waters treated with this product may be killed. Use only in intermittently flooded areas, standing water, temporary rain pools, sloughs, and log ponds. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Dispose of container in an incinerator or landfill approved for pesticide containers or bury in a safe place. Consult Federal, State or local disposal authorities for approved alternative procedures such as limited open burning.

Not for use or storage in or around the home.

For Mosquito Control: For use as a mosquito larvicide only by Mosquito Abatement Districts and other official agencies. The granules are formulated to release their coating upon contact with water. For control of mosquito larvae use 2 pounds per acre. Repeat as necessary.

Application Directions. On the following crops apply the recommended rate as an overall broadcast treatment prior to planting. Soil temperature should be at least 50° F. Immediately and thoroughly mix the granules into the top 4 to 9 inches of soil. After applying keep all persons and animals off treated area for 48 hours. Treated fields should be planted or seeded as soon as possible after the 48 hour waiting period.

For Wireworm and Garden Symphylid control on **Table Beets, Broccoli, Brussels Sprouts, Cabbage, Cantaloupe, Watermelon, Muskmelon, Carrots, Cauliflower, Celery, Eggplant, Kale, Lettuce, Peas, Peppers, Rutabagas, Tomatoes and Turnips.** To control Wireworm use 200 pounds per acre and to control Garden Symphylid use 250 pounds per acre.

For Rootworm and Garden Symphylid on **Corn** use 250 pounds per acre.

For Garden Symphylid control in **Ornamentals and Nursery** plantings. Commercial plantings not for use in Greenhouses, Enclosed Areas, or in Home Gardens. Use 250 pounds per acre.

Dealers Should Sell in Original Packages Only

Terms of Sale or Use. On purchase of this product buyer and user agree to the following conditions:

Warranty. E.M.C. makes no warranty, expressed or implied, concerning the use of this product other than that stated on the label. Except as so warranted the product is sold as is. Buyer and user assume all risk of use and of handling and storage of this material when such use and handling and/or storage is contrary to label restrictions.

Directions and Recommendations. Follow directions carefully. Timing and method of application, weather and other conditions, insofar as they differ from those specifically recommended and other influencing factors, are the responsibility of the user. The user and are assumed to be conversant with the law.

Use of Product. E.M.C. recommendations for the use of this product are based on tests to date. The use of this product being beyond the warranty, expressed or implied, is made as to the user's responsibility to use it in accordance with the label directions.

Damages. E.M.C. does not assume liability for any damages, including consequential damages, arising from the use of this product, or from the purchase of this product, or from the use of this product, or from the use of this product.