

CODE 2258

SEVIN^{*} 5 GRANULAR

DIRECTIONS FOR USE

CORN: European Corn Borer - Use 30 to 35 pounds of Sevin 5 Granular per acre, for firstgeneration European Corn Borer larvae in whorls. Do not apply within 7 days of harvest for forage. Use suitable ground or air equipment to insure good coverage. Apply when pests appear in damaging numbers and repeat 7 to 14 days later if necessary.


CAUTION: Harmful if swallowed. Avoid prolonged breathing of dust. Avoid prolonged or repeated contact with skin; wash thoroughly after using. Avoid storage near feed and food products. Keep out of reach of children.

ACTIVE	INGRI	EDIENT:

Carbaryl (1-naphthyl N-methylcarbamate)		
INERT INGREDIEN	S:	95.00%

100.00%

†Sevin, U. S. Pat. No. 2,903,478



MANUFACTURED IN U.S.A. BY

NIAGARA CHEMICAL DIVISION FMC CORPORATION



MALAGA, NEW JERSEY WYOMING, ILLINOIS

Home Office - Middleport, N.Y.

Dealers Should Sell in Original Packages Only.

USAGE CAUTION: USE OF THIS MATERIAL IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH THE DIRECTIONS MAY PRODUCE PLANT INJURY, EXCESSIVE RESIDUES OR OTHER UNDESIRABLE RE-SULTS.

NOTICE: Niagara and Seller warrant, to the extent of the purchase price, that the product will conform to the ingredient statement set forth on the label but they make no other warranty, express or implied covering the product. Neither Niagara nor Seller shall be held responsible in any manner for personal injury, property damage or other loss of any kind resulting from the handling, storage or use of the product, whether or not in accordance with directions, regardless of the negligence or fault of Niagara or Seller. Buyer assumes all risk and liability therefrom and accepts and uses the product on these conditions. No person is authorized to vary or waive anything contained in this notice.

* Trade-mark of Union Carbide Corporation for the active ingredient, 1-naphthyl N-methylcarbamate.