


11/10/68
11/11/68
11/12/68
11/13/68
11/14/68
11/15/68
11/16/68
11/17/68
11/18/68
11/19/68
11/20/68
11/21/68
11/22/68
11/23/68
11/24/68
11/25/68
11/26/68
11/27/68
11/28/68
11/29/68
11/30/68



DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

NOT FOR HOME USE

**CODE
20326**



**GAL.
NET**

STOP! READ THE LABEL!

POISON!
See side panels
for antidote
and precautions



CAN KILL YOU

DANGER
Keep out of reach
of children

**USE ONLY WHEN WEARING
EQUIPMENT AND CLOTHING
FOLLOWING PROTECTIVE**

1) Wear water-proof pants, coat, boots or rubber overshoes. (2) Wear goggles. (3) Wear mask or respirator by the U.S. Bureau of Mines for methyl parathion protection. (4) Wear heavy duty, nitrile gloves.

WORK SAFETY RULE

Keep all unprotected persons and children from treated area or where there is drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work at once and get to a hospital immediately. Call a doctor (physician or hospital—immediately). Explain that you have been exposed to methyl parathion. After first aid is given (call the First Aid Treatment Section) and if a doctor does not come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash hands with soap and water. Always wash hands and arms with soap and water before eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Only clean clothes when leaving job. Wash contaminated clothing. Wash clothing and protective equipment with water after each use. Respirator cleaned and filter replaced according to instructions included with respirator.

METHYL PARATHION 1.5 THIODAN® 3E.C.

ACTIVE INGREDIENTS:	
O, O-Dimethyl O-p-nitrophenyl thiophosphate	15.90%
Endosulfan (hexachlorohexahydro-2, 4, 3-benzodioxathiepin oxide)	31.90%
Aromatic petroleum solvent	39.50%
INERT INGREDIENTS:	12.70%

fmc **NIAGARA CHEMICAL DIVISION**
FMC CORPORATION
MIDDLEPORT, N. Y. 14105

EPA Reg. No. 279-2057

**GAL.
NET**

DANGER
Keep out of reach
of children

MODAN® 3E.C.

(epin oxide)
15.90%
31.90%
39.50%
12.70%

SION

**USE ONLY WHEN WEARING THE
EQUIPMENT AND CLOTHING
FOLLOWING PROTECTIVE**

1. Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for methyl parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to methyl parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

EPA Reg. No. 279-2057



POISON SIGNS (Symptoms)

METHYL PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

✚ FIRST AID TREATMENT ✚

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and describe his condition.

If **breathing has stopped**, start artificial respiration immediately and maintain until doctor sees victim.

If **swallowed** and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of **contact**, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Since any symptoms from absorption of this combination product are likely to be those of methyl parathion intoxication, treatment should be directed towards the relief of cholinesterase inhibition.

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Methyl parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

For emergency assistance call
716 -- 735-3765

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See accompanying product information label.

CROP USE DIRECTIONS

Use only according to accompanying label instructions.

Printed in U. S. A.

CODE
20320



GAL.
NET

METHYL PARATHION 1.5 THIODAN[®] 3 EC INSECTICIDE

EPA Reg. No. 279-2057

ACTIVE INGREDIENTS

*O, O-dimethyl O-p-nitrophenyl thiophosphate 15.0%

**Endosulfan (Hexachlorocyclohexane-2, 4, 6-trisulfoxide) 31.9%

Aromatic petroleum solvent 39.5%

INERT INGREDIENTS

*Methyl Parathion 12.7%

**Thiodan U.S. Patent No. 2,799,685 100.0%

Contains 1.5 lbs. Methyl Parathion and 3 lbs. Thiodan Per Gallon.



DANGER - POISON



KEEP OUT OF REACH OF CHILDREN

BEFORE USING READ THE PRECAUTIONARY - SAFE HANDLING DIRECTIONS ATTACHED TO THE PRODUCT CONTAINER.

POST TREATED AREAS

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas. Field posters may be obtained from your Niagara Salesman or dealer.

Thiodan is a registered trademark of Canadian Hoechst Limited



NIAGARA CHEMICAL DIVISION
FMC CORPORATION
MIDDLEPORT, N. Y. 14105

USAGE CAUTIONS

This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding in treated areas may be killed. Apply this product only as specified on this label. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DISPOSAL

Do not contaminate water by cleaning of equipment or disposal of wastes. Rinse equipment and containers and DISPOSE OF WASTES by burying at least 18 inches deep in non-crop lands away from water courses. Do not reuse container; smash or perforate and bury with wastes.

DO NOT CONTAMINATE FEED OR FOODSTUFFS

DO NOT USE IN UNDILUTED FORM

DO NOT STORE BELOW 20 ° F.

WARNING! FLAMMABLE

KEEP AWAY FROM HEAT AND OPEN FLAME. KEEP CONTAINER CLOSED. LEAKING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

Dealers Should Sell in Original Packages Only.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions.

WARRANTY: Niagara warrants that this product, as of the time of sale by Niagara, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use, EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which Niagara has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

DIRECTIONS FOR

NOT FOR USE OR STORAGE AROUND THE HOME

Niagara Methyl Parathion 1.5 Thiodan 3 EC contains 1.5 pounds actual Methyl Parathion and 3 pounds actual endosulfan (Thiodan) per gallon and is effective against a number of certain insects on cotton and tobacco. Directions for use are directed below.

Application should begin when insects are first observed at the point where control is desired. Frequency of application is essential for good control. For use on cotton, material should be used for insects listed on the label. For use on tobacco, material should be used for insects listed on the label. Applications should be made at 3 to 5 day intervals depending upon the severity of the infestation. To mix, fill the spray tank 1/4 to 1/3 full of water. With the agitator running, add the required amount of material, then finish filling the spray tank with water.

When applying this material by air, use the recommended amount with sufficient water to make a minimum of 1 gallon of finished spray per acre. Care should be taken that this material is not applied to a neighboring crop or non-crop areas.

USAGE CAUTIONS

It is toxic to fish and wildlife. Keep out of any body of water. Fish in treated areas may be killed. Apply this product only as specified on the label. Do not apply where runoff is likely to occur. Do not apply under conditions favoring drift from areas treated.

It is highly toxic to bees exposed to direct treatment or residues on blooming crops. For more information on bee toxicity, contact your local Extension Service.

DISPOSAL

Decontaminate water by cleaning of equipment, or disposal of wastes. Wash equipment and containers and DISPOSE OF WASTES by burying at least 6 inches deep in non-crop lands away from water supplies. Do not incinerate; smash or perforate and bury with wastes.

DO NOT CONTAMINATE FEED OR FOODSTUFFS

DO NOT USE IN UNDILUTED FORM

DO NOT STORE BELOW 20° F.

WARNING! FLAMMABLE

KEEP AWAY FROM HEAT AND OPEN FLAME. KEEP CONTAINER UPRIGHT. LEAKING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING NON-CROP AREAS OR USE IN A MANNER OR AT A TIME WHICH IS IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE OF PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

Resellers Should Sell in Original Packages Only.

WARRANTY OR USE. On purchase or use of this product buyer and user agree to the following conditions:

(1) Niagara warrants that this product, as of the time of sale by Niagara, conforms to the ingredient statement on the label, and (2) is warranted for the purposes set forth in the Directions for Use. EXCEPT AS OTHERWISE STATED THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO WARRANTY EXPRESS OR IMPLIED.

Buyer's or user's exclusive remedy for damages for breach of warranty shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. A claim must be reported to Niagara within 10 days of discovery of the defect, failing which buyer or user waives any claim for such damage.

DISCLAIMER OF NON-CONTROLLABLE CONDITIONS Because of certain conditions created or incurred by buyer or user or over which Niagara has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from liability arising out of the handling or use of this product attributable to such causes. No person is authorized to make any statement contained herein.

DIRECTIONS FOR USE

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

Niagara Methyl Parathion 1.5 Thiodan 3 EC contains 1.5 pounds actual Methyl Parathion and 3 pounds actual endosulfan (Thiodan) per gallon and is designed for control of certain insects on cotton and tobacco when used as directed below.

Application should begin when insect infestation reaches the point where control is desired. Full coverage of plants during application is essential for good control. The material should be used for insects listed at the rate given in sufficient water to provide uniform coverage. Applications should be made at 3 to 5 day intervals depending upon the severity of the infestation and local conditions. To mix, fill the spray tank 1/4 to 1/3 full of water and with the agitator running, add the required amount of this material, then finish filling the spray tank to the desired level with water.

When applying this material by aircraft, mix the recommended amount with sufficient water to provide a minimum of 1 gallon of finished spray per acre. Care should be taken that this material is not allowed to drift onto neighboring crop or non-crop areas.

COTTON

Use 1-1 2 pints per acre for cotton leafworm and thrips. Use 1-1 2 pints to 2 pints per acre to control boll weevils, cotton aphids, cotton fleahoppers, lygus bugs and other mirids and spider mites (carmine, desert and two-spotted species). Use 2 pints per acre for control of bollworms, cabbage loopers, fall armyworms, cotton leaf perforator and stink bugs.

Do not apply within five days of hand picking. Workers entering fields within 24 hours after application should wear protective clothing. Do not apply after 25 percent of the bolls have opened. Do not graze dairy or meat animals in treated fields.

TOBACCO

For the control of flea beetles, hornworms, budworms, stink bugs, green peach aphids and cabbage looper in the fields, use 1-1 3 to 2-2 3 pints per acre. In the seed bed, use 1-1 3 pints in 100 gallons of water. Apply 6 gallons of finished spray per 100 square yards of tobacco seed bed. Do not apply within 5 days of harvest. For control of green June beetle larvae in the seed bed, use 2 3 pint in 100 gallons of water. Apply 1 gallon of the finished spray per square yard of plant bed at first sign of larval activity.

Do not use within 5 days of pruning or 15 days of cutting. Avoid plant juices coming in contact with skin or other parts of body of those engaged in cutting crops.