



ACCEPTED
SEP 7 1980
FEDERAL BUREAU OF INVESTIGATION

Code 2424

Pounds Net Weight

G-2 Dust

Insecticide

For Agricultural or Commercial Use Only.

EPA Reg. No. 279-2111 EPA Est. No. 1000

Active Ingredient: 0.0-Dimethyl S-[4-oxo-1,2,3-benzotriazin-5-ylmethyl] phosphorodithioate (4H-methyl) phosphorodithioate
Inert Ingredients: 99.9%

Contains No Guthion
*State of Registration Exemption from Labeling Requirements

KEEP OUT OF REACH OF CHILDREN

WARNING

Note to Pesticide Applicator: This product is a restricted use pesticide. It may be applied only by or under the direct supervision of a person licensed by the state to apply restricted use pesticides.

For Emergency Assistance, Call 1-800-451-4243
See Other Labels for Additional Precautionary Information

FMC

FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia, Pennsylvania 19103

PRECAUTIONARY STATEMENTS

Hazards to Humans (& Domestic Animals)

Warning

May be fatal if swallowed, inhaled, or absorbed through skin. Do not get in eyes or on skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a respirator jointly approved by the Mining Enforcement and Health Administration (formerly the U.S. Bureau of Mines) and the National Institute for Occupational Safety and Health under the provisions of 29 CFR Part 11. Keep all unprotected persons out of treated areas or vicinity where there may be danger of drift. Vacated areas should not be reentered for at least two days. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

Environmental Hazards

This product is highly toxic to fish and aquatic invertebrates. Do not apply near streams, rivers, lakes, or other bodies of water. Do not apply to areas where wildlife may be present. Do not apply to areas where birds may be present.

DIRECTIONS FOR USE

Apply as a dust to the foliage of the plant to be treated. Apply in the early morning or late afternoon to avoid the heat of the day. Apply to the undersides of the leaves.

Storage and Disposal

Store in original container in a cool, dry place. Do not store near food, feed, or other products. Do not use if container is damaged. Dispose of unused product in accordance with local, state, or federal regulations. Do not dump into water or on land.

For more information on the safe use of this product, see the label. For more information on the safe use of this product, see the label.

Beans, Snap (7): Aphids, Leafhoppers, Mexican Bean Beetles, Mites
—Use 30 lbs. dust per acre. Do not feed or ensile treated forage.

Blackberries (14), Boysenberries (14), Loganberries (14), Raspberries (14): Aphids, Leafhoppers, Leafminers, Leafrollers. Use 25 lbs. dust per acre.

Blueberries: Blueberry Maggot, Fruitworm, Lecanium, Scale, Spider Curculio. —Use 30 lbs. dust per acre. Do not apply more than 3 times per season. Do not apply within 9 hours of harvest.

Broccoli (15), Brussels Sprouts (7), Cabbage (21), Cauliflower (15): Aphids, Cabbage Looper, Diamondback Moth, Imported Cabbageworm. Use 35 lbs. dust per acre.

Cranberries (21): Tipworm. —Use 50 lbs. dust per acre.

Grapes (0): Flea Beetle, Grape Berry Moth, Leafhoppers, Leafrollers, Mites, Redbanded Leafroller. Use 25 lbs. dust per acre. Do not apply more than 2 times per season.

Potatoes (7): Colorado Potato Beetle, Flea Beetles, Leafhoppers, Spotted Leafhopper, Tarnished Plant Bug, Tipworm. Use 35 lbs. dust per acre.

Spinach (14): Leafhoppers, Leafminers, Leafrollers.

Tabacco (6): Aphids, Leafhoppers, Leafminers, Leafrollers, Mites, Tipworm. Use 35 lbs. dust per acre.

Dealers should Sell in Following Packages:

Terms of Sale: C.O.D.

*Kantam, Inc.

1000 N. 1st St.

St. Paul, Minn.

Direct to you at special prices.

Write for literature.

See your dealer.

See your dealer.

See your dealer.

See your dealer.

See your dealer.

See your dealer.