


**DANGER—POISON—PRECAUTIONS** ☠


**POISONOUS IF SWALLOWED**

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



**POISONOUS BY SKIN CONTACT**

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)



**POISONOUS IF BREATHED**

Breathing vapors, spray mist or dust may be fatal.

**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where run-off is likely to occur.

CODE  
2499

GAL.  
NET

**METHYL PARATHION 3  
PARATHION 6 EC**

INSECTICIDE

ACTIVE INGREDIENTS:  
\*0,0-Dimethyl 0-p-nitrophenyl thiophosphate  
Parathion: 0,0-Diethyl 0-p-nitrophenyl thiophosphate

INERT INGREDIENTS:  
Contains 3 pounds \*Methyl Parathion and 6 pounds of Ethyl Parathion per gallon.

28.80%  
57.60%  
13.60%

**STOP! READ THE LABEL!**



See side panels  
for antidote  
and precautions

Keep out of reach  
of children

**NOT FOR HOME USE**

**USE ONLY WHEN WEARING THE  
FOLLOWING PROTECTIVE  
EQUIPMENT AND CLOTHING**

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

**WORK SAFETY RULES**

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

PARATHION is a very dangerous chemical. It enters the body on contact with the face and eyes. Clothing worn must be removed immediately. Prompt medical attention must be received. Victims may die.

Some of the signs and symptoms are: Headache, nausea, vomiting, blurred vision, pin-point pupils, chest, labored breathing, watering of eyes, drooling, and nose, muscle spasms and

**FIRST AID TREATMENT**

Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, stop work immediately and maintain artificial respiration.

If swallowed and victim is conscious, make him vomit quickly. Do not stick finger down throat. Do not give strong salty water to drink. If unconscious, never give anything. Have victim kept quiet. See doctor immediately.

In case of contact, immediately wash with plenty of water for at least 15 minutes while removing contaminated clothing. See doctor immediately.

MANUFACTURED IN U.S.A. BY

AGRICULTURAL CHEMICAL DIVISION  
MIDDLEPORT, N.Y. YAKIMA, WA  
FRESNO, CA RICHMOND, CA

024W

EPA Reg. No. 279-2128-AA

THE

G  
rubber  
safety  
proved  
on pro-  
rubber

away  
nger of

If you  
et help  
clinic or  
victim  
ibe his  
rst Aid  
t come,

h them  
ls, face  
noking.

as and  
Wear  
Do not  
protective  
ap and  
uld be  
instruc-

**PARATHION** is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

### FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

### NOTE TO PHYSICIAN

Since any symptoms from absorption of this combination product are like to be those of parathion intoxication, treatment should be directed towards the relief of cholinesterase inhibition.

Antidote—administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

### POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

### CONTAINER DISPOSAL

See accompanying product information label.

### CROP USE DIRECTIONS

Use only according to accompanying label instructions.

Printed in U.S.A.

### DIRECTIONS FOR USE

NOT FOR USE OR STORAGE IN OR AROUND THE HOME.

Methyl Parathion 3 Parathion 6 EC is designed for use after dilution with water for the control of certain insects on the listed crops. The concentrated product should be added to the spray tank while it is being filled with water and mixed thoroughly. Thorough application is essential for good control. By ground apply a minimum of 10 gallons of finished spray per acre. By air apply in a minimum of 3 gallons of finished spray per acre. Apply when pests first appear and repeat as necessary to maintain control. Do not use in undiluted form.

Observe days interval between last application and harvest indicated by number in parentheses ( ) following the crop.

**ALFALFA (Grown for hay and for seed) (15):** Alfalfa Weevil Larvae, Aphids, Armyworms — Use 2/3 pint per acre.

**BROCCOLI (21), BRUSSELS SPROUTS (21), CABBAGE (21), CAULIFLOWER (21), COLLARDS (21), KALE (21), KOHLRABI (21), MUSTARD GREENS (21):** Aphids, Thrips, Armyworms — Use 2/3 pint per acre.

**COTTON (7):** Aphids, Fall Armyworm, Spider Mites — Use 2/3 pint per acre. Fleahopper, Thrips — Use 1/3 to 2/3 pint per acre. Cotton Leafperforator, Lygus Bug — Use 2/3 to 1-1/3 pints per acre. Workers entering treated fields within 24 hours after application should wear protective clothing.

**ONIONS (15):** Thrips — Use 2/3 pint per acre.

**SUGAR BEETS:** Grasshoppers — Use 2/3 pints per acre. Armyworms, Flea Beetles, Leafhoppers, Mites — Use 2/3 to 1 pint per acre. Aphids, Lygus Bugs, Webworms — Use 1 pint per acre. Do not apply within 20 days of harvest. If tops are to be fed to livestock, do not apply within 60 days of harvest.

### ENVIRONMENTAL

This product is toxic to fish and aquatic life. Treatments should be made with care. Do not use equipment or disposal of waste. Do not apply to areas where the product will be washed into waterways. Do not apply product only as specified on this label.

This product is highly toxic to bees. Protective information may be obtained from your local extension service.

Do not re-use empty 2 and 5 gallon containers. Return 30 gallon drum to dealer for crushing. Bury or discard in a safe manner.

DO NOT CONTAMINATE FEED OR FEEDING EQUIPMENT. DO NOT STORE BELOW 20 ° F.

DO NOT USE OR STORE NEAR HEAVY TRAFFIC. LEAKING PACKAGES SHOULD BE REPAIRED IMMEDIATELY.

Do not use in a manner or at a time which may cause injury to animals, plants, or crops because animal, plant, or crop injury may occur.

### Dealer Should S

TERMS OF SALE OR USE: On purchase of this product, the following conditions apply:

WARRANTY: FMC warrants that this product conforms to the ingredient statement and shall not include incidental or consequential damages. If reported to FMC within 10 days of purchase or user waives any claim for such damages.

DAMAGES: Buyer's or user's exclusive negligence shall be limited to direct damages and shall not include incidental or consequential damages. If reported to FMC within 10 days of purchase or user waives any claim for such damages.

EXCUSE FROM NON-CONTROLLABLE DAMAGES: Buyer's or user's negligence shall be limited to direct damages and shall not include incidental or consequential damages. If reported to FMC within 10 days of purchase or user waives any claim for such damages.

## DIRECTIONS FOR USE

### AROUND THE HOME.

is designed for use after dilution with water on the listed crops. The concentrated product while it is being filled with water and mixed essential for good control. By ground apply a spray per acre. By air apply in a minimum of 3 Apply when pests first appear and repeat as use in undiluted form.

application and harvest indicated by number in

d) (15): Alfalfa Weevil Larvae, Aphids, Armyworms

(21), CABBAGE (21), CAULIFLOWER (21), COLLARDS  
STARD GREENS (21): Aphids, Thrips, Armyworms

Spider Mites — Use 2-3 pint per acre. Fleahopper, acre. Cotton Leafperforator, Lygus Bug — Use is entering treated fields within 24 hours after othing.

per acre.

3 pints per acre. Armyworms, Flea Beetles, Leaf- per acre. Aphids, Lygus Bugs, Webworms Use 1-20 days of harvest. If tops are to be fed: to ys of harvest.

### ENVIRONMENTAL AND DISPOSAL CAUTIONS

This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding in treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of waste. Do not apply when weather conditions favor drift from the areas treated. Do not apply when run off is likely to occur. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not re-use empty 2 and 5 gallon containers. Destroy them by perforating or crushing. Return 30 gallon drum to reconditioner or destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

**DO NOT CONTAMINATE FEED OR FOODSTUFFS. DO NOT USE IN UNDILUTED FORM. DO NOT STORE BELOW 20° F.**

**DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. KEEP CONTAINER CLOSED. LEAKING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE.**

Do not use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.


#### Dealer Should Sell in Original Packages Only.

**TERMS OF SALE OR USE:** On purchase or use of this product buyer and user agree to the following conditions:

**WARRANTY:** FMC warrants that this product, as of the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

**DAMAGES:** Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damages.

**EXCUSE FROM NON-CONTROLLABLE CONDITIONS:** Because of certain critical conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.



## ETHYL - METHYL PARATHION MIXTURE, LIQUID

SEE LABEL FOR FURTHER DIRECTIONS