RED [illegible]

Methyl Parathion [illegible]

6 EC

DANGER POISON
PRECAUTIONS

POISONOUS IF SWALLOWED

[illegible]

Insecticide

[illegible]

Related [illegible] pounds

[illegible]

[illegible]

POISONOUS BY SKIN CONTACT

STOP! READ THE LABEL

[illegible]

DANGER POISON!

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

WORK SAFETY RULES

Keep [illegible] unprotected [illegible] away from treated areas or where there [illegible] of drift.

Do not rub eyes or mouth with hands if you feel sick in any way. STOP work and get help right away. Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT: Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK: take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

FIRST AID TREATMENT

Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor takes over.

If swallowed: drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Call medical attention.

In case of contact: immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing. Get prompt medical attention.

NOTE TO PHYSICIAN

Since any symptoms from absorption of this combination product are likely to be those of parathion intoxication, treatment should be directed towards the reversal of cholinesterase inhibition.

[illegible] administer atropine [illegible] WITH EQUAL [illegible] SUPPRESSOR OR TRANQUILIZER [illegible] cholinesterase [illegible] central and peripheral [illegible] cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given oxygen [illegible] symptomatically. [illegible] SEE SUPPLEMENTAL [illegible] INDICATED [illegible]

FOR EMERGENCY ASSISTANCE CALL
716 735 3765
POST TREATED AREA

[illegible]

ENVIRONMENTAL HAZARDS

[illegible] and wildlife. Keep out of water bodies. Avoid [illegible] treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of waste. Do not apply when weather conditions favor drift from the areas treated. Do not apply where run off is likely to occur. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL OR CHEMICAL HAZARDS

[illegible]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

[illegible] in a safe place. Do not [illegible] Keep [illegible] and away from [illegible]

Not for use or storage [illegible] around the home.

[illegible]

Methyl Parathion 4 Parathion 6 EC is designed for use after dilution with water for the control of certain insects on the listed crops. The concentrated product should be added to the spray tank while it is being filled with water and mixed thoroughly. Thorough application is essential for good control. By ground apply a minimum of 10 gallons of finished spray per acre. By air apply a minimum of 3 gallons of finished spray per acre. Apply when pests first appear and repeat as necessary to maintain control. Do not use in undiluted form. Do not permit workers to enter treated areas or to engage in any activity requiring substantial contact with treated foliage within 48 hours of application. Observe days interval between last application and harvest indicated by number in parentheses ( ) following the crop.

Alfalfa (Grown for hay and for seed) (15). Alfalfa Weevil Larvae, Aphids, Armyworms — Use 2/3 pint per acre. In California and Nevada use 1/3 pint per acre.
Broccoli (21), Brussels Sprouts (21), Cabbage (21), Cauliflower (21), Collards (21), Kale (21), Kohlrabi (21), Mustard Greens (21): Aphids, Thrips, Armyworms — Use 2/3 pint per acre.
Cotton (7): Aphids, Fall Armyworm, Spider Mites — Use 2/3 pint per acre. Fleahopper, Thrips — Use 1/3 to 2/3 pint per acre. Cotton Leafperforator, Lygus Bug — Use 2/3 to 1 pint per acre. Workers entering treated fields within 24 hours after application should wear protective clothing. Do not hand pick for 7 days following application.
Lettuce (21): Aphids, Leafhoppers, Leafminer, Cabbage Loopers, Armyworms — Use 2/3 pint per acre.
Onions (15): Thrips — Use 2/3 pint per acre.
Sugar Beets: Grasshoppers — Use 2/3 pint per acre. Armyworms, Webworms, Beet Armyworm, Spider Mites — Use 2/3 to 1 pint per acre. Aphids, Lygus Bugs, Webworms — [illegible] pint per acre. Do not apply within 20 days of harvest if tops are to be fed to livestock. Do not apply within [illegible] days of harvest.

[illegible] manner that is in any other way in accordance with [illegible] residues [illegible]

Dealers Should Sell in Original Packages Only

Terms of Sale or Use: On purchase of this product buyer [illegible] conditions.

Warranty: FMC makes no warranty, expressed or implied, [illegible] other than indicated on the label. Except as so warranted, the product [illegible] user assumes all risks of use and or handling and or storage of this material when [illegible] and or handling and or storage is contrary to label instructions.

Directions and Recommendations: Following directions and [illegible] application, weather and [illegible] recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are [illegible] believed to be reliable. The use of this product being beyond the control of the seller, no guarantee expressed or implied is made as to the effects [illegible] obtained from use in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages [illegible] negligence shall be limited to direct damages not exceeding [illegible] incidental or consequential damages.

Ms. Danice Cuirle
FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia, PA 19103

Dear Ms. Cuirle:

Subject: Methyl Parathion 4 Parathion 6 EC
EPA Registration No. 279-2128
Your Application Dated November 3, 198[illegible]

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Jay I. Ollenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

TS-767:JIOllenberger:rr:28[illegible]:AB[illegible]:[illegible]:[illegible]: