



DANGER—POISON—PRECAUTIONS 


POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where run-off is likely to occur.

CODE
31297

NET CONTENTS
GALLONS

METHYL PARATHION 2 THIODAN 3EC

ACTIVE INGREDIENT

Methyl Parathion, O,O dimethyl O-p-nitrophenyl thiophosphate

*Endosulfan, Hexachlorocyclohexadiene 2,4,6-triazole-kittolol ether


Petroleum Distillate

INERT INGREDIENTS

Contains 2 pounds Methyl Parathion and 3 pounds Endosulfan Thiodan per gallon.

2.4
3.1
31.6
37.2

STOP! READ THE LABEL!



See side panels
for antidote
and precautions

Keep out of reach
of children

NOT FOR HOME USE

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

1. Wear waterproof pants, coat, hat, rubber boots or rubber overshoes. 2. Wear safety goggles. 3. Wear mask or respirator approved by the U.S. Bureau of Mines for methyl parathion protection. 4. Wear heavy duty natural rubber gloves.

WORK SAFETY RULES

Keep all or protect all persons and children away from treated area or where there is residue or drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor, physician, clinic or hospital immediately. Explain that the patient has been exposed to methyl parathion and describe his condition. After first aid is given, see First Aid Treatment Section and if a doctor can not come, take patient to nearest hospital.

IMPORTANT! Before removing clothes, wash the whole body with soap and water. Always wash hands and arms with soap and water before eating, drinking or smoking.

AFTER WORK Take off work clothes and shoes. Shower with soap and water. Wash your face, neck, hands, arms, legs, and feet with soap and water. Wash protective clothing with soap and water. Do not reuse. Respirator should be cleaned and if necessary, replaced with a new one. Do not take it home.

Do not use this product in or near homes, schools, churches, day care centers, or other places where children are present.

METHYL PARATHION is a very dangerous insecticide which is toxic on contact with surfaces and eyes. Clothing wet with this liquid must be removed immediately. Exposed areas must be washed promptly and treated thoroughly.

Some of the signs and symptoms of poisoning include nausea, vomiting, cramps, loss of appetite, vision, pin point pupils, tight chest, dizziness, weakness, nervousness, swelling of lips, drooping or frothing of saliva, muscle spasms and coma.

FIRST AID TREATMENT

Get to a physician, clinic or hospital immediately. Explain that the patient has been exposed to methyl parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately. Do not use mouth-to-mouth respiration.

If swallowed Give the patient water to drink. Do not induce vomiting. If the patient is unconscious, do not give anything by mouth. Have a physician immediately examine the patient.

In case of contact Wash eyes with water. Wash the whole body with soap and water. Wash protective clothing with soap and water.

MANUFACTURED IN U.S.A. BY

AGRICULTURAL CHEMICAL DIVISION

MIDDLEPORT, N.Y.
FRESNO, CA

YAKIMA, WA
RICHMOND, CA

ACCEPTED

ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

1) Wear waterproof pants, coat, hat, rubber boots, rubber overshoes. 2) Wear safety goggles. 3) Wear mask or respirator approved by the Bureau of Mines for methyl parathion. 4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

1) Keep unprotected persons and children away from treated area or where there is danger of

2) Wash eyes or mouth with hands. If you are in any way, STOP work and get help immediately. Call a doctor, physician, clinic or hospital immediately. Explain that the victim is exposed to methyl parathion and describe his condition. After first aid is given (see treatment Section) and if a doctor cannot take victim to clinic or hospital

NOTE: Before removing gloves, wash them with soap and water. Always wash hands, face and neck with soap and water before smoking or drinking.

WORKING: Take off all work clothes and shoes, using soap and water. Wear clean clothes when leaving job. Do not contaminate clothing. Wash protective equipment with soap and water after each use. Respirator should be cleaned, filter replaced according to instructions with respirator.

© 1976 FMC Corporation, Cincinnati, Ohio 45226

No. 279-2149-AA

METHYL PARATHION is a very poisonous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call your doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately, and maintain until doctor sees victim.

If swallowed and victim is awake, this will make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. After removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Some early symptoms from absorption of this cholinesterase inhibitor product are likely to be those of methyl parathion intoxication. Treatment should be directed towards the reestablishment of cholinesterase inhibition.

Antidote: administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also an antidote and may be administered in conjunction with atropine. Methyl Parathion produces central nervous system excitation which ordinarily responds to the barbituric acid derivatives, but this drug should be considered only if complete atropinization fails to relieve symptoms. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Methyl parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal reflexes have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

POST TREATED AREA

Call your State Agricultural Extension Service or Experiment Station regarding post-treatment areas.

CONTAINER DISPOSAL

See accompanying product information label.

CROP USE DIRECTIONS

Use only according to accompanying label instructions.

EPA EST. 279-CA-1 Printed in U.S.A.

ENVIRONMENTAL AND DISPOSAL CAUTIONS

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Birds feeding in treated areas may be killed. Do not apply when weather conditions favor drift from the areas treated. Do not apply when runoff is likely to occur. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not reuse empty 2 and 5 gallon containers. Destroy them by perforating or crushing. Return drum to reconditioner or destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

DO NOT CONTAMINATE FEED OR FOODSTUFFS. DO NOT USE IN UNDILUTED FORM. DO NOT STORE BELOW 20° F.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. KEEP CONTAINER CLOSED. LEAKING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE.

DO NOT USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

Dealers Should Sell In Original Packages Only.

TERMS OF SALE OR USE: On purchase or use of this product, buyer and user agree to the following conditions:

WARRANTY: FMC warrants that this product, as of the time of sale by FMC, conforms to the ingredient statement on the label, and 2) is reasonably fit for the purposes set forth in the Directions for Use. **EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED.**

DAMAGES: Buyer's remedy is exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages, not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be notified to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damages.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain uncontrollable conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from liability arising out of the handling or use of the product attributable to such cause. No person is authorized to vary or waive any statement contained herein.

DIRECTIONS FOR USE

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

Apply when insects first appear and repeat as necessary. Apply this material to plants or sufficient water for thorough coverage. Use a minimum of 10 gallons, by air, apply a minimum of 1 gallon of material per acre. Observe a 14-day interval between last application and harvest as indicated by number on following crop.

Workers entering treated fields within 24 hours after application should wear protective clothing.

BEANS, succulent and dry (except Lima Beans) (21): Black Bean, Bean Leaf-skeletonizer, Cucumber Beetle, Green Stink Bug and Mexican Flea Beetle. Use 1 1/2 pints to 1.3 gallon per acre. Aphids, Armyworms, Flea Beetles and Leafhoppers. Use 1.3 gallon per acre. Do not exceed 3 applications per year. Do not feed treated threshold livestock or show livestock to untreated fields.

BROCCOLI (7), BRUSSELS SPROUTS (14), CABBAGE (21), CAULIFLOWER (21): Aphids, Cabbage Looper, Cross-Striped Cabbageworm, Diamondback Larvae, Flea Beetles, Harlequin Bug, Imported Cabbageworm, Leafhopper, Armyworm, Stink Bugs. Use 2 to 2 1/2 pints per acre on Cabbages, Brussels Sprouts and Cauliflower.

CARROTS (15): Green Peach Aphid, Armyworm, Flea Beetle, Leafhopper. Use 1.3 gallon per acre. Do not exceed 2 applications per season. Use treated crops for food or feed.

CELERY (whole plant) (15): Aphids, Flea Beetle, Green Peach Aphid, Cabbage Looper, Armyworm, Flea Beetle, Leafhopper. Use 1.3 gallon per acre. Do not exceed 3 applications per season.

