

Code 31546



RESTRICTED USE PESTICIDE

Net Weight
Pounds

Cryolite 30 Parathion 2 Toxaphene 10 Dust

 **DANGER - POISON - PRECAUTIONS**



POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or splashed or splashed on skin, in eyes or on clothing (the dust goes through clothes).



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

POISON SIGNS (Symptoms)

PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, lightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

Insecticide

(EPA Reg. No. 249-219-01)

Active Ingredients

- *Sodium Fluoromethyl
- Parathion (0.0) Diethyl (0.0) propyl
- Triphosphate
- **Toxaphene

Inert Ingredients

*Purity expressed as elemental to 29% technical chlorinated camphene, 67% to 69% chloro-

ACCEPTED
SEP 11 1973
279-219-01

STOP! READ THE LABEL



CAN KILL YOU

DANGER

Keep out of reach of children

POISON

See side panels for antidote and precautions

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes.
- (2) Wear safety goggles.
- (3) Wear a mask or a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.
- (4) Wear heavy duty, natural rubber gloves.



FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia PA 19103

WORK SAFETY RULES

1. Do not use this product in residential areas, schools, churches, or other public places.

2. Do not use this product in areas where it may be inhaled or ingested by children, the elderly, or the infirm.

3. Do not use this product in areas where it may be inhaled or ingested by birds, fish, or other wildlife.

4. Do not use this product in areas where it may be inhaled or ingested by bees, butterflies, or other beneficial insects.

5. Do not use this product in areas where it may be inhaled or ingested by aquatic life.

6. Do not use this product in areas where it may be inhaled or ingested by domestic animals.

7. Do not use this product in areas where it may be inhaled or ingested by humans.

8. Do not use this product in areas where it may be inhaled or ingested by the general public.

9. Do not use this product in areas where it may be inhaled or ingested by the general public.

10. Do not use this product in areas where it may be inhaled or ingested by the general public.

By Wt
41.00%
2.00%
10.00%
58.00%
100.00%

FIRST AID TREATMENT

Eye Contact: Flush with water for at least 15 minutes. Remove contact lenses if present and continue flushing. Seek medical attention.

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. Seek medical attention.

Ingestion: Do not induce vomiting. Give water to drink if conscious. Seek medical attention.

Skin Contact: Wash with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Seek medical attention.

NOTE TO PHYSICIAN

Antidote: Administer atropine sulfate in large doses (200 to 400 mg intravenously or intramuscularly) as soon as cyanosis is observed. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal lapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

Toxaphene is a central nervous system stimulant, produces central nervous excitation and may cause convulsions. There is no specific antidote, however if a patient responds to barbituric acid derivatives. This drug should be considered only if complete atropinization fails to relieve symptoms. Barbituric acid derivatives may be used for convulsions. Treat symptomatically.

FOR EMERGENCY ASSISTANCE CALL 716-735-3765 POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.



ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed if they ingest or drink large amounts. Do not apply where birds are likely to be present. Do not apply when weather conditions favor birds. Do not apply to water. Do not contaminate water by cleaning, emptying, or disposing of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues. For complete information, consult your local Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply when insects first appear and repeat as necessary. May be applied by ground or air. Observe days interval between last application and harvest indicated by number in following table.

Beans (15): Aphid, Leafhopper, Armyworm, Bean Leafroller, Leafminer. Use 25 pounds per acre. Corn Earworm, Cucumber Beetles. Use 37 pounds per acre. Climbing Cutworms. Use 40 pounds per acre. Remove excess residues by washing, brushing or other effective means. Do not feed treated vines to dairy animals or animals being finished for slaughter.

Cabbage (10), Broccoli (10), Brussels Sprouts (30), Collards (21), Cauliflower (30): Aphid, Cabbage Looper, Diamondback Moth Larvae, Imported Cabbageworm, Climbing Cutworms, Armyworms, Corn Earworm, Thrips, Leafminer, Flea Beetles. Use 25 pounds per acre. On Cabbage do not apply after heads start to form. On Broccoli, Brussels Sprouts, and Cauliflower do not apply after edible parts start to form. On Collards do not apply after the seedling stage.

Lettuce (Head-7, Leaf-21): Aphid, Armyworm, Cabbage Loopers, Imported Cabbageworm, Cucumber Beetle, Climbing Cutworm, Flea Beetle, Grasshopper. Use 25 pounds per acre. Do not apply after the seedling stage or leaf lettuce or after heads begin to form on head lettuce.

Peppers (15): Spingidae, Hornworm, Pepper Weevil, Armyworm, Buster Beetle, Climbing Cutworm, Corn Earworm. Use 30 pounds per acre. Aphids, Flea Beetle. Use 25 pounds per acre. Remove excess residues by washing, brushing or other effective means. Do not apply after peppers begin to form.

STORAGE AND DISPOSAL

Not for use or storage in or around the home.

DISPOSE OF WASTES by burying at least 18 inches deep in non-crop land away from water supplies. Empty bags should be buried with waste. Do not burn.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use

On purchase of this product buyer and user agree to the following conditions:

Warranty

FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and or handling and or storage of this material when such use and or handling and or storage is contrary to label instructions.

Directions and Recommendations Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages Buyers or users exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

