

CODE
10955

KOLO PARATHION 3 THIODAN 5 WP

NET WEIGHT
LBS.

FUNGICIDE - INSECTICIDE

NOT FOR USE OR STORAGE IN OR ABOUT THE HOME

DIRECTIONS FOR USE

Niagara Kolo Parathion 3 Thiodan 5 WP is designed for use on PEACHES and APPLES for the control of the following insects and diseases.

PEACHES: (Areas Other Than California)

For the control of Aphids, Japanese beetle, Leaf rollers, Oriental fruit moth, Plum curculio, Stink Bugs, Tarnish plant bug, Cat-facing insects, Peach twig borer, Scale insects, Spider mites, Brown rot and Scab use at the rate of 10 lbs., per 100 gallons of water.

For the control of Peach tree borer, Lesser peach tree borer, Shot-hole borer and American plum borer use at the rate of 15 lbs., per 100 gallons of water.

Make the first application at petal-fall and the second at shuck split or when the disease and/or insects are a problem. For Peach tree borer and lesser peach tree borer control, thorough wetting of trunks and main branches is important. Do not apply within 30 days of harvest. Do not apply within two weeks before or after an application of oil. Do not make more than 2 applications during fruiting period. Do not apply more than 500 gallons of finished spray per acre. Do not allow animals to graze in treated orchards.

APPLES

For the control of Aphids, Codling moth, Curculio, Scales (including San Jose, Forbes, and Scurfy), Red-banded leaf roller, Bud moth, Broodli, Apple cedar rust, Black rot, Brown rot, Frog-eye leaf spot, Powdery mildew, Quince rust, Scab, Sooty blotch, and Mites, use 10 lbs. per 100 gallons of water.


Make first application at petal fall and repeat when disease and/or insects are a problem. Full coverage is essential. Do not apply more than 3 times during fruiting period. Do not apply within 21 days of harvest. Do not feed pomace from treated apples to livestock. Do not apply more than 500 gallons of finished spray per acre. Do not apply within two weeks before or after an application of oil. MacIntosh, Golden Delicious, Jonathan and certain other varieties may be injured by sulfur applications under certain conditions.

E. P. A. Reg. No. 279-2151

ACTIVE INGREDIENTS

Sulfur	60.0%
*Parathion	2.0%
**Endosulfan (Hexachlorohexahydromethano-2,4,7-trithia-1,3-dioxepin oxide)	5.0%
INERT INGREDIENTS:	32.0%
	100.0%

*O, O-Diethyl O-p-nitrophenyl phosphosphate
**Thiodan, U. S. Patent No. 2,799,685
Sulfur fineness - 90 - Min. through 325 mesh



DANGER POISON

KEEP OUT OF REACH OF CHILDREN

BEFORE USING READ THE PRECAUTIONARY - SAFE HANDLING DIRECTIONS ATTACHED TO THE PRODUCT CONTAINER.

POST-TREATED AREAS

Consult your State Agricultural Experiment Station or Experiment Station regarding posting treated areas. Field posters may be obtained from your Niagara salesmen or dealer.

DO NOT CONTAMINATE FEED OR FOODSTUFFS

DO NOT USE IN UNDEVELOPED FARM

ACCEPTED

FEB 23 1972

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 279-2151
TO ATTACHED DOCUMENT

When adding this material to the spray tank, first fill the tank one-half to two-thirds full of water. Then with agitator running, add the required amount of this product. Finish filling the tank and keep agitated.

Applications of dusting and spraying material containing sulfur should not be made just prior to or during periods of excessive high temperatures.

This product contains 15% bentonite sulfur.

Bentonite sulfur is made by the absorption of fumed sulfur into bentonite in the proportions of thirty parts sulfur and seventy parts bentonite. A portion of the sulfur particles are very minute, some of them colloidal. The process of manufacture and the character of the sulfur particles impart to the product distinctive properties with respect to toxicity to certain fungi, persistence on plants, suspensibility in spray tank and safety to host plants.

PRECAUTIONS

This product is toxic to fish and wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply when runoff is likely to occur. Birds feeding on treated areas may be killed. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Dispose of wastes by burying at least 18" deep in non-crop lands away from water supplies. Do not re-use containers. Smash and bury with wastes. DO NOT BURN.

CODE
70055

KOLO PARATHION 3 THIODA. 5 WP



POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

This product is highly poisonous by skin contact. It is absorbed through the skin and may cause severe poisoning.



Keep out of reach of children.

KEEP OUT OF REACH OF CHILDREN
DO NOT SWALLOW
DO NOT INHALE
DO NOT GET IN EYES

NOT FOR HOME USE

STOP! READ THE LABEL



CAN KILL YOU

KEEP OUT OF REACH OF CHILDREN
DO NOT SWALLOW

POISON
See side panels
for antidote
and precautions

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician's clinic or hospital) immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given, see First Aid Treatment Section and if a doctor cannot come, take victim to hospital or hospital.

WASH FACE. Before removing glove, wash face with soap and water. Always wash hands face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower using soap and water. Wash your clean clothes when leaving job. Do not wear contaminated clothing or shoes into your home and do not wash them with your family. After work, use a separate shower, change and filter, soaked according to instructions included with this label.

DO NOT SWALLOW
DO NOT INHALE
DO NOT GET IN EYES

ACCEPTED

Feb 23, 1972




If swallowed and you are conscious, make vomit come up by rubbing your stomach with your finger. If you are unconscious, do not try to make vomit come up. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Lay person down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. While removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote: Administer atropine sulfate in large doses, 1/40 to 1/20 mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 10 minute intervals until signs of atropinization appear. PAM chloride is also indicated and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE. PAINKILLERS: Parathion is a strong central nervous system inhibitor affecting the central nervous system and producing depression of the respiratory system. At first sign of respiratory depression the patient should be given oxygen and treated symptomatically. If the patient is in a state of shock, a large dose of atropine should be given. If the patient is in a state of shock, a large dose of atropine should be given. If the patient is in a state of shock, a large dose of atropine should be given.

ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



219-2151

Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NEARBY CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.


TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY: Niagara warrants that this product, as of the time of sale by Niagara, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which Niagara has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

MANUFACTURED IN U.S.A. BY



NIAGARA CHEMICAL DIVISION
PMC CORPORATION
MIDDLEBURY, NEW YORK

