

Code: 30411

Net Weight

Captan Sulfur 10-50 Dust

Fungicide

EPA REG. NO. 279-2152 AA

EPA Est.,

ACTIVE INGREDIENTS:

†Captan 10.00%
Sulphur 50.00%

INERT INGREDIENTS:

..... 40.00%
..... 100.00%

†N-[(Trichloromethyl)thio]-4-cyclohexene-1,2-dicarboximide

KEEP OUT OF REACH OF CHILDREN

CAUTION

Avoid inhalation of dust. Avoid contact with skin. Avoid contamination of feed or foodstuffs.

For Emergency Assistance Call 716-735-3765

See other panels for additional precautionary information.

Usage Cautions

This product is toxic to fish. Keep out of lakes, ponds and streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

Applications of materials containing sulfur should not be made just prior to or during periods of excessively high temperatures or within 10 days to 2 weeks of an oil spray.

Do not allow this material to drift onto sulfur sensitive crops.

Do not apply when weather conditions favor drift from the areas treated. Do not apply when runoff is likely to occur.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until dusts have settled.

Protective clothing means, at least, a hat, other suitable head covering, a long sleeved shirt, long trousers or a coverall type garment (all of closely woven fabric), covering the body, including the arms and legs, shoes and socks.

Because certain states have more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

When oral warnings must be given to workers who are expected to enter a treated area or in an area about to be treated with this product, inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure. An example of such information is given under written warnings. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:

CAUTION

Area treated with Captan Sulfur 10-50 Dust on (insert date). Do not enter without appropriate protective clothing until sprays have dried (insert State Department of Agriculture's re-entry interval, if more restrictive).

In case of accidental exposure to pesticide spray or dust, wash the skin thoroughly with soap and water. Remove contaminated clothing and wash before reuse. If in eyes, flush with plenty of water. If inhaled, go to an area where the pesticide has not been applied. Get medical attention if needed.

Storage and Disposal

Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, fold and roll back bags, clamp and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC collect (716) 735-3765.

To confine spill, if liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container, identify contents.

Pesticide Disposal

Wastes resulting from the use of this product shall be disposed of on site or at an approved waste disposal facility.


Container Disposal

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, burn in a controlled burn. Stay out of smoke.

FMC

FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia Pennsylvania 19103

9 21 73-A
PA 883 R



Code: 30411

Net Weight

Captan Sulfur 10-50 Dust

Fungicide

EPA REG. NO. 279-2152 AA

EPA Est.,

ACTIVE INGREDIENTS:

BY WT.

†Captan 10.00%
Sulphur 50.00%

INERT INGREDIENTS: 40.00%

100.00%

†N-[(Trichloromethyl)thio]-4-cyclohexene-1,2-dicarboximide

KEEP OUT OF REACH OF CHILDREN CAUTION

Avoid inhalation of dust. Avoid contact with skin. Avoid contamination of feed or foodstuffs.

For Emergency Assistance Call 716-735-3765

See other panels for additional precautionary information.

Usage Cautions

This product is toxic to fish, shellfish, and aquatic life. Do not contaminate water by washing of equipment or disposal of wastes. Apply this product only as specified on the label.

Applications of materials containing sulfur should not be made just prior to or during periods of excessively high temperatures or within 10 days to 2 weeks of an oil spray.

Do not allow this material to drift or be sulfur sensitive crops.

Do not apply when weather conditions favor drift from the areas treated. Do not apply when runoff is likely to occur.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until dusts have settled.

Protective clothing means, at least, a hat, other suitable head covering, a long sleeved shirt, long trousers or a coverall type garment (all of closely woven fabric covering the body, including the arms and legs), shoes and socks.

Because certain states have more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to enter a treated area or in an area about to be treated with this product. Inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure. An example of such information is given under written warnings. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:

CAUTION

Area treated with Captan Sulfur 10-50 Dust on (insert date). Do not enter without appropriate protective clothing until sprays have dried (insert State Department of Agriculture's reentry interval, if more restrictive).

In case of accidental exposure to pesticide spray or dust, wash the skin thoroughly with soap and water. Remove contaminated clothing and wash before reuse. If in eyes, flush with plenty of water. If inhaled, go to an area where the pesticide has not been applied. Get medical attention if needed.

Storage and Disposal

Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, fold and roll back bags, clamp and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC collect (716) 735-3765.

For containment, use dike or surrounding area or absorb with sand, cat litter, or other absorbent material. Cover to prevent evaporation. Do not use a pump or hose to clean up spilled material.


Pesticide Disposal

When no longer needed, this product may be disposed of by burning in a controlled incinerator or by other methods.

Container Disposal

Do not reuse or refill this container. If the container is damaged, it should be disposed of by burning in a controlled incinerator or by other methods.

SPECIMEN LABEL



FMC

FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia Pennsylvania 19103

9-21-73 A

PA 8-83-1

May be applied with ground or air plane application equipment

Cherries: Brown Rot, Cherry Leaf Spot—Use 40-60 pounds per acre. Apply at first sign of disease. Repeat at regular intervals as necessary to maintain control.

Peaches, Nectarines: Brown Rot, Powdery Mildew, Peach Scab—Use 40-50 pounds per acre. Apply at first sign of disease. Repeat at regular intervals to maintain control.

Plums, Prunes: Brown Rot, Prune Rust—Use 40-50 pounds per acre. Apply at first sign of disease. Repeat at regular intervals as necessary to maintain control.

Strawberries: Gray Mold, Powdery Mildew—Use 20-40 pounds per acre. Apply at first sign of disease. Repeat at regular intervals as necessary to maintain control.

Grapes: Powdery Mildew, Botrytis Rot (Slip Skin or Gray Mold)—Use 20-30 pounds per acre. Treatment for control of Powdery Mildew should be started after growth starts in the spring and be repeated as necessary. Ground application equipment preferred. To control Botrytis Rot starting July 1 to July 15, apply 4 dusts at 3-4 week intervals. Apply to every roll and direct toward the clusters. The first application should be made while the clusters are still loose. To be effective, dusts must be applied before rains. Whenever rain threatens apply an additional dust. Applications following rainfall have been of very little benefit in controlling slip skin.

Tomatoes: Early Blight, Late Blight, Anthracnose, Septoria Leaf Spot, Russet Mite—On young plants use 25-30 pounds per acre. On mature plants use 35-40 pounds per acre. Begin applications when disease or mites first appear and repeat as necessary.

Potatoes: Early and Late Blight—Use 25-30 pounds per acre. Begin applications when plants are 2 to 4 inches high and repeat as necessary.

Ornamentals: **Roses**—Black Spot, Powdery Mildew, Rust. **Carnations**—Powdery Mildew, Rust, Leaf Spot. **Chrysanthemums**—Flower Blight, Powdery Mildew, Rust. Apply at first sign of disease and repeat as necessary. Dust for complete coverage.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions.

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

Code 31247

Net Weight
50 Pounds

Zineb 6 Dust

Fungicide

EPA Reg. No. 279-2921

EPA Est., 279-

Active Ingredient:	By Wt.
†Zineb	6.00%
Inert Ingredients:	94.00%
	100.00%

†Zinc ethylene bisdithiocarbamate
Zinc as metallic 1.43%

KEEP OUT OF REACH OF CHILDREN

CAUTION

For Emergency Assistance Call 716-735-3765

See Other Panels for Additional Precautions


PRECAUTIONARY STATEMENTS

Hazardous to Humans (& Domestic Animals)

Caution

May cause irritation of nose and throat. Do not breathe dust.

During the mixing and loading process, wear protective clothing (long pants, long sleeve shirt, impermeable gloves, hat and boots)



FMC

FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia Pennsylvania 19103

12 15 82-A
PA 8 83-R

Environmental Hazards

Do not apply when weather conditions favor drift from the areas treated. Do not apply when run-off is likely to occur.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until dusts have settled.

Protective clothing means, at least, a hat or other suitable head covering, a long sleeved shirt and long legged trousers or a coverall type garment (all of closely woven fabric covering the body, including the arms and legs), shoes and socks.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written oral warnings must be given to workers who are expected to be in a treated area. Workers must be told to be treated with this product. Inform workers of the hazards that may not be entered without specific protective clothing. Period of time field must be vacated and appropriate actions taken in case of accidental exposure. An example of such information is given under written warnings. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:

CAUTION

Area treated with Zineb 6 Dust on (insert date). Do not enter without appropriate protective clothing until sprays have dried (insert State Department of Agriculture's re-entry interval, if more restrictive).

In case of accidental exposure to pesticide spray or dust, wash the skin thoroughly with soap and water. Remove contaminated clothing and wash before reuse. If in eyes, flush with plenty of water. If inhaled, go to an area where the pesticide has not been applied. Get medical attention if needed.

Storage and Disposal

Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, fold and roll back bags, clamp and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC collect (716) 735-3765.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Apply at first sign of, or prior to appearance of disease. Repeat at 1 to 2 week intervals as necessary unless otherwise noted. May be applied by ground or air. Observe days interval between last application and harvest indicated by number in () following the crop.

Beans (7): Downy Mildew, Rust, Anthracnose—Use 35 to 40 pounds per acre. Begin when first blossoms appear.

Beets (Roots - 0, Tops - 7), Turnips (Roots - 0, Tops - 7): Cercospora Leaf Spot, Downy Mildew—Use 35 to 40 pounds per acre.

Cabbage (7), Broccoli (7), Cauliflower (7), Collards (10): Downy Mildew, Alternaria—Use 35 to 40 pounds per acre.

Carrots (Roots - 0, Tops - 7): Alternaria Leaf Blight, Cercospora Leaf Spot—Use 35 to 40 pounds per acre.

Celery (14): Early and Late Blight—Use 35 to 40 pounds per acre. Begin spraying in the plant bed at 3 to 5 day intervals until the plants are set in field. Continue field application on regular weekly schedule. Remove residue remaining at harvest by stripping, washing or trimming.

Eggplant (14): Alternaria, Anthracnose, Phomopsis—Use 35 to 40 pounds per acre.

Hops (14): Downy Mildew—Use 50 pounds per acre. Apply after training vines and repeat at 7 to 10 day intervals as long as needed. It is necessary that plants be protected when wet or when humid weather prevails.

Kale (10), Mustard Greens (10), Swiss Chard (7): Cercospora Leaf Spot, Downy Mildew—Use 35 to 40 pounds per acre.

Lettuce (10): Downy Mildew—Use 35 to 40 pounds per acre. Apply at weekly intervals.

Melons (Cantaloupes, Watermelons, Muskmelons) (5), Cucumbers (5), Squash (5), Pumpkins (0): Downy Mildew, Alternaria Blight, Anthracnose, Gummy Stem Blight—Use 40 pounds per acre. Dust underside of leaves.

Mushrooms: Verticillium (Brown Spot, Dry Bubble), Dactylium (Mildew, Soft Decay, Cobweb), Mycogone (Bubbles) and Trichoderma (Green Mold)—Use 2½ pounds per 4000 square feet of bed. Apply at 3 to 7 day intervals until buttons begin to form, also between "breaks" as required. Begin applications soon after casing soil is applied.

Onions (0), Green Onions (7): Downy Mildew, Botrytis Leaf Blight (blast), Purple Blotch—Use 40 to 50 pounds per acre.

Peppers (0): Phytophthora, Anthracnose, Ripe Rot—Use 35 to 40 pounds per acre. Apply at 10 day intervals when disease is evident. Repeat as necessary throughout the season.

Spinach (10): Downy Mildew (Blue Mold), White Rust—Use 35 to 40 pounds per acre.

Tomatoes (5): Early and Late Blights, Anthracnose, Stemphylium and Septoria Leaf Spots, Cladosporium Gray Mold—Use 35 to 40 pounds per acre. Begin application when disease is in the area and repeat applications at 7 to 10 day intervals or more often if blight conditions are severe.

Wheat (3 to 4 weeks): Stem and Leaf Rust—Use 30 pounds per acre. Begin applications when plants are in boot to early heading stage or when rust is first reported in area. Repeat at 7 to 10 day intervals until milk stage.

Ornamentals: Use 35 to 40 pounds per acre. Repeat at 7 to 10 day intervals or more frequently during periods of prolonged rainfall or high humidity. Apply on Roses when foliage first appears. Begin applications when the following diseases threaten or before diseases appear: **Anthracnose, Leaf Spot** on Carnations, Chrysanthemums, Hollyhocks, Pansies and Snapdragons. **Botrytis Blight** on Carnations, Chrysanthemums, Cyclamen, Dahlias, Delphinium and Snapdragons. **Botrytis Gray Mold** on Roses and Geraniums. **Downy and Powdery Mildew** on Asters, Roses, and Snapdragons. For Downy Mildew on Snapdragons, repeat applications at 2 to 4 day intervals. **Powdery Mildew** on Carnations, Dahlias, Delphiniums, Hydrangea, and Geraniums. **Rust** on Asters, Chrysanthemums, Delphiniums, Hollyhocks, Hydrangea, Iris, Roses, and Snapdragons.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.