

Code 30111

Net Weight

Pounds

Copper Zinc 20-20 Spray

Fungicide

EPA Reg. No. 279-2200 ZA

EPA Est., 279-

Active Ingredient:	By Wt.
*Copper expressed as metallic	20.00%
Inert ingredients:	80.00%
	100.00%

*Copper is in the form of basic sulphates and chlorides.

This product also contains Zinc expressed as metallic 20 00% deriv

This product also contains Zinc expressed as metallic 20.00% derived from Basic Zinc Sulphate.

C-O-C-S®---FMC Trademark.

KEEP OUT OF REACH OF CHILDREN

CAUTION

For Emergency Assistance Call 716-735-3765.

ACCEPTED

OCT 2 1981

Under the Federat Insecticide
Fungil, in and Redenticide Act,
as amended, for the posticide
repostered under
EPA Reg. No. 279, 2200

FMC Corporation Agricultural Chemical Group 2000 Market Street Philadelphia Pennsylvania 19103

PA 6/81

PRECAUTIONARY STATEMENTS Hazards to Humans (& Domestic Animals) Caution

Harmful if swallowed Avoid inhaling dust. Avoid skin contact. Keep away from domestic animals, feed and foodstuffs.

Environmental Hazards

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply where run-off is likely to occur. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act. Dispose of bags according to approved Federal, State or local procedures under the Resource Conservation and Recovery Act.

Copper Zinc 20-20 Spray is a material containing C-O-C-S® fungicide, a fixed copper; and Basic Zinc Sulphate for use as a spray in combating certain diseases and where an insoluble zinc is recommended for correction of zinc deficiency.

Mixing Directions

Fill the spray tank half full of water. Slowly sift in the required amount of Copper Zinc 20-20 Spray with the agitator running.

Directions for Application

Do not use this material on deciduous trees in foliage.

Apricots: Shot Hole Fungus—Apply 8 to 9 pounds Copper Zinc 20-20 Spray plus ½ to 1 gallon Dormant Flowable Oil Emulsion per 100 gallons of water. Apply as a dormant spray and in spring at red bud period. Observe the caution statement on the oil label prior to use.

Grapefruit, Lemona, Orangea: For prevention of Brown Rot—Use 1% to 2 pounds per 100 gallons of water. Apply in the winter months. Spray the ground around the tree and the skirts of the trees to a height of 3 to 4 feet. Give particular attention to covering the fruit. Treat inside as well as outside, spraying trunks and skirts thoroughly (4 to 6 gallons per tree is usually adequate). Retreatment may be

14 hog 20.277-2200 Page 2012

necessary. Do not disturb soil after treatment. In areas where there is a history of severe copper damage, spray the skirts noin pre-than 2 feet high.

Nectarines and Peaches: Peach Blight, Peach Leaf Curl-Apply 8 to 9 pounds Copper Zinc 20-20 Spray plus ½ to 1 gallon Dormant Flowable Oil Emulsion per 100 gallons of water. Apply as a dormant spray and in spring at bud swell. Observe the caution statements on the oil label prior to use

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions.

Warranty: FMC makes no warranty, expressed common concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

(30111-PA 8/81)

ACCEPTED

000 2 1981

Uniformly Colors in educate, fungional control on muride Act.

The interest of the pesticide restriction of the form the pesticide of the pest

् ५९ - ५९