


[279-2210]

NIAGARA CHEMICAL DIVISION
PMC CORPORATION
RESEARCH AND DEVELOPMENT DEPARTMENT
MIDDLEPORT, NEW YORK

Proposed label change revised according to your letter
of December 15, 1972. Revised January 17, 1973.



ETHION 8.0 LEC

EPA Reg. No. 279-2210

ETHION 8.0 LEC
KEEP OUT OF REACH OF CHILDREN.

DANGER

Poisonous if Swallowed, Inhaled or Absorbed Through Skin! Do not breathe vapor or spray mist. Do not get in eyes, on skin or on clothing. In case of contact wash immediately with water; for eyes flush with plenty of water and get medical attention. Wear a mask or respirator of a type approved by the U. S. Bureau of Mines for ethion protection. Do not store near food or feed products. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

FIRST AID

If Swallowed: Give tablespoon of table salt in a glass of warm water. Repeat until vomiting occurs and vomiting is clear. Never induce vomiting in a unconscious person. Call a physician immediately. If breathing has stopped - start artificial respiration immediately and maintain until a doctor sees victim.

If in Eye: Flush eye for 15 minutes with plenty of water. Call a physician immediately.

If on Skin or Clothing: In case of contact immediately flush skin or eyes with water for at least 15 minutes while removing contaminated clothing and shoes.

ANTIDOTE

Note to Physician: Active ingredient is a cholinesterase inhibitor, patient should be kept under observation for 48 hours. Atropine is an antidote. Give 2 mg. at regular intervals. Antidote usually given intravenously. Repeat every 30 minutes until patient is fully re-sophimized. Do not give morphine.