

Net Contents
Gallons

2 E.C.

STORAGE AND DISPOSAL

Directions should be read on original container.
FMC-2000-1000
Warranty

Directions and Recommendations

Use of Product


Damages

ACCEPTED
279-2220
SEP 11 1978
Use of Insecticide,
Fungicide and Rodenticide Act,
as amended, for the pesticide
registered under 279-2220
EPA Reg. No.

FMC

FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia PA 19103

Code 20072



RESTRICTED USE PESTICIDE
This pesticide is available only to certified applicators or persons under their direct supervision and only for those uses registered by the certified applicators.

Phosdrin® 1 Thiodan®

Insecticide

EPA Reg. No. 279-220 EPA Est. 276

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with these directions.

Do not use in undrained form.

Begin applications when insects first appear in crops to be treated. Apply to plants with sufficient water to give thorough coverage. Do not apply to plants before harvest as indicated in following directions.

Cabbage (7), Cauliflower (14), Broccoli (7), Brussels Sprouts (4): Apply 1 to 2 quarts. Looper, Grasshopper, Leafhopper, Leafminer (adults), Imported Cabbageworm, Larvae, Cross-striped Cabbageworm, Mites. Use 1 to 2 quarts.

Cucumbers (1), Squash (Summer) (1): Aphids, Flea Beetle, Flea Beetle, Grasshopper, Mites. Use 1 to 2 quarts.

Eggplant (1): Aphids, Flea Beetle, Flea Beetle, Grasshopper, Mites. Use 1 to 2 quarts.

Grasshoppers (1) (Cantaloupes & Watermelon): Aphids, Flea Beetle, Flea Beetle, Grasshopper, Mites. Use 1 to 2 quarts.

Peppers (4): Aphids, Grasshopper, Leafhopper, Mites. Use 1 to 2 quarts.

Potatoes (1): Aphids, Flea Beetle, Flea Beetle, Grasshopper, Mites. Use 1 to 2 quarts.

Sweet Corn (1) (For fresh vegetable use only): Aphids, Flea Beetle, Flea Beetle, Grasshopper, Mites. Use 1 to 2 quarts. Apply at 2 to 3 days before harvest. Do not make more than 1 application. Do not plant root crops other than carrots, potatoes and sweet potatoes as follow-up crops.

Tomatoes (1): Flea Beetle, Flea Beetle, Grasshopper, Mites. Use 1 to 2 quarts. Cabbage Looper, Mites. Use 1 to 2 quarts.

Workers entering fields with treated plants should wear protective clothing.

Do not allow this material to be blown or washed into waterways, streams, rivers, or at a time other than that indicated with label directions. Do not allow liquid residues or other residues to be blown or washed into waterways.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wild life. Keep out of lakes, ponds, streams, and feeding on treated areas may be killed. Do not apply when weather conditions favor drift to untreated areas. Do not apply when runoff is likely to occur. Do not contaminate waterways, streams, equipment or disposal wastes. Apply this product only as specified on the label.

This product is highly flammable. Keep away from heat, sparks, open flames, and other sources of ignition. Information may be obtained from the appropriate Agricultural Extension Service.

Phosdrin® Shell registered trademark
Thiodan® is a registered trademark of Canadian Hoechst Limited



FIRST AID

If swallowed: Do not induce vomiting. Give water to drink. If on skin or clothing: Wash with soap and water. If in eyes: Wash with water for 15 minutes. If on skin or clothing: Wash with soap and water.

ANTIDOTE

NOTE TO PHYSICIANS: Phosdrin is a cholinesterase inhibitor. Antidote is atropine. Endosulfan is a systemic insecticide. Phosdrin is a contact insecticide.

Phosdrin® 1 Thiodan® 2 E.C.

Page 1 of 2