

CODE
2581

NET WEIGHT
50 LBS.

FERRAM 7 G-3 DUST

CONTAINS 3% GUTHION
FUNGICIDE-INSECTICIDE

DIRECTIONS FOR USE

sects first appear or disease threatens and repeat as required to maintain control. Observe use limitations.

APPLES: Apple Scab, Cedar Rust, Aphids, Apple Maggot, Codling moth, Fruit Tree Leaf Roller, Leaf Hoppers, Plum Curculio, Red-banded Leaf Roller. Use Limitation: Do not apply within 7 days of harvest or more than 8 times per season. On Golden Delicious, Grimes Golden, Jonathan and other varieties which are especially subject to russeting, the use of this material should be avoided, or it should be used with caution in applications during and shortly after the blossom period.

CHERRIES: Cherry Leaf Spot, Eye Spotted Bud Moth, Fruit Tree Leaf Roller, Plum Curculio. Use Limitation: Do not apply within 15 days of harvest or more than 8 times per season.

GRAPES: Black Rot, Grape Berry Moth, Grape Leafhopper - Use at the rate of 30 to 40 pounds of dust per acre. Do not apply more than 3 times per season nor within 28 days of harvest.

ACCEPTED
SEPT 19, 1972
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. _____ SUBJECT
IC _____ VIS.

060 000 - M... ..

⚠ DANGER-POISON ⚠
KEEP OUT OF REACH OF CHILDREN

For Emergency Assistance Call

USDA REG. NO. 279-2234

ACTIVE INGREDIENTS:

**Ferbam 7.0%

*O,O-Dimethyl S-[4-oxo-1,2,3-benzotriazin-3(4H)-ylmethyl]phosphorodithioate 3.0%

INERT INGREDIENTS: 90.0%

100.0%

**Ferric dimethyl dithiocarbamate

*U. S. Patent No. 2,758,115

DANGER: Poisonous if swallowed, inhaled or absorbed through skin! Rapidly absorbed through skin. Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for Guthion protection. Keep all unprotected persons and beneficial animals out of operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered for at least two days. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

Do not use on other crops used for feed or forage. Treated orchards should not be pastured.

Guthion is Reg. TM in U. S. by Farbenfabriken Bayer, A. G. Chemagro Corp. Licensee

FIRST AID

If Swallowed: Give tablespoon of table salt in a glass of warm water. Repeat until vomiting occurs and vomitus is clear. Never induce vomiting in an unconscious person. Call a physician immediately.

If In Eye: Flush eye for 15 minutes with plenty of water. Call a physician immediately.

If On Skin or Clothing: Remove contaminated clothing and shoes immediately. Bathe with soap and water. Call a physician immediately.

ANTIDOTE

Note to Physicians: Guthion is a cholinesterase inhibitor. Patient should be kept under observation for 48 hours. Atropine is antidotal. Give 4 mg. intramuscularly or intravenously. Repeat every 15 minutes until patient is fully atropinized. If cyanotic give artificial respiration. 2-PAM is also antidotal and may be administered in conjunction with atropine.

USAGE CAUTIONS

This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DISPOSE OF WASTES by burying at least 18 inches deep in non-crop lands away from water supplies. Do not reuse or burn container; bury with wastes.

ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



SEPT 19 1972



Dealers should Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO BE REPACKAGED OR REBAGGED IN A MANNER WHICH WOULD BE DEEMED TO BE A VIOLATION OF THE PATENT RIGHTS OF THE MANUFACTURER. THE USE OF THIS MATERIAL IN ANY MANNER OTHER THAN AS SPECIFIED ON THE ORIGINAL PACKAGE IS NOT RECOMMENDED. UNDESIRABLE RESULTS MAY OCCUR.

KEEP THIS MATERIAL IN ORIGINAL CONTAINER UNTIL USED. DO NOT STORE IN EXCESSIVE HEAT OR MOISTURE.

KEEP THIS MATERIAL IN ORIGINAL CONTAINER UNTIL USED. DO NOT STORE IN EXCESSIVE HEAT OR MOISTURE. UNDESIRABLE RESULTS MAY OCCUR.

DO NOT ALLOW THIS MATERIAL TO BE REPACKAGED OR REBAGGED IN A MANNER WHICH WOULD BE DEEMED TO BE A VIOLATION OF THE PATENT RIGHTS OF THE MANUFACTURER. THE USE OF THIS MATERIAL IN ANY MANNER OTHER THAN AS SPECIFIED ON THE ORIGINAL PACKAGE IS NOT RECOMMENDED. UNDESIRABLE RESULTS MAY OCCUR.

DO NOT ALLOW THIS MATERIAL TO BE REPACKAGED OR REBAGGED IN A MANNER WHICH WOULD BE DEEMED TO BE A VIOLATION OF THE PATENT RIGHTS OF THE MANUFACTURER. THE USE OF THIS MATERIAL IN ANY MANNER OTHER THAN AS SPECIFIED ON THE ORIGINAL PACKAGE IS NOT RECOMMENDED. UNDESIRABLE RESULTS MAY OCCUR.

REGISTERED TRADEMARK OF THE MANUFACTURER

REGISTERED TRADEMARK OF THE MANUFACTURER

