


CODE  
**20058**

# CAPTAN 25 PARATHION 7.5 W. P.

FUNGICIDE-INSECTICIDE-MITICIDE



NET WEIGHT  
**40 LBS.**

NOT FOR USE OR STORAGE IN OR AROUND  
THE HOME.

## DIRECTIONS FOR USE

(AREAS OTHER THAN CALIFORNIA)

Niagara Captan 25 Parathion 7.5 Wettable Powder is designed for use in the control of Brown Rot, Peach Scab, Green Peach Aphid, Red-banded Leaf Roller, Plum Curculio, Catfacing Insects, Oriental Fruit Moth and Mites attacking PEACHES: Use 4 pounds of wettable powder per 100 gallons of water per acre. Apply when insects or disease threatens and repeat at 7 to 10 day intervals as required to maintain control. Spray trees thoroughly. Do not apply within 14 days of harvest. Do not apply more than 600 gallons of finished spray per acre. Do not apply more than 5 pounds actual parathion per acre per year.

012

E. P. A. Reg. No. 279-2245

### ACTIVE INGREDIENTS:

\*Captan ----- 25.0%

\*\*Parathion ----- 7.5%

INERT INGREDIENTS: ----- 57.5%  
100.0%

\*N-[(trichloromethyl)thio]-4-cyclohexene-1,2-dicarboximide

U. S. Pat. Nos.: 2,553,770; 2,553,771;  
2,553,776

\*\*O, O-Diethyl O-p-nitrophenyl thiophosphate

 **DANGER-POISON**   
KEEP OUT OF REACH OF CHILDREN

BEFORE USING READ THE PRECAUTIONARY -  
SAFE HANDLING DIRECTIONS ATTACHED  
TO THE PRODUCT CONTAINER.

### POST TREATED AREAS

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas. Field posters may be obtained from your Niagara salesmen or dealer.

DO NOT CONTAMINATE FEED OR FOOD-STUFFS.

DO NOT USE IN UNDILUTED FORM

## USAGE CAUTIONS

This product is toxic to fish and wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply when runoff is likely to occur. Birds feeding on treated areas may be killed. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Dispose of wastes by burying at least 18" deep in non-crop lands away from water supplies.

Do not re-use container. Smash and bury with wastes. DO NOT BURN.

Printed in U. S. A.

CODE  
20058

DANGER-POISON- PRECAUTIONS



**POISONOUS IF SWALLOWED**

This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.



**POISONOUS BY SKIN CONTACT**

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)



**POISONOUS IF BREATHED**

Breathing vapors, spray mist or dust may be fatal.

**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

**CAPTAN 25 PARATHION 7.5 W. P.**

E. P. A. Reg. No. 279-2245

**ACTIVE INGREDIENTS:**

\*Captan ----- 25.0%

\*\*Parathion ----- 7.5%

**INERT INGREDIENTS:** ----- 67.5%

100.0%

ACCEPTED

2-18-72

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC ACTION REGISTERED UNDER NO. 279-2245

**FIRST AID TREATMENT**

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

**NOTE TO PHYSICIAN**

Antidote - administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

For emergency assistance call  
716 - 735-3765

**POST TREATED AREA**

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

**CONTAINER DISPOSAL**

See accompanying product information label.

**CROP USE DIRECTIONS**

Use only according to accompanying label instructions.

Printed in U.S.A.

**NOT FOR HOME USE**

**STOP! READ THE LABEL**



**CAN KILL YOU**

**WORK SAFETY RULES**

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

**POISON SIGNS (Symptoms)**

PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.



**DANGER POISON**

Keep out of reach of children See side panels for antidote and precautions


**USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING**

- (1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



279-2245



**Dealers Should Sell in Original Packages Only.**

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

**TERMS OF SALE OR USE** On purchase or use of this product buyer and user agree to the following conditions:

**WARRANTY** Niagara warrants that this product, as of the time of sale by Niagara: (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

**DAMAGES** Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

**EXCUSE FROM NON-CONTROLLABLE CONDITIONS** Because of certain critical conditions created or incurred by buyer or user or over which Niagara has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

MANUFACTURED IN U. S. A. BY



NIAGARA CHEMICAL DIVISION

FMC CORPORATION

MIDDLEPORT, NEW YORK

