


CODE
31662

(Center Panel)

NET CONTENTS
Gallons



PRD 1 604

PARATHION 2 THIODAN® 3 EC

INSECTICIDE

U.S.D.A. REGISTRATION NO. 279-2258

ACTIVE INGREDIENTS	BY WT.
Parathion	21.00%
Endosulfan (Hexachlorohexahydromethane-2,8,9-benzodioxathiepin oxide)	31.50%
Petroleum Distillate	40.00%
INERT INGREDIENTS	7.50%
	100.00%

O,O-Diethyl O-p-nitrophenyl thiophosphate

ACCEPTED

MAY - 1 1969

UNLESS OTHERWISE SPECIFIED
ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED
DATE 11-19-2008 BY 60322
279-2258

Red Print
⚠ DANGER - POISON ⚠
KEEP OUT OF REACH OF CHILDREN

ANTIDOTE: If swallowed, Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a Physician immediately.
If on skin, in case of contact, remove contaminated clothing and immediately wash skin with soap and water.
Parathion is a cholinesterase inhibitor and treatment of poisoning should include the use of atropine; Thiodan produces central nervous system excitation which responds to the barbituric acid-derivatives.

ATROPINE IS ANTIDOTAL

Keep on hand an emergency supply of 20 tablets, grains 1/100. In case of poisoning take 3 tablets (grs. 1/100) and call physician at once.
Physician: Enough atropine must be given in the shortest practical time to produce dilation of pupils. Patient must be under constant supervision and additional atropine may be necessary without delay. Clear chest by postural drainage. Use artificial respiration and oxygen if patient becomes comatose. Use of airway may be necessary.

WARNINGS: Poisonous if swallowed, inhaled or absorbed through skin! Rapidly absorbed through skin. Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for Parathion protection. Keep all unprotected persons and beneficial animals out of operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate food and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

MANUFACTURED IN U.S.A. BY



NIAGARA CHEMICAL DIVISION
FMC CORPORATION
MIDDLEPORT, NEW YORK



Thiodan is a registered trademark of Canadian Hoechst Ltd. U.S. Patent No. 2,799,685

Printed in U.S.A.

OSX

CODE
31663

(Left Panel)

Niagara Parathion 2 Thiodan 3 EC contains 2 pounds per gallon of Parathion and 3 pounds of Endosulfan (Thiodan) per gallon.

DIRECTIONS FOR USE

Apply to sufficient water for thorough coverage when insects are present. Do not apply more than 3 times per season. Do not apply more than 1 quart per acre. Do not apply more than 1 quart per acre. Do not apply more than 1 quart per acre. Do not apply more than 1 quart per acre.

ON COTTON to control Bull Weevil, Bollworm, Cabbage Looper, Stink Bugs, Lygus Bugs, Cotton Leaf Perforator, Aphids, Armyworms, Thrips, Flea Hoppers, and Cotton Leafworm use 2 quarts per acre. Do not apply after bolls open. Do not graze meat or dairy animals in treated fields. Workers entering fields within 24 hours of application should wear protective clothing.

ON ARTICHOKES to control Artichoke Aphid, Artichoke Plume Moth and Green Peach Aphid use 1-1 1/2 quarts in sufficient water to treat one acre. Do not apply within 7 days of harvest.

ON BEANS, SUCCULENT, DRIED to control Cucumber Beetle, Aphids, Bean Leaf Skeletonizer, Thrips, Leafhoppers, Stinkbugs and Leafminer, use 1-1 1/2 quarts in sufficient water to treat one acre. Make no more than 3 applications nor apply within 15 days of harvest. Do not apply to lima beans as injury may result. Do not feed treated threshings to livestock or allow to graze in treated fields.

ON BROCCOLI, CABBAGE and CAULIFLOWER to control cabbage looper, Imported Cabbage Worm, Diamondback Moth Larvae, Cross-striped cabbage-worm, Flea Beetles, Stink Bugs, Leafhoppers and Aphids. Use at the rate of 1 quart per acre. On Broccoli do not apply within 7 days of harvest, and on Cabbage do not apply within 10 days of harvest. On Cauliflower do not apply within 14 days of harvest.

ON HEAD LETTUCE to control Cabbage Looper, Aphids, Diamondback Moth Larvae, Imported Cabbage Worm, Armyworms, Flea Beetles, and Leafhoppers use 1 quart per acre. Do not apply more than 3 times after thinning. Do not apply within 14 days of harvest. Remove outside leaves at harvest. Do not feed crop waste to livestock.

ON POTATOES to control Flea Beetle, Colorado Potato Beetle, Leafhopper, Aphids, Potato Tuberworm and Potato Psyllid, use 1-1 1/2 quarts in sufficient water to treat one acre. Do not apply within 5 days of harvest.

ON WALNUTS to control Walnut Aphid, and Scale Crawlers use 2/3 gallon in sufficient water to treat one acre. Do not apply after husks split. Do not graze livestock in treated groves within 21 days of treatment.

018
31003

(Right Panel)

PLEASE CAUTION

Do not use or store near heat or open flame.
DO NOT STORE AT TEMPERATURES BELOW 20 °F

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Keep this product out of the reach of children. Do not use if the container is damaged or leaking. Do not use if the product is past its expiration date. Do not use if the product is contaminated.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OF USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

Dealers Should Sell in Original Packages Only.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY: Niagara warrants that this product, as of the time of sale by Niagara, (1) conforms to the description of statement on the label, and (2) is reasonably fit for the purposes set forth in the "Directions for Use." EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED.

DAMAGES: Buyers or users' exclusive remedy for damages for breach of warranty or product shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 30 days of discovery by buyer or user, failing which buyer or user shall be deemed to have accepted the product and any damage.

EXCUSE FROM NON-CONTROLABLE CONDITIONS: Because of certain critical components that are beyond the control of Niagara, Niagara has no control over buyer or user's use of the product. Buyer or user shall assume responsibility for and release Niagara from liability for any injury, damage or loss of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.