

Code: 31043

[219-2226]

SULPHUR 25 ETHION 4 SEVIN[®] 5 DUST

DIRECTIONS FOR USE

Apply with the following directions for use. Do not apply to plants or animals. Do not use on lawns, lawns, or lawns. Do not use on lawns, lawns, or lawns. Do not use on lawns, lawns, or lawns.

BEANS (4) Bean Leaf Beetle, Tobacco Root Weevil, C. Bean Beetle, Leafhoppers, Wireworms, Beet, Cutworm, Armyworm, Colorado Potato Beetle, Curculionid, Lygus Bug, etc. For control of these insects, apply 100 lbs. of dust per acre to foliage to control. Supplemental applications may be made at 100 lb. per acre.

GRAPES Grape leafhopper, grape leaf miner, Powdery Mildew, Tawny Tip, etc. Apply 100 lbs. of dust per acre to foliage. Do not apply to fruit. Do not apply more than 2 applications during the growing period. Apply within 10 days after harvest. Do not use more than 3 applications per acre during the growing period. Apply within 30 days after harvest. Do not use on Sweetener. Mix with water for spraying. Do not use on ground application equipment preferred.

TOMATOES (2) Tobacco Spider Mite, Two-spotted Spider Mite, Flea Mite, Leafminer, Colorado Potato Beetle, Flea Beetle, Leafhopper, Fall Armyworm, Tomato Pinworm, Tomato Hornworm, Tomato Pinworm, Flea Beetle, and Striped Bark Beetle. Apply 20 lbs. per acre.

FUNGICIDE INSECTICIDE MITICIDE

Active Ingredient	Concentration
SEVIN	5%
ETHION	4%
SULPHUR	25%
Total	34%

USAGE

Apply with the following directions for use. Do not apply to plants or animals. Do not use on lawns, lawns, or lawns. Do not use on lawns, lawns, or lawns.

For Emergency 716-2

CAUTION

KEEP OUT OF REACH OF CHILDREN

Handle with care. Avoid breathing of dust. Do not use on lawns, lawns, or lawns. Do not use on lawns, lawns, or lawns. Do not use on lawns, lawns, or lawns. Do not use on lawns, lawns, or lawns.

NOTE: This product contains moderate quantities of lead and arsenic. Antipyrine is antitoxin.

ENVIRONMENTAL AND
 This product is toxic to fish and wildlife. Do not contaminate water by cleaning of equipment or disposal. Do not use in areas where wildlife is likely to occur. Apply to foliage. Do not use on lawns, lawns, or lawns. Do not use on lawns, lawns, or lawns. Do not use on lawns, lawns, or lawns.

DISPOSE OF WASTES by burying in non-hazardous waste. Do not mix with water.

Trademark of Union Carbide Corporation



PEST DOC

SULPHUR 25 ETHION 4 SEVIN[®] 5 DUST

Net Weight
50 Pounds

USE

and repeat as necessary. Full essential oils. May be applied between April and June.

Control: Beetles, Leafhoppers, etc. per acre. Core Earworm, etc. Do not feed to stock. Check tolerance to sulphur.

by Milew, Two-spotted Spider, etc. For Grape Leafhopper, apply not more than 2 apps. 15 days of harvest, or make additional apps within 30 days. S23 to varieties as injury may

or Mite, Russet Mite, Leafhopper, Armyworm, Tomato Fruit, Stink Bug, etc. 20 lbs/acre

FUNGICIDE — INSECTICIDE — MITICIDE

EPA Reg. No. 101-101-0101

ACTIVE INGREDIENTS	Basis
Ethion Chloroform	400
SEVIN	100
Sulphur	2500
NET WEIGHT	3000

U.S. Patent No. 2,671,221

USAGE CAUTIONS

Do not apply to water. Do not apply to plants or animals. Do not apply to plants or animals.

Do not apply to plants or animals. Do not apply to plants or animals.

For Emergency Assistance Call

716-235-3765

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if inhaled or swallowed. Avoid breathing of dust. Do not get into eyes. Skin contact may be harmful. Avoid unnecessary contact with hands and feet. Before eating, wash hands and face. After use, wash hands and face. Avoid contamination of feed, feed troughs, and water receptacles.

NOTE TO PHYSICIAN: Carbaryl is a moderate to severe irritant to the respiratory tract. Antipyrine is antipyretic.

ENVIRONMENTAL AND DISPOSAL CAUTIONS

Do not apply to water. Do not apply to plants or animals. Do not apply to plants or animals. Do not apply to plants or animals. Do not apply to plants or animals.

DISPOSE OF WASTES: Do not apply to non-crop lands away from water supplies. Do not apply to water. Do not apply to water.

[®]Trademark of Union Carbide Corporation

BEST DOCUMENT AVAILABLE



Code: 31043

[279-2226]

SULPHUR 2

DIRECTIONS FOR USE

Appl. when mites, insects or disease first appear and repeat as necessary. Full coverage of both upper and lower leaf surfaces are essential to good control. May be applied by ground or air. Observe days interval between application and harvest as indicated by number in () following the crop.

BEANS (4): Bean Leaf Beetle, Twospotted Mite, Cucumber Beetles, Leafhoppers, Western Bean Cutworm, Armyworms — Use 20 pounds per acre. Corn Earworm, and Lygus Bugs (California only) — Use 40 pounds per acre. Do not feed treated bean foliage to livestock. Sulphur may injure some varieties. Check tolerance to sulphur prior to use.

GRAPES: Grape Leafhopper, Grape Leafroller, Powdery Mildew, Twospotted Spider Mite and Willamette Mite use 20 to 30 pounds per acre. For Grape Leafroller, apply just before first brood larvae emerge from rolls. Do not make more than 2 applications during the fruiting period nor apply within 15 days of harvest; or make no more than 3 applications during the fruiting period nor apply within 30 days of harvest. Do not use on Salavador, Muscat and Fehr-Szago varieties as injury may occur. Ground application equipment preferred.

TOMATOES (2): Tropical Spider Mite, Twospotted Spider Mite, Russet Mite, Leafminer, Colorado Potato Beetle, Flea Beetle, Leafhoppers, Fall Armyworm, Tomato Fruitworm, Tomato Hornworm, Tarnished Plant Bug and Stink Bug - Use 20 pounds per acre.

ACTIV
ST

*C
S
INERT

U.S. Pa

Harmf
intern
hands
regula
AVOID
WATER

NOTE
inhibit

SULPHUR 25 ETHION 4 SEVIN®* 5 DUST

**Net Weight
50 Pounds**

FUNGICIDE — INSECTICIDE — MITICIDE

EPA REGISTRATION NO. 279-2276AA

ACTIVE INGREDIENTS	BY WT.
Ethion; 0,0,0',0',Tetraethyl S,S'-methylene bisphosphorodithioate	4.00%
*Carbaryl (1-naphthyl N-methylcarbamate)	5.00%
Sulphur	25.00%
INERT INGREDIENTS	66.00%
	<u>100.00%</u>

U.S. Patent No. 2,873,228

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if inhaled or swallowed. Avoid breathing of dust. Do not take internally. Skin contact may be harmful. Avoid unnecessary contact. Wash hands and face before eating. Take shower or bath after work. Wear regular long sleeved work clothing. Change to clean clothing daily. AVOID CONTAMINATION OF FOOD, FEED, FEEDING TROUGHS AND WATER RECEPTACLES.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

USAGE CAUTIONS

Some phytotoxicity may occur on tender foliage in presence of rain or high humidity of several days duration following application.

Do not use with lime, Bordeaux, lime sulphur, casein-lime spreaders or other alkaline materials.

Do not allow this material to drift onto sulphur sensitive crops.

**For Emergency Assistance Call
716-235-3765**


ENVIRONMENTAL AND DISPOSAL CAUTIONS

This product is toxic to fish and wildlife. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply where run-off is likely to occur. Apply this product only as specified on the label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DISPOSE OF WASTES by burying in non-crop lands away from water supplies. Bags should be disposed of by burying with wastes or burning. (Keep Out of Smoke).

®Trademark of Union Carbide Corporation



ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.

LABEL

Dealers Should Sell in Original Packages Only.


DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

TERMS OF SALE OR USE OF THIS PRODUCT. BUYER AND USER AGREE TO BE BOUND BY THESE TERMS.
WARRANTY: FMC warrants that this product, as sold by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the directions for use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED.

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user in use which FMC has no control, buyer and user, as a condition

of purchase or use, assume responsibility for all releases, FMC from liability arising out of the handling or use of this product attributable to such causes. No persons with knowledge of these conditions shall be held liable for any releases contained therein.



FMC
Chemicals
P.O. Box 1000
Houston, Texas 77001

FMC
Chemicals