

279-2280


2-6-73

Best Available
Copy

1041

NIAGARA CHEMICAL DIVISION
FMC CORPORATION
RESEARCH AND DEVELOPMENT DEPARTMENT
MIDDLEPORT, NEW YORK

Proposed label change revised according to your letter of
December 14, 1972. Revised January 17, 1973



ETHION TECHNICAL

EPA Reg. No. 279-2280

☠ FUMIGANT-POISON ☠
KEEP OUT OF REACH OF CHILDREN.

DANGER

Poisonous If Swallowed, Inhaled or Absorbed Through Skin! Do not breathe vapor or spray mist. Do not get in eyes, on skin or on clothing. In case of contact wash immediately with water; for eyes flush with plenty of water and get medical attention. Wear a mask or respirator of a type approved by the U. S. Bureau of Mines for ethion protection. Do not store near food or feed products. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

FIRST AID

If Swallowed: Give tablespoon of table salt in a glass of warm water. Repeat until vomiting occurs and vomitus is clear. Never induce vomiting in a unconscious person. Call a physician immediately. If breathing has stopped - start artificial respiration immediately and maintain until a doctor sees victim.

If In Eye: Flush eye for 15 minutes with plenty of water. Call a physician immediately.

If On Skin or Clothing: In case of contact immediately flush skin or eyes with water for at least 15 minutes while removing contaminated clothing and shoes.

ANTIDOTE

Note to Physician: Active ingredient is a cholinesterase inhibitor. Patient should be kept under observation for 48 hours. Atrophine is antidotal. Give 4 mg. atrophine sulfate intramuscularly or intravenously Repeat every 15 minutes until patient is fully atrophinized. Do not give morphine.