NET WEIGHT 500 LBS.

APR 1 9 1973

TO ATTACHED COMMENTS:

UNDER THE LOCAL INSECTICIDE FUNCICIDE AND RODENTICIDE AST FOR ECONOMIC POISON REGISTER. ED UNDER NO. 17.220 SUBJECT.

MITICIDE - INSECTICIDE



LANGER-POISON



KEEP OUT OF REACH OF CHILDREN

For Emergency Assistance Call 716-735-3765

EPA Reg. No. 279-2280

ACTIVE INGREDIENTS:

*Ethion, minimum assay 95.0% INERT INGREDIENTS: 5.0%

*O,O,O',O'-Tetraethy! S,S'-methylene bisphosphorodithioate U. S. Pat. No. 2,873,228

ONLY

DIRECTIONS FOR USE

FOR USE IN

MANUFACTURING

THIS MATERIAL REQUIRES FURTHER

MIXING BEFORE USING.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions: WARRANTY: Nagara warrants that this product, as of the time

WARRANTY: Nagara warrants that this product, as of the time of sale by Ningara, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES: Biver's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages or consequential damages. Notice of any claim must be reported to Niagara within 10 days of discovery by buyer or user, failing

which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which Nagasa has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from, hability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.



DANGER

Poisonous if swallowed, inhaled, or absorbed through skin! Do not breathe vapor or spray mist. Do not get in eyes, on skin or on clothing. In case of contact wash immediately with water; for eyes flush with plenty of water and get medical attention. Wear a mask or respirator of a type approved by the U.S. Bureau of Mines for ethion protection. Do not store near food or feed products. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

FIRST AID

If Swallowed: Give tablespoon of table salt in a glass of warm water. Repeat until vomiting occurs and vomitus is clear. Never induce vomiting in a unconscious person. Call a physician immediately. If breathing has stopped - start artificial respiration immediately and maintain until a doctor sees victim.

If In Eve: Flush eye for 15 minutes with plenty of water. Call a physician immediately.

If On Skin or Clothing: In case of contact immediately flush skin or eyes with water for at least 15 minutes while removing contaminated clothing and shoes.

ANTIDOTE

Note to Physician: Active ingredient is a cholinesterase inhibitor. Patient should be kept under observation for 48 hours. Atropine is antidotal. Give 4 mg. atropine sulfate intramuscularly or intravenously. Repeat every 15 minutes until patient is fully atropinized. Do not give morphine.

This product is toxic to fish and wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not reuse empty drum. Return to drum reconditioner or destroy it by perforating or crushing and burying in a safe place away from water supplies.