

CODE  
1327

[279-2280]

# ETHION TECHNICAL


## INSECTICIDE

NET WEIGHT  
500 LBS.

### FOR FORMULATION OF INSECTICIDES ONLY

Physical data and formulating information is given on the Product Description Sheet.

Formulator is responsible for providing performance data to support use label claims.



EPA Reg. No. 230-MD-1  
EPA Reg. No. 230-100-0100

ACTIVE INGREDIENTS  
\*Ethion, minimum assay 95.00%  
INERT INGREDIENTS 5.00%  
\*O,O,O',O' Tetrathionyl S,S',S'' trioxide 1.00%  
thioate U.S. Pat. No. 2,657,225



**KEEP OUT OF REACH OF CHILDREN**

For Emergency Assistance Call  
716-735-3765

DANGER

Poisonous if swallowed, inhaled, or absorbed through skin! Do not breathe vapor or spray mist. Do not get in eyes, on skin or on clothing. In case of contact wash immediately with water; for eyes flush with plenty of water and get medical attention. Wear a mask or respirator of a type approved by the U.S. Bureau of Mines for ethion protection. Do not store near food or feed products. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

#### ENVIRONMENTAL AND DISPOSAL CAUTIONS

This product is toxic to fish and wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not reuse empty drum. Return to drum reconditioner or destroy it by perforating, crushing and burying in a safe place away from water supplies.

#### FIRST AID

If Swallowed: Give table spoon of table salt in a glass of warm water. Repeat until vomiting occurs and vomitus is clear. Never induce vomiting in a unconscious person. Call a physician immediately. If breathing has stopped start artificial respiration immediately and maintain until a doctor sees victim.

If In Eye: Flush eye for 15 minutes with plenty of water. Call a physician immediately.

If On Skin or Clothing: In case of contact immediately flush skin or eyes with water for at least 15 minutes while removing contaminated clothing and shoes.

#### ANTIDOTE

Note to Physician: Active ingredient is a cholinesterase inhibitor. Patient should be kept under observation for 48 hours. Atropine is antidotal. Give 4 mg. atropine sulfate intramuscularly or intravenously. Repeat every 15 minutes until patient is fully atropinized. Do not give morphine.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY: FMC warrants that this product, as at the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 30 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

MANUFACTURED IN U.S.A. BY  
FMC CORPORATION  
AGRICULTURAL CHEMICAL DIVISION  
MILLSBORO, DELAWARE 19966  
031

Printed in U.S.A.