Code: 30530

MANUFACTURED:

KOLODUST[®] 50 DIBROM^{®*} 4 DUST

DIRECTIONS FOR USE

[279-233]]

This dust is suitable for application by ground duster or <u>airplane</u> For airplane application, use heavier dosages. Begin applications at first sign of insects or disease. Repeat as necessary. Apply for contact and thorough coverage to obtain control of insects. Observe days interval between last application and harvest indicated by the number in () following the crop.

BROCCOLI (1), BRUSSELS SPROUTS (1), CABBAGE (1), CAULIFLOWER (1), TURNIP GREENS (1): Cabbage Looper, Imported Cabbageworm, Diamondback Moth Larvae, Aphids -- Use - 0 to 50 pounds per acre.

SWISS CHARD (1), LETTUCE (1), SPINACH (1): Cabbage Looper, Aphids – Use 40 to 50 pounds per acre


GRAPEFRUIT, LEMONS, ORANGES (7)*: Aphids, Red Spider Mites, _Citrus Cutworms. Thrips -- Use 40 to 100 pounds per acre. *(1) California and Arizona.

PEPPERS (1): Aphids, Flea Beetle, Leafminers – Use 25 pounds per acre.

STRAWBERRIES (4): Red Spider Mites Aphids, Powdery Mildew – Use 40 to 50 pounds per acre.

TOMATOES (1): Tomato Russet Mite, Fruit Fly, Twospotted Spider Mite, Aphids, Leafminer, Tomato Fruitworm, Tomato Hornworm – Use 25 pounds per acre.

ROSES (FIELD GROWN): Powdery Mildew, Aphids, Mites, Tent Caterpillars, Thrips, Leafrollers – Use 25 pounds per acre.



054W

FUNGICIDE-INSECTICIDE EPA REGISTRATION NO. 279-2331 AA ACTIVE INGREDIENTS: BY WT. *Naled; 1,2-dibromo - 2,2-dichloroethyl dimethyl phosphate 4 00°. Sulphur 42.00°6 INERT INGREDIENTS. 54.00°. U.S. Patent No. 2,971,882

CAUTION


KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May cause irritation of eyes, nose and throat. Avoid breathing dust. Avoid contact with skin and eyes. Wash thoroughly after using. Avoid contamination of, or storage near feed and foodstuffs.

STORE IN COOL, DRY PLACE.

Applications of materials containing Sulphur should not be made prior to or during periods of excessively high temperature.

May corrode metal dust equipment; clean equipment after use.



ENVIRONMENTA

This product is toxic to fis areas may be killed. Keep contaminate water by cl wastes. Do not apply who areas treated. Do not ap Shrimp and crab may be k on this label. Do not apply Apply this product only at This product is highly toxic residues on crops. Protect your Cooperative Agriculty DISPOSE OF WASTES by water supplies. Empty ba

burned. Keep out of smol

For Eme

^{3;}DIBROM is a registered tra

This product contains Ben absorption of fused sulph thirty parts sulphur and se sulphur particles are very process of manufacture an impart to the product distin to certain fungi, persistence and safety to host plants.

33门

KOLODUST[®] 50 DIBROM[®] 4 DUST

o duster or <u>airplane</u>. Begin applications at sary. Apply for conof insects. Observe vest indicated by the

GE (1), CAULIFLOWER parted Cabbageworm, c 50 pounds per acre.

1): Cabbage Looper,


us, Red Spider Mites, nds per acre. *(1) Cali-

- Use 25 pounds per

s, Powdery Mildew -

ly, Twospotted Spider Tomato Hornworm —

hids, Mites, Tent Cater-



FUNGICIDE-INSECTICIDE EPA REGISTRATION NO. 279-2331 AA ACTIVE INGREDIENTS:

BY WT

ACTIVE INORE MENTS.		D1 11.
*Naled; 1,2-dibromo - 2,2-dichloroeth	ył –	
dimethyl phosphate	•	4 00°₀
Sulphur		42 00%
INERT INGREDIENTS:		54.00°∘
		100.00°°

U.S. Patent No. 2,971,882

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May cause irritation of eyes, nose and throat. Avoid breathing dust. Avoid contact with skin and eyes. Wash thoroughly after using. Avoid contamination of, or storage near teed and foodstuffs.

STORE IN COOL, DRY PLACE.

Applications of materials contain. a Sulphur should not be made prior to or during periods of excessively high temperature.

May corrode metal dust equipment; clean equipment after use.



GUARANTEE EXPIRES:

Net Weight 50 Pounds

ENVIRONMENTAL AND DISPOSAL CAUTIONS

This product is toxic to fish and wildlife. Birds feeding in treated areas may be killed. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Do not apply where run-off is likely to occur. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Apply this product only as specified on the label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DISPOSE OF WASTES by burying in non-crop land away from water supplies. Empty bags should be buried with wastes or burned. Keep out of smoke.

For Emergency Assistance Call 716-735-3765

*DIBROM is a registered trademark of Chevron Chemical Company.

This product contains Bentonite Sulphur which is made by the absorption of fused sulphur into Bentonite in the proportion of thirty parts sulphur and seventy parts Bentonite. A portion of the sulphur particles are very minute, some of them colloidal. The process of manufacture and the character of the sulphur particles impart to the product distinctive properties with respect to toxicity to certain fungi, persistence on plants, suspensibility in spray tank and safety to host plants.

EPA EST., 279-CA-2 Printed in U.S.A.

میں میں دینی فیط میں از ایماد میں میں ا

[279-233]]

Code: 30530

MANUFACTURED

KOLODUST 50 D

DIRECTIONS FOR USE

BROCCOLI (1) BRUSSELS SPROUTS (1), CABBAGE (1), CAULIFLOWER (1), TURNIP GREENS (1): Brock Michael Carlos (1): Brock Michael Car


SWISS CHARD (1), LETTUCE (1), SPINACH (1), S

PEPPERS (1) where a standard s

STRAWBERRIES (4 - K -) Strand Constraints of the strain o

TOMATOES (1), There is a first of the second state of the second s

ROSES (FIELD GROWN) - For a second se



FUNGICIDE-IN

EFG REGISTRATION N

A VERIAL AREDATION Theory of Doctor Area Provide to the Area Provide the Area Pr

.

CAUT

KEEP OUT OF REAC

(a) the second constraints of the second

Andreas and a second se

tet all second an order table to a second second

-) / A

.