

CODE
20122

KOLO[®] PARATHION 1.5 THIODAN[®] 2 DUST

NET WEIGHT
50 LBS.

FUNGICIDE - INSECTICIDE

DIRECTIONS FOR USE (Areas Other Than California)

Niagara Kolo Parathion 1.5 Thiodan 2 Dust is designed for use on PEACHES for the control of the following insects and diseases.

Brown Rot Scab, Curculio, Oriental Fruit Moth, Catfacing Insects, aid in control of red spiders.

Use at the rate of 1/3 to 1/2 lb. of dust per tree, depending on the size. Apply when shucks begin to split and repeat at 5 to 7 day intervals or as often as required to maintain effective control. Do not make more than 2 applications during fruiting period. Do not apply more than 5 lbs. actual parathion per acre per year. Do not apply within 30 days of harvest.

Applications of dusting and spray material containing sulfur should not be made prior to or during periods of excessively high temperatures. Do not apply within 2 weeks of an oil emulsion.

This product contains 18 percent bentonite sulfur. Bentonite sulfur is made by the absorption of fused sulfur into bentonite in the proportions of thirty parts sulfur and seventy parts bentonite. A portion of the sulfur particles are very minute, some of them colloidal. The process of manufacture and the character of the sulfur particles impart to the product distinctive properties with respect to toxicity to certain fungi, persistence on plants, susceptibility in spray tank and safety to host plants.

ACCEPTED
OCT 25 1969
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND FUNGICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 20122 SUBJECT
TO ATTACHED CONDITIONS

019

U. S. D. A. Reg. No. 279-2378

ACTIVE INGREDIENTS:

Sulfur -----60.0%
*Parathion ----- 1.5%
**Endosulfan(Hexachlorohexa-
hydromethano-2,4,3-benzodi-
oxathiepin oxide) ----- 2.0%

INERT INGREDIENTS: ----- 36.5%
100.0%

Sulfur fineness: 93% thru 325 mesh

*O,O-Diethyl O-p-nitrophenyl thio-
phosphate

**Thiodan U. S. Patent No. 2,799,685

DANGER-POISON
KEEP OUT OF REACH OF CHILDREN
First Aid Treatment

ANTIDOTE: If swallowed. Give a tablespoon-ful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a Physician IMMEDIATELY! If on skin. In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

ATROPINE IS ANTIDOTAL: Keep on hand an emergency supply of 20 tablets, grains 1/100. In case of poisoning take 3 tablets (gr. 1/100) and call physician at once.

PHYSICIAN: Enough atropine must be given in the shortest practical time to produce dilation of pupils. Patient must be under constant supervision and additional atropine may be necessary.

Use artificial respiration and oxygen if patient becomes comatose. Use of airway may be necessary.

Thiodan is a registered trademark of Canadian Hoechst Limited.

Parathion is a cholinesterase inhibitor and treatment of poisoning should include the use of atropine; Thiodan produces central nervous system excitation which responds to the barbituric acid derivatives.

WARNING: POISONOUS if Swallowed, Inhaled or Absorbed Through Skin! Rapidly Absorbed Through Skin! Avoid breathing dust. Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator passed by the U. S. Department of Agriculture of parathion-Thiodan mixtures. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.


USAGE CAUTIONS

This product is toxic to fish and wildlife. Keep out of any body of water. Apply this product only as specified on this label. Birds feeding in treated areas may be killed.

Dispose of wastes by burying at least 18" deep. Do not re-use container. Smash and bury with wastes. **DO NOT BURN.**

Printed in U. S. A.

ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THE MATERIAL TO BE EXPOSED TO NEARLY
ANY OF THE FOLLOWING AREAS OR USE IN A MAN-
NER WHICH MAY BE HARMFUL TO MAN OR ANIMAL PLANT
OR TO THE ENVIRONMENT. THE FOLLOWING ARE THE
USUAL AREAS OF USE OF THIS PRODUCT.

1. FERTILIZER FOR CROPS AND PASTURES.

2. FERTILIZER FOR LAWNS AND GOLF COURSES.

3. FERTILIZER FOR HOUSE PLANTS AND GREENHOUSES.

4. FERTILIZER FOR TREES AND SHRUBS.

5. FERTILIZER FOR FISH AND AQUARIUMS.

6. FERTILIZER FOR HOUSE PLANTS AND GREENHOUSES.

7. FERTILIZER FOR TREES AND SHRUBS.

8. FERTILIZER FOR LAWNS AND GOLF COURSES.

9. FERTILIZER FOR CROPS AND PASTURES.

10. FERTILIZER FOR HOUSE PLANTS AND GREENHOUSES.



NIAGARA CHEMICAL DIVISION
FMC CORPORATION
MIDDLEPORT NEW YORK

